



# FortiOS - Log Reference

**VERSION 5.2.13**

**FORTINET DOCUMENT LIBRARY**

<http://docs.fortinet.com>

**FORTINET VIDEO GUIDE**

<http://video.fortinet.com>

**FORTINET BLOG**

<https://blog.fortinet.com>

**CUSTOMER SERVICE & SUPPORT**

<https://support.fortinet.com>

**FORTIGATE COOKBOOK**

<http://cookbook.fortinet.com>

**FORTINET TRAINING SERVICES**

<http://www.fortinet.com/training>

**FORTIGUARD CENTER**

<http://www.fortiguard.com>

**END USER LICENSE AGREEMENT**

<http://www.fortinet.com/doc/legal/EULA.pdf>

**FEEDBACK**

Email: [techdocs@fortinet.com](mailto:techdocs@fortinet.com)



December 14, 2017

FortiOS 5.2.13 Log Reference

01-5212-302745-20171214

# TABLE OF CONTENTS

<b>Change Log</b>	<b>26</b>
<b>Introduction</b>	<b>27</b>
Before you begin	27
Overview	27
<b>Log Types and Sub Types</b>	<b>28</b>
Type	28
Subtype	28
Priority Level	29
Message IDs	29
Log Message Format	30
Log Field Format	30
<b>Log Schema Structure</b>	<b>31</b>
Header and Body Fields	31
Log ID Numbers	33
Log ID Definitions	33
<b>Log Messages</b>	<b>37</b>
Anomaly	37
18432 - LOGID_ATTCK_ANOMALY_TCP_UDP	37
18433 - LOGID_ATTCK_ANOMALY_ICMP	38
18434 - LOGID_ATTCK_ANOMALY_OTHERS	40
App	42
28672 - LOGID_APP_CTRL_IM_BASIC	42
28673 - LOGID_APP_CTRL_IM_BASIC_WITH_STATUS	43
28674 - LOGID_APP_CTRL_IM_BASIC_WITH_COUNT	44
28675 - LOGID_APP_CTRL_IM_FILE	46
28676 - LOGID_APP_CTRL_IM_CHAT	47
28677 - LOGID_APP_CTRL_IM_CHAT_BLOCK	48
28678 - LOGID_APP_CTRL_IM_BLOCK	50
28704 - LOGID_APP_CTRL_IPS_PASS	51
28705 - LOGID_APP_CTRL_IPS_BLOCK	53
28706 - LOGID_APP_CTRL_IPS_RESET	55
28720 - LOGID_APP_CTRL_SSH_PASS	56
28721 - LOGID_APP_CTRL_SSH_BLOCK	58
AV	59

8192 - MSGID_INFECT_WARNING .....	59
8193 - MSGID_INFECT_NOTIF .....	61
8194 - MSGID_INFECT_MIME_WARNING .....	63
8195 - MSGID_INFECT_MIME_NOTIF .....	65
8196 - MSGID_WORM_WARNING .....	67
8197 - MSGID_WORM_NOTIF .....	69
8198 - MSGID_WORM_MIME_WARNING .....	70
8199 - MSGID_WORM_MIME_NOTIF .....	72
8448 - MSGID_BLOCK_WARNING .....	73
8449 - MSGID_BLOCK_NOTIF .....	75
8450 - MSGID_BLOCK_MIME_WARNING .....	77
8451 - MSGID_BLOCK_MIME_NOTIF .....	79
8452 - MSGID_BLOCK_COMMAND .....	81
8453 - MSGID_INTERCEPT .....	82
8454 - MSGID_INTERCEPT_MIME .....	84
8455 - MSGID_EXEMPT .....	86
8456 - MSGID_EXEMPT_MIME .....	88
8457 - MSGID_MMS_CHECKSUM .....	90
8458 - MSGID_MMS_CHECKSUM_NOTIF .....	92
8704 - MSGID_OVERSIZE_WARNING .....	93
8705 - MSGID_OVERSIZE_NOTIF .....	95
8706 - MSGID_OVERSIZE_MIME_WARNING .....	97
8707 - MSGID_OVERSIZE_MIME_NOTIF .....	98
8720 - MSGID_SWITCH_PROTO_WARNING .....	100
8721 - MSGID_SWITCH_PROTO_NOTIF .....	102
8960 - MSGID_SCAN_UNCOMPSIZELIMIT_WARNING .....	103
8961 - MSGID_SCAN_UNCOMPSIZELIMIT_NOTIF .....	105
8962 - MSGID_SCAN_ARCHIVE_ENCRYPTED_WARNING .....	107
8963 - MSGID_SCAN_ARCHIVE_ENCRYPTED_NOTIF .....	109
8964 - MSGID_SCAN_ARCHIVE_CORRUPTED_WARNING .....	111
8965 - MSGID_SCAN_ARCHIVE_CORRUPTED_NOTIF .....	113
8966 - MSGID_SCAN_ARCHIVE_MULTIPART_WARNING .....	115
8967 - MSGID_SCAN_ARCHIVE_MULTIPART_NOTIF .....	117
8968 - MSGID_SCAN_ARCHIVE_NESTED_WARNING .....	119
8969 - MSGID_SCAN_ARCHIVE_NESTED_NOTIF .....	121
8970 - MSGID_SCAN_ARCHIVE_OVERSIZE_WARNING .....	123
8971 - MSGID_SCAN_ARCHIVE_OVERSIZE_NOTIF .....	125
8972 - MSGID_SCAN_ARCHIVE_UNHANDLED_WARNING .....	127
8973 - MSGID_SCAN_ARCHIVE_UNHANDLED_NOTIF .....	129
9233 - MSGID_ANALYTICS_SUBMITTED .....	131
9248 - MSGID_BOTNET_WARNING .....	133
9249 - MSGID_BOTNET_NOTIF .....	135

DLP .....	137
24576 - LOG_ID_DLP_WARN .....	137
24577 - LOG_ID_DLP_NOTIF .....	139
24578 - LOG_ID_DLP_DOC_SOURCE .....	142
24579 - LOG_ID_DLP_DOC_SOURCE_ERROR .....	142
Email .....	143
41216 - LOGID_GTP_FORWARD .....	143
41217 - LOGID_GTP_DENY .....	144
41218 - LOGID_GTP_RATE_LIMIT .....	145
41219 - LOGID_GTP_STATE_INVALID .....	146
41220 - LOGID_GTP_TUNNEL_LIMIT .....	146
41221 - LOGID_GTP_TRAFFIC_COUNT .....	147
41222 - LOGID_GTP_USER_DATA .....	148
41223 - LOGID_GTPV2_FORWARD .....	148
41224 - LOGID_GTPV2_DENY .....	149
41225 - LOGID_GTPV2_RATE_LIMIT .....	150
41226 - LOGID_GTPV2_STATE_INVALID .....	151
41227 - LOGID_GTPV2_TUNNEL_LIMIT .....	152
41228 - LOGID_GTPV2_TRAFFIC_COUNT .....	152
41229 - LOGID_GTPU_FORWARD .....	153
41230 - LOGID_GTPU_DENY .....	154
Event .....	155
20001 - LOG_ID_CLIENT_DISASSOCIATED .....	155
20002 - LOG_ID_DOMAIN_UNRESOLVABLE .....	155
20003 - LOG_ID_MAIL_SENT_FAIL .....	156
20004 - LOG_ID_POLICY_TOO_BIG .....	157
20005 - LOG_ID_PPP_LINK_UP .....	158
20006 - LOG_ID_PPP_LINK_DOWN .....	159
20007 - 20007 .....	159
20008 - LOG_ID_POLICY6_TOO_BIG .....	160
20010 - LOG_ID_KERNEL_ERROR .....	161
20011 - LOG_ID_CLIENT_NEW_ASSOCIATION .....	162
20012 - LOG_ID_CLIENT_WPA_1X .....	162
20013 - LOG_ID_CLIENT_WPA_SSN .....	163
20015 - LOG_ID_IEEE802_NEW_STATION .....	164
20016 - LOG_ID_MODEM_EXCEED_REDIAL_COUNT .....	164
20017 - LOG_ID_MODEM_FAIL_TO_OPEN .....	165
20020 - LOG_ID_MODEM_USB_DETECTED .....	166
20021 - LOG_ID_MAIL_RESENT .....	166
20022 - LOG_ID_MODEM_USB_REMOVED .....	167
20023 - LOG_ID_MODEM_USBLTE_DETECTED .....	168
20024 - LOG_ID_MODEM_USBLTE_REMOVED .....	169

20025 - LOG_ID_REPORTD_REPORT_SUCCESS .....	169
20026 - LOG_ID_REPORTD_REPORT_FAILURE .....	170
20027 - LOG_ID_REPORT_DEL_OLD_REC .....	171
20031 - LOG_ID_RAD_OUT_OF_MEM .....	171
20032 - LOG_ID_RAD_NOT_FOUND .....	172
20033 - LOG_ID_RAD_MOBILE_IPV6 .....	173
20034 - LOG_ID_RAD_IPV6_OUT_OF_RANGE .....	173
20035 - LOG_ID_RAD_MIN_OUT_OF_RANGE .....	174
20036 - LOG_ID_RAD_MAX_OUT_OF_RANGE .....	175
20037 - LOG_ID_RAD_MAX_ADV_OUT_OF_RANGE .....	175
20038 - LOG_ID_RAD_MTU_OUT_OF_RANGE .....	176
20039 - LOG_ID_RAD_MTU_TOO_SMALL .....	177
20040 - LOG_ID_RAD_TIME_TOO_SMALL .....	177
20041 - LOG_ID_RAD_HOP_OUT_OF_RANGE .....	178
20042 - LOG_ID_RAD_DFT_HOP_OUT_OF_RANGE .....	179
20043 - LOG_ID_RAD_AGENT_OUT_OF_RANGE .....	179
20044 - LOG_ID_RAD_AGENT_FLAG_NOT_SET .....	180
20045 - LOG_ID_RAD_PREFIX_TOO_LONG .....	181
20046 - LOG_ID_RAD_PREF_TIME_TOO_SMALL .....	181
20047 - LOG_ID_RAD_FAIL_IPV6_SOCKET .....	182
20048 - LOG_ID_RAD_FAIL_OPT_IPV6_PKTINFO .....	183
20049 - LOG_ID_RAD_FAIL_OPT_IPV6_CHECKSUM .....	183
20050 - LOG_ID_RAD_FAIL_OPT_IPV6_UNICAST_HOPS .....	184
20051 - LOG_ID_RAD_FAIL_OPT_IPV6_MULTICAST_HOPS .....	185
20052 - LOG_ID_RAD_FAIL_OPT_IPV6_HOPLIMIT .....	185
20053 - LOG_ID_RAD_FAIL_OPT_IPPROTO_ICMPV6 .....	186
20054 - LOG_ID_RAD_EXIT_BY_SIGNAL .....	187
20055 - LOG_ID_RAD_FAIL_CMDB_QUERY .....	187
20056 - LOG_ID_RAD_FAIL_CMDB_FOR_EACH .....	188
20057 - LOG_ID_RAD_FAIL_FIND_VIRT_INTF .....	189
20058 - LOG_ID_RAD_UNLOAD_INTF .....	189
20059 - LOG_ID_RAD_NO_PKT_INFO .....	190
20060 - LOG_ID_RAD_INV_ICMPV6_LEN .....	191
20061 - LOG_ID_RAD_INV_ICMPV6_TYPE .....	191
20062 - LOG_ID_RAD_INV_ICMPV6_RA_LEN .....	192
20063 - LOG_ID_RAD_ICMPV6_NO_SRC_ADDR .....	193
20064 - LOG_ID_RAD_INV_ICMPV6_RS_LEN .....	193
20065 - LOG_ID_RAD_INV_ICMPV6_CODE .....	194
20066 - LOG_ID_RAD_INV_ICMPV6_HOP .....	195
20067 - LOG_ID_RAD_MISMATCH_HOP .....	195
20068 - LOG_ID_RAD_MISMATCH_MGR_FLAG .....	196
20069 - LOG_ID_RAD_MISMATCH_OTH_FLAG .....	197

20070 - LOG_ID_RAD_MISMATCH_TIME .....	197
20071 - LOG_ID_RAD_MISMATCH_TIMER .....	198
20072 - LOG_ID_RAD_EXTRA_DATA .....	199
20073 - LOG_ID_RAD_NO_OPT_DATA .....	199
20074 - LOG_ID_RAD_INV_OPT_LEN .....	200
20075 - LOG_ID_RAD_MISMATCH_MTU .....	201
20077 - LOG_ID_RAD_MISMATCH_PREF_TIME .....	201
20078 - LOG_ID_RAD_INV_OPT .....	202
20079 - LOG_ID_RAD_READY .....	203
20080 - LOG_ID_RAD_FAIL_TO_RCV .....	203
20081 - LOG_ID_RAD_INV_HOP .....	204
20082 - LOG_ID_RAD_INV_PKTINFO .....	205
20083 - LOG_ID_RAD_FAIL_TO_CHECK .....	205
20084 - LOG_ID_RAD_FAIL_TO_SEND .....	206
20085 - 20085 .....	207
20086 - 20086 .....	208
20090 - LOG_ID_INTF_LINK_STA_CHG .....	208
20099 - LOG_ID_INTF_STA_CHG .....	209
20100 - LOG_ID_WEB_CAT_UPDATED .....	210
20101 - LOG_ID_WEB_LIC_EXPIRE .....	210
20102 - LOG_ID_SPAM_LIC_EXPIRE .....	211
20103 - LOG_ID_AV_LIC_EXPIRE .....	212
20104 - LOG_ID_IPS_LIC_EXPIRE .....	212
20105 - LOG_ID_LOG_UPLOAD_SKIP .....	213
20107 - LOG_ID_LOG_UPLOAD_ERR .....	214
20108 - LOG_ID_LOG_UPLOAD_DONE .....	215
20109 - LOG_ID_WEB_LIC_EXPIRED .....	216
20110 - LOG_ID_HPAPI_ESPD_START .....	216
20111 - LOG_ID_HPAPI_ESPD_RESET .....	217
20113 - LOG_ID_IPSA_DOWNLOAD_FAIL .....	218
20114 - LOG_ID_IPSA_SELFTEST_FAIL .....	218
20115 - LOG_ID_IPSA_STATUSUPD_FAIL .....	219
20116 - LOG_ID_SPAM_LIC_EXPIRED .....	220
20117 - LOG_ID_AV_LIC_EXPIRED .....	220
20200 - LOG_ID_FIPS_SELF_TEST .....	221
20201 - LOG_ID_FIPS_SELF_ALL_TEST .....	222
20202 - LOG_ID_DISK_FORMAT_ERROR .....	223
20203 - LOG_ID_DAEMON_SHUTDOWN .....	223
20204 - LOG_ID_DAEMON_START .....	224
20205 - LOG_ID_DISK_FORMAT_REQ .....	225
20206 - LOG_ID_DISK_SCAN_REQ .....	226
20207 - LOG_ID_RAD_MISMATCH_VALID_TIME .....	227

20208 - LOG_ID_ZOMBIE_DAEMON_CLEANUP .....	227
20209 - LOG_ID_DISK_UNAVAIL .....	228
20220 - 20220 .....	229
20221 - 20221 .....	229
20300 - LOG_ID_BGP_NB_STAT_CHG .....	230
20301 - LOG_ID_VZ_LOG .....	231
22000 - LOG_ID_INV_PKT_LEN .....	232
22001 - LOG_ID_UNSUPPORTED_PROT_VER .....	232
22002 - LOG_ID_INV_REQ_TYPE .....	233
22003 - LOG_ID_FAIL_SET_SIG_HANDLER .....	234
22004 - LOG_ID_FAIL_CREATE_SOCKET .....	234
22005 - LOG_ID_FAIL_CREATE_SOCKET_RETRY .....	235
22006 - LOG_ID_FAIL_REG_CMDB_EVENT .....	235
22009 - LOG_ID_FAIL_FIND_AV_PROFILE .....	236
22010 - LOG_ID_SENDTO_FAIL .....	237
22011 - 22011 .....	238
22012 - 22012 .....	239
22013 - 22013 .....	239
22014 - 22014 .....	240
22015 - 22015 .....	241
22016 - 22016 .....	242
22017 - LOG_ID_EXCEED_GLOB_RES_LIMIT .....	243
22018 - LOG_ID_EXCEED_VD_RES_LIMIT .....	244
22020 - LOG_ID_FAIL_CREATE_HA_SOCKET .....	244
22021 - LOG_ID_FAIL_CREATE_HA_SOCKET_RETRY .....	245
22100 - LOG_ID_QUAR_DROP_TRAN_JOB .....	246
22101 - LOG_ID_QUAR_DROP_TLL_JOB .....	247
22102 - LOG_ID_LOG_DISK_FAILURE .....	248
22103 - LOG_ID_QUAR_DAILY_LIMIT_REACHED .....	248
22104 - LOG_ID_POWER_RESTORE .....	249
22105 - LOG_ID_POWER_FAILURE .....	250
22106 - LOG_ID_POWER_OPTIONAL_NOT_DETECTED .....	251
22107 - LOG_ID_VOLT_ANOM .....	251
22108 - LOG_ID_FAN_ANOM .....	252
22109 - LOG_ID_TEMP_TOO_HIGH .....	253
22110 - LOG_ID_SPARE_BLOCK_LOW .....	254
22150 - LOG_ID_VOLT_NOM .....	254
22151 - LOG_ID_FAN_NOM .....	255
22152 - LOG_ID_TEMP_TOO_LOW .....	256
22153 - LOG_ID_TEMP_NORM .....	257
22200 - LOG_ID_AUTO_UPT_CERT .....	257
22201 - LOG_ID_AUTO_GEN_CERT .....	258



22202 - LOG_ID_AUTO_UPT_CERT_FAIL .....	259
22203 - LOG_ID_AUTO_GEN_CERT_FAIL .....	260
22204 - LOG_ID_AUTO_GEN_CERT_PENDING .....	261
22205 - LOG_ID_AUTO_GEN_CERT_SUCC .....	262
22206 - LOG_ID_CRL_EXPIRED .....	263
22700 - LOG_ID_IPS_FAIL_OPEN .....	263
22701 - LOG_ID_IPS_FAIL_OPEN_END .....	264
22800 - LOG_ID_SCAN_SERV_FAIL .....	265
22801 - LOG_ID_SCAN_LEAVE_CONSERVE_MODE .....	265
22802 - LOG_ID_SYS_ENTER_CONSERVE_MODE .....	266
22803 - LOG_ID_SYS_LEAVE_CONSERVE_MODE .....	267
22804 - LOG_ID_LIC_STATUS_CHG .....	268
22805 - LOG_ID_FAIL_TO_VALIDATE_LIC .....	269
22806 - LOG_ID_DUP_LIC .....	270
22810 - LOG_ID_SCAN_ENTER_CONSERVE_MODE .....	271
22900 - LOG_ID_CAPUTP_SESSION .....	271
22901 - LOG_ID_FAZ_CON .....	272
22902 - LOG_ID_FAZ_DISCON .....	273
22903 - LOG_ID_FAZ_CON_ERR .....	274
22913 - LOG_ID_FDS_SRV_DISCON .....	275
22914 - LOG_ID_FDS_SRV_CHG .....	275
22915 - LOG_ID_FDS_SRV_CON .....	276
22916 - LOG_ID_FDS_STATUS .....	277
22917 - LOG_ID_FDS_SMS_QUOTA .....	278
22918 - LOG_ID_FDS_CTRL_STATUS .....	278
22921 - LOG_ID_EVENT_ROUTE_INFO_CHANGED .....	279
22922 - LOG_ID_EVENT_LINK_MONITOR_STATUS .....	280
22923 - LOG_ID_EVENT_VWL_LQTY_STATUS .....	281
22924 - LOG_ID_EVENT_VWL_VOLUME_STATUS .....	281
26001 - LOG_ID_DHCP_ACK .....	282
26002 - LOG_ID_DHCP_RELEASE .....	283
26003 - LOG_ID_DHCP_STAT .....	284
26004 - LOG_ID_DHCP_CLIENT_LEASE .....	285
26005 - LOG_ID_DHCP_LEASE_USAGE_HIGH .....	285
26006 - LOG_ID_DHCP_LEASE_USAGE_FULL .....	286
26007 - LOG_ID_DHCP_BLOCKED_MAC .....	287
27001 - LOG_ID_VRRP_STATE_CHG .....	288
29001 - LOG_ID_PPPD_MSG .....	288
29002 - LOG_ID_PPPD_AUTH_SUC .....	289
29003 - LOG_ID_PPPD_AUTH_FAIL .....	290
29009 - LOG_ID_PPPOE_STATUS_REPORT .....	291
29011 - LOG_ID_PPPD_FAIL_TO_EXEC .....	292

29012 - LOG_ID_PPP_OPT_ERR .....	292
29013 - LOG_ID_PPPD_START .....	293
29014 - LOG_ID_PPPD_EXIT .....	294
29015 - LOG_ID_PPP_RCV_BAD_PEER_IP .....	294
29016 - LOG_ID_PPP_RCV_BAD_LOCAL_IP .....	295
29017 - LOG_ID_PPP_OPT_NOTIF .....	296
29020 - LOG_ID_WIRELESS_SET_FAIL .....	296
29021 - LOG_ID_EVENT_AUTH_SNMP_QUERY_FAILED .....	297
32001 - LOG_ID_ADMIN_LOGIN_SUCC .....	298
32002 - LOG_ID_ADMIN_LOGIN_FAIL .....	299
32003 - LOG_ID_ADMIN_LOGOUT .....	300
32005 - LOG_ID_ADMIN_OVERRIDE_VDOM .....	301
32006 - LOG_ID_ADMIN_ENTER_VDOM .....	302
32007 - LOG_ID_ADMIN_LEFT_VDOM .....	303
32008 - LOG_ID_VIEW_DISK_LOG_FAIL .....	303
32009 - LOG_ID_SYSTEM_START .....	304
32010 - LOG_ID_DISK_LOG_FULL .....	305
32011 - LOG_ID_LOG_ROLL .....	305
32012 - LOG_ID_FIPS_LEAVE_ERR_MOD .....	306
32014 - LOG_ID_CS_LIC_EXPIRE .....	307
32015 - LOG_ID_DISK_LOG_USAGE .....	308
32016 - LOG_ID_FDS_QUOTA_WARN .....	308
32017 - LOG_ID_FDS_DAILY_QUOTA_FULL .....	309
32018 - LOG_ID_FIPS_ENTER_ERR_MOD .....	310
32019 - LOG_ID_CC_ENTER_ERR_MOD .....	310
32020 - LOG_ID_SSH_CORRPUT_MAC .....	311
32021 - LOG_ID_ADMIN_LOGIN_DISABLE .....	312
32022 - LOG_ID_VDOM_ENABLED .....	313
32023 - LOG_ID_MEM_LOG_FIRST_FULL .....	314
32024 - LOG_ID_ADMIN_PASSWD_EXPIRE .....	314
32027 - LOG_ID_VIEW_DISK_LOG_SUCC .....	315
32028 - LOG_ID_LOG_DEL_DIR .....	316
32029 - LOG_ID_LOG_DEL_FILE .....	317
32030 - LOG_ID_SEND_FDS_STAT .....	317
32031 - LOG_ID_VIEW_MEM_LOG_FAIL .....	318
32032 - LOG_ID_DISK_DLP_ARCH_FULL .....	319
32033 - LOG_ID_DISK_QUAR_FULL .....	320
32034 - LOG_ID_DISK_REPORT_FULL .....	320
32035 - LOG_ID_VDOM_DISABLED .....	321
32036 - LOG_ID_DISK_IPS_ARCH_FULL .....	322
32037 - LOG_ID_DISK_LOG_FIRST_FULL .....	322
32038 - LOG_ID_LOG_ROLL_FORTICRON .....	323

32039 - LOG_ID_VIEW_MEM_LOG_SUCC .....	324
32040 - LOG_ID_REPORT_DELETED .....	325
32041 - LOG_ID_REPORT_DELETED_GUI .....	325
32042 - LOG_ID_MEM_LOG_SECOND_FULL .....	326
32043 - LOG_ID_MEM_LOG_FINAL_FULL .....	327
32045 - LOG_ID_MGR_LIC_EXPIRE .....	327
32046 - LOG_ID_SSL_CORRPUT_MAC .....	328
32048 - LOG_ID_SCHEDULE_EXPIRE .....	329
32049 - LOG_ID_FC_EXPIRE .....	329
32051 - LOG_ID_LOG_UPLOAD .....	330
32086 - LOG_ID_ENTER_TRANSPARENT .....	331
32087 - LOG_ID_ENTER_NAT .....	332
32095 - LOG_ID_GUI_CHG_SUB_MODULE .....	333
32096 - LOG_ID_GUI_DOWNLOAD_LOG .....	333
32100 - LOG_ID_FORTI_TOKEN_SYNC .....	334
32101 - LOG_ID_LCD_CHG_CONF .....	335
32102 - LOG_ID_CHG_CONFIG .....	336
32103 - LOG_ID_NEW_FIRMWARE .....	337
32104 - LOG_ID_CHG_CONFIG_GUI .....	337
32105 - LOG_ID_NTP_SVR_STAUS_CHG_REACHABLE .....	338
32106 - LOG_ID_NTP_SVR_STAUS_CHG_RESOLVABLE .....	339
32107 - LOG_ID_NTP_SVR_STAUS_CHG_UNRESOLVABLE .....	340
32108 - LOG_ID_NTP_SVR_STAUS_CHG_UNREACHABLE .....	341
32109 - LOG_ID_UPD_SIGN_AV_DB .....	342
32110 - LOG_ID_UPD_SIGN_IPS_DB .....	342
32111 - LOG_ID_UPD_SIGN_AVIPS_DB .....	343
32112 - LOG_ID_UPD_SIGN_NETSCAN_DB .....	344
32113 - LOG_ID_UPD_SIGN_SRCVIS_DB .....	345
32114 - LOG_ID_UPD_SIGN_GEOIP_DB .....	346
32115 - LOG_ID_UPD_SIGN_SERVER_LIST .....	346
32116 - LOG_ID_UPD_SIGN_AVPKG_FAILURE .....	347
32117 - LOG_ID_UPD_SIGN_AVPKG_SUCCESS .....	348
32118 - LOG_ID_UPD_ADMIN_AV_DB .....	349
32119 - LOG_ID_UPD_SCANUNIT_AV_DB .....	349
32120 - LOG_ID_RPT_ADD_DATASET .....	350
32122 - LOG_ID_RPT_DEL_DATASET .....	351
32125 - LOG_ID_RPT_ADD_CHART .....	352
32126 - LOG_ID_RPT_DEL_CHART .....	353
32129 - LOG_ID_ADD_GUEST .....	354
32130 - LOG_ID_CHG_USER .....	354
32131 - LOG_ID_DEL_GUEST .....	355
32132 - LOG_ID_ADD_USER .....	356

32138 - LOG_ID_REBOOT .....	357
32140 - LOG_ID_TIME_USER_SETTING_CHG .....	358
32141 - LOG_ID_TIME_NTP_SETTING_CHG .....	359
32142 - LOG_ID_BACKUP_CONF .....	359
32143 - LOG_ID_BACKUP_CONF_BY_SCP .....	360
32148 - LOG_ID_GET_CRL .....	361
32149 - LOG_ID_COMMAND_FAIL .....	362
32151 - LOG_ID_ADD_IP6_LOCAL_POL .....	363
32152 - LOG_ID_CHG_IP6_LOCAL_POL .....	363
32153 - LOG_ID_DEL_IP6_LOCAL_POL .....	364
32155 - LOG_ID_ACT_FTOKEN_REQ .....	365
32156 - LOG_ID_ACT_FTOKEN_SUCC .....	365
32157 - LOG_ID_SYNC_FTOKEN_SUCC .....	366
32158 - LOG_ID_SYNC_FTOKEN_FAIL .....	367
32159 - LOG_ID_ACT_FTOKEN_FAIL .....	368
32168 - LOG_ID_REACH_VDOM_LIMIT .....	369
32169 - LOG_ID_ALARM_DLP_DB .....	370
32170 - LOG_ID_ALARM_MSG .....	370
32171 - LOG_ID_ALARM_ACK .....	371
32172 - LOG_ID_ADD_IP4_LOCAL_POL .....	372
32173 - LOG_ID_CHG_IP4_LOCAL_POL .....	373
32174 - LOG_ID_DEL_IP4_LOCAL_POL .....	373
32190 - LOG_ID_UPT_INVALID_IMG .....	374
32191 - LOG_ID_UPT_INVALID_IMG_CC .....	375
32192 - LOG_ID_UPT_INVALID_IMG_RSA .....	376
32193 - LOG_ID_UPT_IMG_RSA .....	376
32194 - LOG_ID_UPT_IMG_FAIL .....	377
32199 - LOG_ID_RESTORE_IMG_USB .....	378
32200 - LOG_ID_SHUTDOWN .....	379
32201 - LOG_ID_LOAD_IMG_SUCC .....	380
32202 - LOG_ID_RESTORE_IMG .....	380
32203 - LOG_ID_RESTORE_CONF .....	381
32204 - LOG_ID_RESTORE_FGD_SVR .....	382
32205 - LOG_ID_RESTORE_VDOM_LIC .....	383
32206 - LOG_ID_RESTORE_SCRIPT .....	384
32207 - LOG_ID_RETRIEVE_CONF_LIST .....	384
32208 - LOG_ID_IMP_PKCS12_CERT .....	385
32209 - LOG_ID_RESTORE_USR_DEF_IPS .....	386
32210 - LOG_ID_BACKUP_IMG_SUCC .....	387
32211 - LOG_ID_UPLOAD_REVISION .....	388
32212 - LOG_ID_DEL_REVISION .....	389
32213 - LOG_ID_RESTORE_TEMPLATE .....	389

32214 - LOG_ID_RESTORE_FILE .....	390
32215 - LOG_ID_UPT_IMG .....	391
32217 - LOG_ID_UPD_IPS .....	392
32218 - LOG_ID_UPD_DLP .....	393
32219 - LOG_ID_BACKUP_OUTPUT .....	393
32220 - LOG_ID_BACKUP_COMMAND .....	394
32221 - LOG_ID_UPD_VDOM_LIC .....	395
32222 - LOG_ID_GLB_SETTING_CHG .....	396
32223 - LOG_ID_BACKUP_USER_DEF_IPS .....	397
32224 - LOG_ID_BACKUP_DISK_LOG .....	398
32225 - LOG_ID_DEL_ALL_REVISION .....	398
32226 - LOG_ID_LOAD_IMG_FAIL .....	399
32227 - LOG_ID_UPD_DLP_FAIL .....	400
32228 - LOG_ID_LOAD_IMG_FAIL_WRONG_IMG .....	401
32229 - LOG_ID_LOAD_IMG_FAIL_NO_RSA .....	402
32230 - LOG_ID_LOAD_IMG_FAIL_INVALID_RSA .....	402
32231 - LOG_ID_RESTORE_FGD_SVR_FAIL .....	403
32232 - LOG_ID_RESTORE_VDOM_LIC_FAIL .....	404
32233 - LOG_ID_BACKUP_IMG_FAIL .....	405
32234 - LOG_ID_RESTORE_IMG_INVALID_CC .....	406
32235 - LOG_ID_RESTORE_IMG_FORTIGUARD .....	406
32236 - LOG_ID_BACKUP_MEM_LOG .....	407
32237 - LOG_ID_BACKUP_MEM_LOG_FAIL .....	408
32238 - LOG_ID_BACKUP_DISK_LOG_FAIL .....	409
32239 - LOG_ID_BACKUP_DISK_LOG_USB .....	410
32240 - LOG_ID_SYS_USB_MODE .....	410
32241 - LOG_ID_BACKUP_DISK_LOG_USB_FAIL .....	411
32242 - LOG_ID_UPD_VDOM_LIC_FAIL .....	412
32243 - LOG_ID_UPD_IPS_SCP .....	413
32244 - LOG_ID_UPD_IPS_SCP_FAIL .....	414
32245 - LOG_ID_BACKUP_USER_DEF_IPS_FAIL .....	414
32252 - LOG_ID_FACTORY_RESET .....	415
32253 - LOG_ID_FORMAT_RAID .....	416
32254 - LOG_ID_ENABLE_RAID .....	417
32255 - LOG_ID_DISABLE_RAID .....	418
32300 - LOG_ID_UPLOAD_RPT_IMG .....	418
32301 - LOG_ID_ADD_VDOM .....	419
32302 - LOG_ID_DEL_VDOM .....	420
32340 - LOG_ID_LOG_DISK_UNAVAIL .....	421
32341 - LOG_ID_LOG_DISK_DEFAULT_DISABLED .....	422
32400 - LOG_ID_CONF_CHG .....	422
32545 - LOG_ID_SYS_RESTART .....	423

32546 - LOG_ID_APPLICATION_CRASH .....	424
32560 - LOG_ID_ADMIN_LOGIN_DISCLAIMER_SUCC .....	425
32561 - LOG_ID_ADMIN_LOGOUT_DISCONNECT .....	426
32562 - LOG_ID_STORE_CONF_FAIL_SPACE .....	427
32563 - LOG_ID_STORE_CONF_FAIL_FIRST_LINE .....	427
32564 - LOG_ID_RESTORE_CONF_FAIL .....	428
32565 - LOG_ID_RESTORE_CONF_BY_MGMT .....	429
32566 - LOG_ID_RESTORE_CONF_BY_SCP .....	430
32567 - LOG_ID_RESTORE_CONF_BY_USB .....	430
32568 - LOG_ID_DEL_REVISION_DB .....	431
35001 - LOG_ID_HA_SYNC_VIRDB .....	432
35002 - LOG_ID_HA_SYNC_ETDB .....	433
35003 - LOG_ID_HA_SYNC_EXDB .....	433
35005 - LOG_ID_HA_SYNC_IPS .....	434
35007 - LOG_ID_HA_SYNC_AV .....	435
35008 - LOG_ID_HA_SYNC_VCM .....	435
35009 - LOG_ID_HA_SYNC_CID .....	436
35010 - LOG_ID_HA_SYNC_FAIL .....	437
35011 - LOG_ID_CONF_SYNC_FAIL .....	437
36880 - LOG_ID_EVENT_SYSTEM_MAC_HOST_STORE_LIMIT .....	438
37120 - MSGID_NEG_GENERIC_P1_NOTIF .....	439
37121 - MSGID_NEG_GENERIC_P1_ERROR .....	440
37122 - MSGID_NEG_GENERIC_P2_NOTIF .....	441
37123 - MSGID_NEG_GENERIC_P2_ERROR .....	443
37124 - MSGID_NEG_I_P1_ERROR .....	444
37125 - MSGID_NEG_I_P2_ERROR .....	445
37126 - MSGID_NEG_NO_STATE_ERROR .....	447
37127 - MSGID_NEG_PROGRESS_P1_NOTIF .....	448
37128 - MSGID_NEG_PROGRESS_P1_ERROR .....	450
37129 - MSGID_NEG_PROGRESS_P2_NOTIF .....	451
37130 - MSGID_NEG_PROGRESS_P2_ERROR .....	453
37131 - MSGID_ESP_ERROR .....	454
37132 - MSGID_ESP_CRITICAL .....	455
37133 - MSGID_INSTALL_SA .....	457
37134 - MSGID_DELETE_P1_SA .....	458
37135 - MSGID_DELETE_P2_SA .....	459
37136 - MSGID_DPD_FAILURE .....	461
37137 - MSGID_CONN_FAILURE .....	462
37138 - MSGID_CONN_UPDOWN .....	463
37139 - MSGID_P2_UPDOWN .....	465
37140 - MSGID_AUTO_IPSEC .....	466
37141 - MSGID_CONN_STATS .....	467

37184 - MSGID_NEG_GENERIC_P1_NOTIF_IKEV2 .....	469
37185 - MSGID_NEG_GENERIC_P1_ERROR_IKEV2 .....	470
37186 - MSGID_NEG_GENERIC_P2_NOTIF_IKEV2 .....	472
37187 - MSGID_NEG_GENERIC_P2_ERROR_IKEV2 .....	473
37188 - MSGID_NEG_I_P1_ERROR_IKEV2 .....	474
37189 - MSGID_NEG_I_P2_ERROR_IKEV2 .....	476
37190 - MSGID_NEG_NO_STATE_ERROR_IKEV2 .....	477
37191 - MSGID_NEG_PROGRESS_P1_NOTIF_IKEV2 .....	478
37192 - MSGID_NEG_PROGRESS_P1_ERROR_IKEV2 .....	480
37193 - MSGID_NEG_PROGRESS_P2_NOTIF_IKEV2 .....	481
37194 - MSGID_NEG_PROGRESS_P2_ERROR_IKEV2 .....	483
37195 - MSGID_ESP_ERROR_IKEV2 .....	484
37196 - MSGID_ESP_CRITICAL_IKEV2 .....	486
37197 - MSGID_INSTALL_SA_IKEV2 .....	487
37198 - MSGID_DELETE_P1_SA_IKEV2 .....	488
37199 - MSGID_DELETE_P2_SA_IKEV2 .....	490
37200 - MSGID_DPD_FAILURE_IKEV2 .....	491
37201 - MSGID_CONN_FAILURE_IKEV2 .....	492
37202 - MSGID_CONN_UPDOWN_IKEV2 .....	493
37203 - MSGID_P2_UPDOWN_IKEV2 .....	495
37204 - MSGID_CONN_STATS_IKEV2 .....	496
37888 - MSGID_HA_GROUP_DELETE .....	498
37889 - MSGID_VC_DELETE .....	498
37890 - MSGID_VC_MOVE_VDOM .....	499
37891 - MSGID_VC_ADD_VDOM .....	500
37892 - MSGID_VC_MOVE_MEMB_STATE .....	501
37893 - MSGID_VC_DETECT_MEMB_DEAD .....	501
37894 - MSGID_VC_DETECT_MEMB_JOIN .....	502
37895 - MSGID_VC_ADD_HADEV .....	503
37896 - MSGID_VC_DEL_HADEV .....	504
37897 - MSGID_HADEV_READY .....	504
37898 - MSGID_HADEV_FAIL .....	505
37899 - MSGID_HADEV_PEERINFO .....	506
37900 - MSGID_HBDEV_DELETE .....	507
37901 - MSGID_HBDEV_DOWN .....	507
37902 - MSGID_HBDEV_UP .....	508
37903 - MSGID_SYNC_STATUS .....	509
37904 - MSGID_HA_ACTIVITY .....	510
37905 - MSGID_HA_ENABLE_SET_AS_MASTER .....	511
37906 - MSGID_HA_DISABLE_SET_AS_MASTER .....	511
38010 - LOG_ID_FIPS_ENCRY_FAIL .....	512
38011 - LOG_ID_FIPS_DECRY_FAIL .....	513

38012 - LOG_ID_ENTROPY_TOKEN .....	514
38031 - LOG_ID_FSSO_LOGON .....	515
38032 - LOG_ID_FSSO_LOGOFF .....	515
38033 - LOG_ID_FSSO_SVR_STATUS .....	516
38400 - LOGID_EVENT_NOTIF_SEND_SUCC .....	517
38401 - LOGID_EVENT_NOTIF_SEND_FAIL .....	518
38402 - LOGID_EVENT_NOTIF_DNS_FAIL .....	520
38403 - LOGID_EVENT_NOTIF_INSUFFICIENT_RESOURCE .....	521
38404 - LOGID_EVENT_NOTIF_HOSTNAME_ERROR .....	521
38405 - LOGID_NOTIF_CODE_SENDTO_SMS_PHONE .....	522
38406 - LOGID_NOTIF_CODE_SENDTO_SMS_TO .....	523
38407 - LOGID_NOTIF_CODE_SENDTO_EMAIL .....	523
38408 - LOGID_EVENT_OFTP_SSL_CONNECTED .....	524
38409 - LOGID_EVENT_OFTP_SSL_DISCONNECTED .....	525
38410 - LOGID_EVENT_OFTP_SSL_FAILED .....	526
38411 - LOGID_EVENT_TWO_F_AUTH_CODE_SENDTO .....	527
38412 - LOGID_EVENT_TOKEN_CODE_SENDTO .....	528
38656 - LOGID_EVENT_RAD_RPT_PROTO_ERROR .....	528
38657 - LOGID_EVENT_RAD_RPT_PROF_NOT_FOUND .....	529
38658 - LOGID_EVENT_RAD_RPT_CTX_NOT_FOUND .....	530
38659 - LOGID_EVENT_RAD_RPT_ACCT_STOP_MISSED .....	531
38660 - LOGID_EVENT_RAD_RPT_ACCT_EVENT .....	531
38661 - LOGID_EVENT_RAD_RPT_OTHER .....	532
38662 - LOGID_EVENT_RAD_STAT_PROTO_ERROR .....	533
38663 - LOGID_EVENT_RAD_STAT_PROF_NOT_FOUND .....	534
38665 - LOGID_EVENT_RAD_STAT_ACCT_STOP_MISSED .....	535
38666 - LOGID_EVENT_RAD_STAT_ACCT_EVENT .....	536
38667 - LOGID_EVENT_RAD_STAT_OTHER .....	536
38668 - LOGID_EVENT_RAD_STAT_EP_BLK .....	537
39424 - LOG_ID_EVENT_SSL_VPN_USER_TUNNEL_UP .....	538
39425 - LOG_ID_EVENT_SSL_VPN_USER_TUNNEL_DOWN .....	539
39426 - LOG_ID_EVENT_SSL_VPN_USER_SSL_LOGIN_FAIL .....	540
39936 - LOG_ID_EVENT_SSL_VPN_SESSION_WEB_TUNNEL_STATS .....	541
39937 - LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_DENY .....	542
39938 - LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_PASS .....	543
39939 - LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_TIMEOUT .....	544
39940 - LOG_ID_EVENT_SSL_VPN_SESSION_WEBAPP_CLOSE .....	545
39941 - LOG_ID_EVENT_SSL_VPN_SESSION_SYS_BUSY .....	546
39942 - LOG_ID_EVENT_SSL_VPN_SESSION_CERT_OK .....	547
39943 - LOG_ID_EVENT_SSL_VPN_SESSION_NEW_CON .....	548
39944 - LOG_ID_EVENT_SSL_VPN_SESSION_ALERT .....	549
39945 - LOG_ID_EVENT_SSL_VPN_SESSION_EXIT_FAIL .....	550



39946 - LOG_ID_EVENT_SSL_VPN_SESSION_EXIT_ERR .....	551
39947 - LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_UP .....	552
39948 - LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_DOWN .....	553
39949 - LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_STATS .....	554
39950 - LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_UNKNOWNTAG .....	555
39951 - LOG_ID_EVENT_SSL_VPN_SESSION_TUNNEL_ERROR .....	556
39952 - LOG_ID_EVENT_SSL_VPN_SESSION_ENTER_CONSERVE_MODE ....	557
39953 - LOG_ID_EVENT_SSL_VPN_SESSION_LEAVE_CONSERVE_MODE ....	558
40001 - LOG_ID_PPTP_TUNNEL_UP .....	559
40002 - LOG_ID_PPTP_TUNNEL_DOWN .....	560
40003 - LOG_ID_PPTP_TUNNEL_STAT .....	561
40014 - LOG_ID_PPTP_REACH_MAX_CON .....	562
40016 - LOG_ID_L2TPD_SVR_DISCON .....	563
40017 - LOG_ID_L2TPD_CLIENT_CON_FAIL .....	564
40019 - LOG_ID_L2TPD_CLIENT_DISCON .....	565
40021 - LOG_ID_PPTP_NOT_CONIG .....	565
40022 - LOG_ID_PPTP_NO_IP_AVAIL .....	566
40024 - LOG_ID_PPTP_OUT_MEM .....	567
40034 - LOG_ID_PPTP_START .....	568
40035 - LOG_ID_PPTP_START_FAIL .....	569
40036 - LOG_ID_PPTP_EXIT .....	569
40037 - LOG_ID_PPTPD_SVR_DISCON .....	570
40038 - LOG_ID_PPTPD_CLIENT_CON .....	571
40039 - LOG_ID_PPTPD_CLIENT_DISCON .....	572
40101 - LOG_ID_L2TP_TUNNEL_UP .....	572
40102 - LOG_ID_L2TP_TUNNEL_DOWN .....	573
40103 - LOG_ID_L2TP_TUNNEL_STAT .....	574
40114 - LOG_ID_L2TPD_START .....	575
40115 - LOG_ID_L2TPD_EXIT .....	576
40118 - LOG_ID_L2TPD_CLIENT_CON .....	577
40704 - LOG_ID_EVENT_SYS_PERF .....	578
40960 - LOGID_EVENT_WAD_WEBPROXY_FWD_SRV_ERROR .....	579
41000 - LOG_ID_UPD_FGT_SUCC .....	580
41001 - LOG_ID_UPD_FGT_FAIL .....	580
41002 - LOG_ID_UPD_SRC_VIS .....	581
41003 - LOG_ID_INVALID_UPD_LIC .....	582
41005 - LOG_ID_UPD_VCM .....	583
41216 - LOGID_GTP_FORWARD .....	584
41217 - LOGID_GTP_DENY .....	585
41218 - LOGID_GTP_RATE_LIMIT .....	587
41219 - LOGID_GTP_STATE_INVALID .....	588
41220 - LOGID_GTP_TUNNEL_LIMIT .....	590

41221 - LOGID_GTP_TRAFFIC_COUNT .....	592
41222 - LOGID_GTP_USER_DATA .....	593
41223 - LOGID_GTPV2_FORWARD .....	594
41224 - LOGID_GTPV2_DENY .....	596
41225 - LOGID_GTPV2_RATE_LIMIT .....	597
41226 - LOGID_GTPV2_STATE_INVALID .....	599
41227 - LOGID_GTPV2_TUNNEL_LIMIT .....	600
41228 - LOGID_GTPV2_TRAFFIC_COUNT .....	602
41229 - LOGID_GTPU_FORWARD .....	603
41230 - LOGID_GTPU_DENY .....	604
41984 - LOG_ID_EVENT_VPN_CERT_LOAD .....	605
41985 - LOG_ID_EVENT_VPN_CERT_REMOVAL .....	606
41986 - LOG_ID_EVENT_VPN_CERT_REGEN .....	607
41987 - LOG_ID_EVENT_VPN_CERT_UPDATE .....	608
41988 - LOG_ID_EVENT_SSL_VPN_SETTING_UPDATE .....	609
41989 - LOG_ID_EVENT_VPN_CERT_ERR .....	610
41990 - LOG_ID_EVENT_VPN_CERT_UPDATE_FAILED .....	611
43008 - LOG_ID_EVENT_AUTH_SUCCESS .....	612
43009 - LOG_ID_EVENT_AUTH_FAILED .....	613
43010 - LOG_ID_EVENT_AUTH_LOCKOUT .....	614
43011 - LOG_ID_EVENT_AUTH_TIME_OUT .....	615
43012 - LOG_ID_EVENT_AUTH_FSAE_AUTH_SUCCESS .....	616
43013 - LOG_ID_EVENT_AUTH_FSAE_AUTH_FAIL .....	617
43014 - LOG_ID_EVENT_AUTH_FSAE_LOGON .....	618
43015 - LOG_ID_EVENT_AUTH_FSAE_LOGOFF .....	619
43016 - LOG_ID_EVENT_AUTH_NTLM_AUTH_SUCCESS .....	620
43017 - LOG_ID_EVENT_AUTH_NTLM_AUTH_FAIL .....	621
43018 - LOG_ID_EVENT_AUTH_FGOVRD_FAIL .....	622
43020 - LOG_ID_EVENT_AUTH_FGOVRD_SUCCESS .....	623
43025 - LOG_ID_EVENT_AUTH_PROXY_SUCCESS .....	624
43026 - LOG_ID_EVENT_AUTH_PROXY_FAILED .....	625
43027 - LOG_ID_EVENT_AUTH_PROXY_TIME_OUT .....	626
43028 - LOG_ID_EVENT_AUTH_PROXY_AUTHORIZATION_FAILED .....	627
43029 - LOG_ID_EVENT_AUTH_WARNING_SUCCESS .....	628
43030 - LOG_ID_EVENT_AUTH_WARNING_TBL_FULL .....	629
43040 - LOG_ID_EVENT_AUTH_LOGOUT .....	630
43041 - LOG_ID_EVENT_AUTH_DISCLAIMER_ACCEPT .....	631
43042 - LOG_ID_EVENT_AUTH_DISCLAIMER_DECLINE .....	632
43043 - LOG_ID_EVENT_AUTH_EMAIL_COLLECTING_SUCCESS .....	633
43044 - LOG_ID_EVENT_AUTH_EMAIL_COLLECTING_FAIL .....	634
43264 - LOGID_MMS_STATS .....	635
43521 - LOG_ID_EVENT_WIRELESS_ROGUE .....	636

43525 - LOG_ID_EVENT_WIRELESS_ONWIRE .....	638
43528 - LOG_ID_EVENT_WIRELESS_WTPR_ERROR .....	640
43530 - LOG_ID_EVENT_WIRELESS_WIDS_WL_BRIDGE .....	641
43531 - LOG_ID_EVENT_WIRELESS_WIDS_BR_DEAUTH .....	642
43532 - LOG_ID_EVENT_WIRELESS_WIDS_NL_PBRESP .....	643
43533 - LOG_ID_EVENT_WIRELESS_WIDS_MAC_OUI .....	645
43534 - LOG_ID_EVENT_WIRELESS_WIDS_LONG_DUR .....	646
43535 - LOG_ID_EVENT_WIRELESS_WIDS_WEP_IV .....	647
43542 - LOG_ID_EVENT_WIRELESS_WIDS_EAPOL_FLOOD .....	649
43544 - LOG_ID_EVENT_WIRELESS_WIDS_MGMT_FLOOD .....	650
43546 - LOG_ID_EVENT_WIRELESS_WIDS_SPOOF_DEAUTH .....	651
43548 - LOG_ID_EVENT_WIRELESS_WIDS_ASLEAP .....	652
43550 - LOG_ID_EVENT_WIRELESS_STA_LOCATE .....	654
43551 - LOG_ID_EVENT_WIRELESS_WTP_JOIN .....	655
43552 - LOG_ID_EVENT_WIRELESS_WTP_LEAVE .....	656
43553 - LOG_ID_EVENT_WIRELESS_WTP_FAIL .....	657
43554 - LOG_ID_EVENT_WIRELESS_WTP_UPDATE .....	658
43555 - LOG_ID_EVENT_WIRELESS_WTP_RESET .....	659
43556 - LOG_ID_EVENT_WIRELESS_WTP_KICK .....	660
43557 - LOG_ID_EVENT_WIRELESS_WTP_ADD_FAILURE .....	661
43558 - LOG_ID_EVENT_WIRELESS_WTP_CFG_ERR .....	662
43559 - LOG_ID_EVENT_WIRELESS_WTP_SN_MISMATCH .....	663
43560 - LOG_ID_EVENT_WIRELESS_SYS_AC_RESTARTED .....	664
43561 - LOG_ID_EVENT_WIRELESS_SYS_AC_HOSTAPD_UP .....	665
43562 - LOG_ID_EVENT_WIRELESS_SYS_AC_HOSTAPD_DOWN .....	666
43563 - LOG_ID_EVENT_WIRELESS_ROGUE_DETECT .....	666
43564 - LOG_ID_EVENT_WIRELESS_ROGUE_OFFAIR .....	668
43565 - LOG_ID_EVENT_WIRELESS_ROGUE_ONAIR .....	670
43566 - LOG_ID_EVENT_WIRELESS_ROGUE_OFFWIRE .....	671
43567 - LOG_ID_EVENT_WIRELESS_FAKEAP_DETECT .....	673
43568 - LOG_ID_EVENT_WIRELESS_FAKEAP_ONAIR .....	675
43569 - LOG_ID_EVENT_WIRELESS_ROGUE_SUPPRESSED .....	676
43570 - LOG_ID_EVENT_WIRELESS_ROGUE_UNSUPPRESSED .....	678
43571 - LOG_ID_EVENT_WIRELESS_ROGUE_DETECT_CHG .....	680
43572 - LOG_ID_EVENT_WIRELESS_STA ASSO .....	681
43573 - LOG_ID_EVENT_WIRELESS_STA_AUTH .....	683
43574 - LOG_ID_EVENT_WIRELESS_STA_DASS .....	684
43575 - LOG_ID_EVENT_WIRELESS_STA_DAUT .....	685
43576 - LOG_ID_EVENT_WIRELESS_STA_IDLE .....	687
43577 - LOG_ID_EVENT_WIRELESS_STA_DENY .....	688
43578 - LOG_ID_EVENT_WIRELESS_STA_KICK .....	689
43579 - LOG_ID_EVENT_WIRELESS_STA_IP .....	690

43580 - LOG_ID_EVENT_WIRELESS_STA_LEAVE_WTP .....	692
43581 - LOG_ID_EVENT_WIRELESS_STA_WTP_DISCONN .....	693
43582 - LOG_ID_EVENT_WIRELESS_ROGUE_CFG_UNCLASSIFIED .....	694
43583 - LOG_ID_EVENT_WIRELESS_ROGUE_CFG_ACCEPTED .....	695
43584 - LOG_ID_EVENT_WIRELESS_ROGUE_CFG_ROGUE .....	696
43585 - LOG_ID_EVENT_WIRELESS_ROGUE_CFG_SUPPRESSED .....	697
43586 - LOG_ID_EVENT_WIRELESS_WTPR_DARRP_CHAN .....	698
43587 - LOG_ID_EVENT_WIRELESS_WTPR_DARRP_START .....	699
43588 - LOG_ID_EVENT_WIRELESS_WTPR_OPER_CHAN .....	700
43589 - LOG_ID_EVENT_WIRELESS_WTPR_RADAR .....	701
43590 - LOG_ID_EVENT_WIRELESS_WTPR_NOL .....	702
43591 - LOG_ID_EVENT_WIRELESS_WTPR_COUNTRY_CFG_SUCCESS .....	703
43592 - LOG_ID_EVENT_WIRELESS_WTPR_OPER_COUNTRY .....	705
43593 - LOG_ID_EVENT_WIRELESS_WTPR_CFG_TXPOWER .....	706
43594 - LOG_ID_EVENT_WIRELESS_WTPR_OPER_TXPOWER .....	707
43595 - LOG_ID_EVENT_WIRELESS_CLB_DENY .....	708
43596 - LOG_ID_EVENT_WIRELESS_CLB_RETRY .....	709
43597 - LOG_ID_EVENT_WIRELESS_WTP_ADD .....	710
43598 - LOG_ID_EVENT_WIRELESS_WTP_ADD_XSS .....	711
43599 - LOG_ID_EVENT_WIRELESS_WTP_DEL .....	712
43600 - LOG_ID_EVENT_WIRELESS_WTPR_DARRP_STOP .....	713
43601 - LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON .....	714
43602 - LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON_SUCCESS .....	716
43603 - LOG_ID_EVENT_WIRELESS_STA_CAP_SIGNON_FAILURE .....	717
43604 - LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_REQUEST .....	718
43605 - LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_SUCCESS .....	720
43606 - LOG_ID_EVENT_WIRELESS_STA_CAP_EMAIL_FAILURE .....	721
43607 - LOG_ID_EVENT_WIRELESS_STA_CAP_DISCLAIMER_CHECK .....	722
43608 - LOG_ID_EVENT_WIRELESS_STA_CAP_DISCLAIMER_DECLINE .....	723
43776 - LOG_ID_EVENT_NAC_QUARANTINE .....	725
43777 - LOG_ID_EVENT_NAC_ANOMALY_QUARANTINE .....	726
43800 - LOG_ID_EVENT_ELBC_BLADE_JOIN .....	727
43801 - LOG_ID_EVENT_ELBC_BLADE_LEAVE .....	728
43802 - LOG_ID_EVENT_ELBC_MASTER_BLADE_FOUND .....	729
43803 - LOG_ID_EVENT_ELBC_MASTER_BLADE_LOST .....	730
43804 - LOG_ID_EVENT_ELBC_MASTER_BLADE_CHANGE .....	731
43805 - LOG_ID_EVENT_ELBC_ACTIVE_CHANNEL_FOUND .....	732
43806 - LOG_ID_EVENT_ELBC_ACTIVE_CHANNEL_LOST .....	733
43807 - LOG_ID_EVENT_ELBC_ACTIVE_CHANNEL_CHANGE .....	734
43808 - LOG_ID_EVENT_ELBC_CHASSIS_ACTIVE .....	734
43809 - LOG_ID_EVENT_ELBC_CHASSIS_INACTIVE .....	735
44544 - LOGID_EVENT_CONFIG_PATH .....	736

44545 - LOGID_EVENT_CONFIG_OBJ .....	737
44546 - LOGID_EVENT_CONFIG_ATTR .....	738
44547 - LOGID_EVENT_CONFIG_OBJATTR .....	739
45000 - LOG_ID_VSD_SSL_RCV_HS .....	740
45001 - LOG_ID_VSD_SSL_RCV_WRG_HS .....	741
45002 - LOG_ID_VSD_SSL_SENT_HS .....	742
45003 - LOG_ID_VSD_SSL_WRG_HS_LEN .....	743
45004 - LOG_ID_VSD_SSL_RCV_CCS .....	744
45005 - LOG_ID_VSD_SSL_RSA_DH_FAIL .....	745
45006 - LOG_ID_VSD_SSL_SENT_CCS .....	746
45007 - LOG_ID_VSD_SSL_BAD_HASH .....	747
45009 - LOG_ID_VSD_SSL_DECRY_FAIL .....	748
45010 - LOG_ID_VSD_SSL_SESSION_CLOSED .....	749
45011 - LOG_ID_VSD_SSL_LESS_MINOR .....	750
45012 - LOG_ID_VSD_SSL_REACH_MAX_CON .....	751
45013 - LOG_ID_VSD_SSL_NOT_SUPPORT_CS .....	752
45016 - LOG_ID_VSD_SSL_HS_FIN .....	753
45017 - LOG_ID_VSD_SSL_HS_TOO_LONG .....	754
45018 - LOG_ID_VSD_SSL_MORE_MINOR .....	755
45019 - LOG_ID_VSD_SSL_SENT_ALERT_ERR .....	757
45020 - LOG_ID_VSD_SSL_SESSION_EXPIRE .....	758
45021 - LOG_ID_VSD_SSL_SENT_ALERT .....	759
45022 - LOG_ID_VSD_SSL_RCV_CH .....	760
45023 - LOG_ID_VSD_SSL_RCV_SH .....	761
45024 - LOG_ID_VSD_SSL_SENT_SH .....	762
45025 - LOG_ID_VSD_SSL_RCV_ALERT .....	763
45027 - LOG_ID_VSD_SSL_INVALID_CONT_TYPE .....	765
45029 - LOG_ID_VSD_SSL_BAD_CCS_LEN .....	766
45031 - LOG_ID_VSD_SSL_BAD_DH .....	767
45032 - LOG_ID_VSD_SSL_PUB_KEY_TOO_BIG .....	768
45033 - LOG_ID_VSD_SSL_NOT_SUPPORT_CM .....	769
45034 - LOG_ID_VSD_SSL_SERVER_KEY_HASH_ALGORITHM_MISMATCH .....	770
45035 - LOG_ID_VSD_SSL_SERVER_KEY_SIGNATURE_ALGORITHM_MISMATCH .....	771
45056 - LOG_ID_FCC_EXCEED .....	772
45057 - LOG_ID_FCC_ADD .....	773
45058 - LOG_ID_FCC_CLOSE .....	774
45059 - LOG_ID_FCC_UPGRADE_SUCC .....	775
45060 - LOG_ID_FCC_UPGRADE_FAIL .....	776
45061 - LOG_ID_FCC_CLOSE_BY_TYPE .....	777
45100 - LOG_ID_EC_REG_FAIL_LIMIT .....	778
45101 - LOG_ID_EC_REG_SUCCEED .....	779

45102 - LOG_ID_EC_REG_RENEWED .....	780
45103 - LOG_ID_EC_REG_BLOCK .....	781
45104 - LOG_ID_EC_REG_UNBLOCK .....	781
45105 - LOG_ID_EC_REG_DEREG .....	782
45106 - LOG_ID_EC_REG_LIC_UPGRADED .....	783
45107 - LOG_ID_EC_CONF_DISTRIBUTED .....	783
45108 - LOG_ID_EC_FTCL_UNREG .....	784
45109 - LOG_ID_EC_FTCL_LOGOFF .....	785
45110 - LOG_ID_EC_FTCL_ENABLE_NOTSYNC .....	786
45111 - LOG_ID_EC_REG_SYNC_FAIL .....	787
45112 - LOG_ID_EC_REG_FAIL_KEY .....	788
45113 - LOG_ID_EC_REG_FAIL_BLOCKED .....	789
46000 - LOG_ID_VIP_REAL_SVR_ENA .....	790
46001 - LOG_ID_VIP_REAL_SVR_DISA .....	791
46002 - LOG_ID_VIP_REAL_SVR_UP .....	792
46003 - LOG_ID_VIP_REAL_SVR_DOWN .....	792
46004 - LOG_ID_VIP_REAL_SVR_ENT_HOLDDOWN .....	793
46005 - LOG_ID_VIP_REAL_SVR_FAIL_HOLDDOWN .....	794
46006 - LOG_ID_VIP_REAL_SVR_FAIL .....	795
46400 - LOG_ID_EVENT_EXT_SYS .....	796
46401 - LOG_ID_EVENT_EXT_LOCAL .....	797
46402 - LOG_ID_EVENT_EXT_REMOTE .....	798
47201 - LOG_ID_AMC_ENTER_BYPASS .....	798
47202 - LOG_ID_AMC_EXIT_BYPASS .....	799
47203 - LOG_ID_ENTER_BYPASS .....	800
47204 - LOG_ID_EXIT_BYPASS .....	800
48000 - LOG_ID_WAD_SSL_RCV_HS .....	801
48001 - LOG_ID_WAD_SSL_RCV_WRG_HS .....	802
48002 - LOG_ID_WAD_SSL_SENT_HS .....	803
48003 - LOG_ID_WAD_SSL_WRG_HS_LEN .....	804
48004 - LOG_ID_WAD_SSL_RCV_CCS .....	805
48005 - LOG_ID_WAD_SSL_RSA_DH_FAIL .....	806
48006 - LOG_ID_WAD_SSL_SENT_CCS .....	807
48007 - LOG_ID_WAD_SSL_BAD_HASH .....	808
48009 - LOG_ID_WAD_SSL_DECRY_FAIL .....	809
48011 - LOG_ID_WAD_SSL_LESS_MINOR .....	810
48013 - LOG_ID_WAD_SSL_NOT_SUPPORT_CS .....	811
48016 - LOG_ID_WAD_SSL_HS_FIN .....	812
48017 - LOG_ID_WAD_SSL_HS_TOO_LONG .....	813
48019 - LOG_ID_WAD_SSL_SENT_ALERT .....	814
48023 - LOG_ID_WAD_SSL_RCV_ALERT .....	815
48027 - LOG_ID_WAD_SSL_INVALID_CONT_TYPE .....	816

48029 - LOG_ID_WAD_SSL_BAD_CCS_LEN .....	817
48031 - LOG_ID_WAD_SSL_BAD_DH .....	818
48032 - LOG_ID_WAD_SSL_PUB_KEY_TOO_BIG .....	819
48038 - LOG_ID_WAD_SSL_RCV_FATAL_ALERT .....	820
48039 - LOG_ID_WAD_SSL_SENT_FATAL_ALERT .....	821
48100 - LOG_ID_WAD_AUTH_FAIL_CERT .....	822
48101 - LOG_ID_WAD_AUTH_FAIL_PSK .....	823
48102 - LOG_ID_WAD_AUTH_FAIL_OTH .....	824
48300 - LOG_ID_WRG_SVR_FGT_CONF .....	825
48301 - LOG_ID_UNEXP_APP_TYPE .....	826
51000 - 51000 .....	827
IPS .....	828
16384 - LOGID_ATTCK_SIGNATURE_TCP_UDP .....	828
16385 - LOGID_ATTCK_SIGNATURE_ICMP .....	830
16386 - LOGID_ATTCK_SIGNATURE_OTHERS .....	831
Netscan .....	833
4096 - LOG_ID_NETSCAN_VULN_SCAN .....	833
4097 - LOG_ID_NETSCAN_DISCOVERY_SCAN .....	834
4098 - LOG_ID_NETSCAN_VULN_DETECT .....	835
4099 - LOG_ID_NETSCAN_OS_DETECT .....	836
4100 - LOG_ID_NETSCAN_SERVICE_DETECT .....	837
4101 - LOG_ID_NETSCAN_VULN_MESSAGE .....	837
4102 - LOG_ID_NETSCAN_DISCOVERY_MESSAGE .....	838
4103 - LOG_ID_NETSCAN_VULN_COUNT .....	839
4104 - LOG_ID_NETSCAN_HOST_DETECT .....	839
4105 - LOG_ID_NETSCAN_PORT_DETECT .....	840
Traffic .....	841
2 - LOG_ID_TRAFFIC_ALLOW .....	841
3 - LOG_ID_TRAFFIC_DENY .....	844
4 - LOG_ID_TRAFFIC_OTHER_START .....	847
5 - LOG_ID_TRAFFIC_OTHER_ICMP_ALLOW .....	849
6 - LOG_ID_TRAFFIC_OTHER_ICMP_DENY .....	852
7 - LOG_ID_TRAFFIC_OTHER_INVALID .....	855
8 - LOG_ID_TRAFFIC_WANOPT .....	857
9 - LOG_ID_TRAFFIC_WEBCACHE .....	859
10 - LOG_ID_TRAFFIC_EXPLICIT_PROXY .....	862
11 - LOG_ID_TRAFFIC_FAIL_CONN .....	864
12 - LOG_ID_TRAFFIC_MULTICAST .....	865
13 - LOG_ID_TRAFFIC_END_FORWARD .....	868
14 - LOG_ID_TRAFFIC_END_LOCAL .....	871
15 - LOG_ID_TRAFFIC_START_FORWARD .....	874
16 - LOG_ID_TRAFFIC_START_LOCAL .....	877

17 - LOG_ID_TRAFFIC_SNIFFER .....	880
VoIP .....	883
44032 - LOGID_EVENT_VOIP_SIP .....	883
44033 - LOGID_EVENT_VOIP_SIP_BLOCK .....	885
44034 - LOGID_EVENT_VOIP_SIP_FUZZING .....	886
44035 - LOGID_EVENT_VOIP_SCCP_REGISTER .....	888
44036 - LOGID_EVENT_VOIP_SCCP_UNREGISTER .....	889
44037 - LOGID_EVENT_VOIP_SCCP_CALL_BLOCK .....	890
44038 - LOGID_EVENT_VOIP_SCCP_CALL_INFO .....	891
Web .....	893
12288 - LOG_ID_WEB_CONTENT_BANWORD .....	893
12289 - LOG_ID_WEB_CONTENT_MMS_BANWORD .....	895
12290 - LOG_ID_WEB_CONTENT_EXEMPTWORD .....	896
12291 - LOG_ID_WEB_CONTENT_MMS_EXEMPTWORD .....	898
12292 - LOG_ID_WEB_CONTENT_KEYWORD .....	900
12293 - LOG_ID_WEB_CONTENT_SEARCH .....	902
12305 - LOG_ID_WEB_CONTENT_BANWORD_NOTIF .....	903
12544 - LOG_ID_URL_FILTER_BLOCK .....	905
12545 - LOG_ID_URL_FILTER_EXEMPT .....	907
12546 - LOG_ID_URL_FILTER_ALLOW .....	908
12547 - LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTP_BLK .....	910
12548 - LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTPS_BLK .....	911
12549 - LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTP_PASS .....	913
12550 - LOG_ID_URL_FILTER_INVALID_HOSTNAME_HTTPS_PASS .....	914
12551 - LOG_ID_URL_FILTER_INVALID_HOSTNAME_SNI_BLK .....	916
12552 - LOG_ID_URL_FILTER_INVALID_HOSTNAME_SNI_PASS .....	917
12553 - LOG_ID_URL_FILTER_INVALID_CERT .....	919
12554 - LOG_ID_URL_FILTER_INVALID_SESSION .....	920
12555 - LOG_ID_URL_FILTER_SRV_CERT_ERR_BLK .....	921
12556 - LOG_ID_URL_FILTER_SRV_CERT_ERR_PASS .....	923
12557 - LOG_ID_URL_FILTER_FAMS_NOT_ACTIVE .....	924
12558 - LOG_ID_URL_FILTER_RATING_ERR .....	925
12559 - LOG_ID_URL_FILTER_PASS .....	926
12800 - LOG_ID_WEB_FTGD_ERR .....	928
12801 - LOG_ID_WEB_FTGD_WARNING .....	929
12802 - LOG_ID_WEB_FTGD_QUOTA .....	931
13056 - LOG_ID_WEB_FTGD_CAT_BLK .....	932
13057 - LOG_ID_WEB_FTGD_CAT_WARN .....	934
13312 - LOG_ID_WEB_FTGD_CAT_ALLOW .....	935
13313 - LOG_ID_WEB_FTGD_RULE_ALLOW .....	937
13314 - LOG_ID_WEB_FTGD_OFF_SITE_ALLOW .....	939
13315 - LOG_ID_WEB_FTGD_QUOTA_COUNTING .....	941



13316 - LOG_ID_WEB_FTGD_QUOTA_EXPIRED .....	943
13317 - LOG_ID_WEB_URL .....	945
13568 - LOG_ID_WEB_SCRIPTFILTER_ACTIVEX .....	947
13573 - LOG_ID_WEB_SCRIPTFILTER_COOKIE .....	948
13584 - LOG_ID_WEB_SCRIPTFILTER_APPLET .....	950
13600 - LOG_ID_WEB_SCRIPTFILTER_OTHER .....	951
13601 - LOG_ID_WEB_WF_COOKIE .....	953
13602 - LOG_ID_WEB_WF_REFERER .....	955
13603 - LOG_ID_WEB_WF_COMMAND_BLOCK .....	956
13616 - LOG_ID_CONTENT_TYPE_BLOCK .....	957
<b>Appendix A - Log Diff for 5.2.12 and 5.2.13 .....</b>	<b>960</b>

## Change Log

Date	Change Description
2017-12-14	Initial release.

# Introduction

This document provides information about all the log messages applicable to the FortiGate devices running FortiOS version 5.2.13. The logs are intended for administrators to be used as reference for more information about a specific log entry and message that is generated.

## Before you begin

Before you begin using this reference, read the following notes:

- The information in this document applies to all FortiGate units currently running FortiGate 5.2.13.
- Ensure that you have enabled logging for the FortiGate unit. For more information, see the *Logging and Reporting* chapter in the *FortiGate Handbook*.
- Each log message is displayed in RAW format in the Log View of the GUI.
- Each log message is documented similar to how it appears in the log viewer table based on the RAW format. For more information, see the *Logging and Reporting* chapter in the *FortiGate Handbook*.



This reference contains detailed information for each log type and sub type; however, this reference contains only information gathered at publication and, as a result, not every log message field contains detailed information.

---

## Overview

The log types described in this document report traffic, security, and event log information useful for system administrators when recording, monitoring, and tracing the operation of a FortiGate device running FortiOS. The logs provide information regarding the following:

- Firewall attacks
- Configuration changes
- Successful and unsuccessful system operations

# Log Types and Sub Types

FortiGate devices can record the following types and sub types of log entry information:

Type	Description	Sub Type
Traffic	Records traffic flow information, such as an HTTP/HTTPS request and its response, if any.	<ul style="list-style-type: none"><li>• Local</li><li>• Forward</li><li>• Multicast</li><li>• Sniffer</li></ul>
Security (UTM)	Records virus attack and intrusion attempts.	<ul style="list-style-type: none"><li>• AntiVirus</li><li>• Anomaly</li><li>• Application Control</li><li>• Data Leak Prevention (DLP)</li><li>• Intrusion Prevention (IPS)</li><li>• Email Filter</li><li>• Web Filter</li></ul>
Event	Records system and administrative events, such as downloading a backup copy of the configuration, or daemon activities.	<ul style="list-style-type: none"><li>• Compliance-check</li><li>• Endpoint Control</li><li>• GTP</li><li>• High Availability</li><li>• Router</li><li>• System</li><li>• User</li><li>• Virtual Private Network (VPN)</li><li>• WAD</li><li>• Wireless</li></ul>

## Type

Each log entry contains a Type (type) field that indicates its log type, and in which log file it is stored.

## Subtype

Each log entry might also contain a Sub Type (subtype) field within a log type, based on the feature associated with the cause of the log entry.

For example:

- In event logs, some log entries have a subtype of user, system, or other sub types.
- In security (UTM) logs, some log entries have a subtype of DLP, Web Filter, Email or other sub types.
- In traffic logs, the sub types are: local, forward, multicast, and sniffer.

## Priority Level

Each log entry contains a Level (pri) field that indicates the estimated severity of the event that caused the log entry, such as pri=warning, and therefore how high a priority it is likely to be. Level (pri) associations with the descriptions below are not always uniform. They also may not correspond with your own definitions of how severe each event is. If you require notification when a specific event occurs, either configure SNMP traps or alert email by administrator-defined Severity Level (severity\_level) or ID (logid), not by Level (pri).

Level (0 is highest)	Name	Description
0	Emergency	The system is unusable or not responding.
1	Alert	Immediate action required. Used in security logs.
2	Critical	Functionality is affected.
3	Error	An error exists and functionality could be affected.
4	Warning	Functionality could be affected.
5	Notification	Information about normal events.
6	Information	General information about system operations. Used in event logs to record configuration changes.

For each location where the FortiGate device can store log files (disk, memory, Syslog or FortiAnalyzer), you can define a severity threshold. The FortiGate stores all log messages equal to or exceeding the log severity level selected. For example, if you select Error, FortiGate will store log messages whose log severity level is Error, Critical, Alert, and Emergency.

## Message IDs

The MSG ID (msg\_id) field is a 10-digit number located in the header, incremented with each individual log message generated by FortiGate. It is used only for numbering each entry in the database, and does not necessarily reflect its cause.

Each msg\_id number is a unique identifier for that specific log entry. No other log messages, regardless of cause, share the same msg\_id.

LOG ID field	10-digit number
MSG-ID(msg_id)	Last 6 digits at the end of the LOG ID field.

## Log Message Format

For documentation purposes, all log types and sub types follow this generic table format to present the log message entry and severity information.

Message ID	Message	Severity
2	LOG_ID_TRAFFIC_ALLOW	Notice

## Log Field Format

The following table describes the standard format in which each log type is described in this document. For documentation purposes, all log types and sub types follow this generic table format to present the log entry information.

Log Field	Log Field Description	Data Type	Length	Value(s)
appact	The security action from app control	ENUM	16	<ul style="list-style-type: none"><li>• block</li><li>• monitor</li><li>• pass</li><li>• reject</li><li>• reset</li></ul>

# Log Schema Structure

This section describes the schema of the FortiGate log entries.

## Header and Body Fields

Each log entry consists of several fields and values. In the GUI, the logs are displayed in a **Formatted** table view or **Raw** format. You can download the logs in the raw format for further analysis.

- Header - Contains the date and time the log originated, log identifier, message identifier, virtual domain (VDOM), the log category, severity level, and where the log originated. These fields are common to all log types.
- Body - Describes the reason why the log was created and actions taken by the FortiGate device to address it. These fields vary by log type.

Following is an example of traffic log entry in raw format. The body fields are highlighted in Bold.

```
date=2014-07-04 time=14:26:59 logid=0001000014 type=traffic subtype=local level=notice
vd=vdom1 srcip=10.6.30.254 srcport=54705 srcintf="mgmt1" dstip=10.6.30.1 dstport=80
dstintf="vdom1" sessionid=350696 status=close policyid=0 dstcountry="Reserved"
srccountry="Reserved" trandisp=noop service=HTTP proto=6 app="Web Management" duration=13
sentbyte=1948 rcvdbyte=3553 sentpkt=9 rcvdpkt=9 devtype="Fortinet Device" osname="Fortinet
OS" mastersrcmac=00:09:0f:67:6c:31 srcmac=00:09:0f:67:6c:31
```

The following table describes each possible header and body field, according to its name as it appears in the **Formatted** or **Raw** view.

Field Name (Raw format view in parentheses)	Field Description	Exists in Log Type			Example Field - Value (raw format)
		Traffic	Event	Security	
Header					
Date (date)	The day, month, and year when the log message was reported.	✓	✓	✓	date=2014-07-04
Time (time)	The hour clock when the log message was recorded.	✓	✓	✓	time=14:26:59
ID (logid)	See Log ID	✓	✓	✓	logid=0001000014
MSG (msg)	See Message IDs	✓	✓	✓	msg=000100000012
Type (type)	See Type	✓	✓	✓	type=traffic
Sub Type(subtype)	See Sub Type	✓	✓	✓	subtype=local

Field Name (Raw format view in parentheses)	Field Description	Exists in Log Type			Example Field - Value (raw format)
VDOM (vd)	The virtual domain in which the log message was recorded.	✓	✓	✓	vd=vdom1
Level (pri)	Priority level	✓	✓	✓	level=notice
<b>Body</b>					
Protocol (proto)	tcp: The protocol used by web traffic (tcp by default)	✓	✓	✓	proto=6
Source IP (srcip)	The IP address of the traffic's origin. The source varies by the direction: <ul style="list-style-type: none"> <li>In HTTP requests, this is the web browser or other client.</li> <li>In HTTP responses, this is the physical server.</li> </ul>	✓	✓	✓	srcip=10.6.30.254
Source Port (srcport)	The port number of the traffic's origin.	✓	✓	✓	srcport=54705
Source Interface (srcintf)	The interface of the traffic's origin.	✓	✓	✓	srcintf="mgmt1"
Destination IP (dstip)	The destination IP address for the web.	✓	✓	✓	dstip=10.6.30.1
Destination Port (dstport)	The port number of the traffic's destination.	✓	✓	✓	dstport=80
Destination Interface (dstintf)	The interface of the traffic's destination.	✓	✓	✓	dstintf="vdom1"
Session ID (sessionid)	The session number for the traffic connection	✓	✓	✓	sessionid=350696
Status (status)	The status of the session	✓	✓	✓	status=close
Policy (policyid)	The name of the server policy governing the traffic which caused the log message.	✓	✓	✓	policyid=0



Field Name (Raw format view in parentheses)	Field Description	Exists in Log Type			Example Field - Value (raw format)
Service (service)	http or https The name of the application-layer protocol used by the traffic.	✓	✓	✓	service=HTTP
User (user)	The daemon or name of the administrator account that performed the action that caused the log message.	✓	✓	✓	user=admin

## Log ID Numbers

The ID (logid) is a 10-digit field located in the header, immediately following the time and date fields. It is a unique identifier for that specific log and includes the following information about the log entry.

Log ID number components	Description	Examples
<b>Log Type</b>	Represented by the first two digits of the log ID.	<ul style="list-style-type: none"> <li>Traffic log IDs begin with "00".</li> <li>Event log IDs begin with "01".</li> </ul>
<b>Sub Type or Event Type</b>	Represented by the second two digits of the log ID.	<ul style="list-style-type: none"> <li>VPN log subtype is represented with "01" which belongs to the Event log type that is represented with "01".</li> </ul> <p>Therefore, all VPN related Event log IDs will begin with the 0101 log ID series.</p>
<b>Message ID</b>	The last six digits of the log ID represent the message ID.	<ul style="list-style-type: none"> <li>An administrator account always has the log ID 0000003401.</li> </ul>

The logid field is a number assigned to all permutations of the same message. It classifies a log entry by the nature of the cause of the log message, such as administrator authentication failures or traffic. Other log messages that share the same cause will share the same logid.

## Log ID Definitions

Following are the definitions for the log type IDs and sub type IDs applicable to FortiOS version 5.2.1 and later.

Log Type IDs	Sub Type IDs
<b>traffic:0</b>	<ul style="list-style-type: none"> <li>• forward:0</li> <li>• local:1</li> <li>• multicast:2</li> <li>• sniffer:4</li> </ul>
<b>event:1</b>	<ul style="list-style-type: none"> <li>• system:0</li> <li>• vpn:1</li> <li>• user:2</li> <li>• router:3</li> <li>• wireless:4</li> <li>• wad:5</li> <li>• gtp:6</li> <li>• endpoint:7</li> <li>• ha:8</li> </ul>
<b>antivirus: 2</b>	<ul style="list-style-type: none"> <li>• infected: 11</li> <li>• blocked: 12</li> <li>• oversized: 13</li> <li>• scanerror: 62</li> <li>• suspicious: 0</li> <li>• analytics: 1</li> <li>• switchproto: 63</li> <li>• mimefragmented: 61</li> <li>• virus_filetype_exe: 3</li> <li>• botnet: 2</li> </ul>
<b>webfilter:3</b>	<ul style="list-style-type: none"> <li>• content:14</li> <li>• urlfilter:15</li> <li>• ftgd_blk:16</li> <li>• ftgd_allow:17</li> <li>• ftgd_err:18</li> <li>• activexfilter:35</li> <li>• cookiefilter:36</li> <li>• appletfilter:37</li> <li>• ftgd_quota_counting:38</li> <li>• ftgd_quota_expired:39</li> <li>• ftgd_quota:40</li> <li>• scriptfilter:41</li> <li>• webfilter_command_block:43</li> </ul>
<b>ips:4</b>	<ul style="list-style-type: none"> <li>• signature:19</li> </ul>

Log Type IDs	Sub Type IDs
<b>spam: 5</b>	<ul style="list-style-type: none"> <li>• msn-hotmail:5</li> <li>• yahoo-mail:6</li> <li>• gmail:7</li> <li>• smtp:8</li> <li>• pop3:9</li> <li>• imap:10</li> <li>• mapi:11</li> <li>• carrier-endpoint-filter: 47</li> <li>• mass-mms:52</li> </ul>
<b>contentlog: 6</b>	<ul style="list-style-type: none"> <li>• HTTP:24</li> <li>• FTP:25</li> <li>• SMTP:26</li> <li>• POP3:27</li> <li>• IMAP:28</li> <li>• HTTPS:30</li> <li>• im-all:31</li> <li>• NNTP:39</li> <li>• VOIP:40</li> <li>• SMTPS:55</li> <li>• POP3S:56</li> <li>• IMAPS:57</li> <li>• MM1:48</li> <li>• MM3:49</li> <li>• MM4:50</li> <li>• MM7:51</li> </ul>
<b>anomaly: 7</b>	<ul style="list-style-type: none"> <li>• anomaly: 20</li> </ul>
<b>voip: 8</b>	<ul style="list-style-type: none"> <li>• viop: 14</li> </ul>
<b>dlp: 9</b>	<ul style="list-style-type: none"> <li>• dlp:54</li> <li>• dlp-docsource:55</li> </ul>
<b>app-ctrl-all: 10</b>	<ul style="list-style-type: none"> <li>• app-ctrl-all:59</li> </ul>
<b>netscan: 11</b>	<ul style="list-style-type: none"> <li>• discovery:0</li> <li>• vulnerability:1</li> </ul>

Log Type IDs	Sub Type IDs
UTM	<ul style="list-style-type: none"><li>• virus:2</li><li>• webfilter:3</li><li>• ips:4</li><li>• spam:5</li><li>• contentlog:6</li><li>• voip:8</li><li>• dlp:9</li><li>• app-ctrl:10</li></ul>

# Log Messages

The following sections list the FortiOS 5.2.13 log messages by log ID number.

## Anomaly

### 18432 - LOGID\_ATTCK\_ANOMALY\_TCP\_UDP

**Message ID:** 18432

**Message Description:** LOGID\_ATTCK\_ANOMALY\_TCP\_UDP

**Type:** Anomaly

**Category:** GENERAL

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	16
attack	Attack	string	256
attackid	Attack ID	uint32	10
count	Count	uint32	10
craction	Client Reputation Action	uint32	10
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Event Type	string	32
group	User Group Name	string	64

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logid	Log ID	string	10
msg	Log Message	string	518
policyid	Policy ID	uint32	64
profile		string	64
proto	Protocol	uint8	3
ref	Reference	string	
service	Service	string	36
sessionid	Session ID	uint32	10
severity	Severity	string	8
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User	string	256
vd	Virtual Domain Name	string	32

## 18433 - LOGID\_ATTCK\_ANOMALY\_ICMP

**Message ID:** 18433

**Message Description:** LOGID\_ATTCK\_ANOMALY\_ICMP

**Type:** Anomaly

**Category:** GENERAL

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	16
attack	Attack	string	256
attackid	Attack ID	uint32	10
count	Count	uint32	10
craction	Client Reputation Action	uint32	10
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Event Type	string	32
group	User Group Name	string	64
icmpcode	ICMP Code	string	6
icmpid	ICMP ID	string	8
icmptype	ICMP Type	string	6
level	Log Level	string	11
logid	Log ID	string	10
msg	Log Message	string	518
policyid	Policy ID	uint32	64
profile		string	64
proto	Protocol	uint8	3
ref	Reference	string	
service	Service	string	36

Log Field Name	Description	Data Type	Length
sessionid	Session ID	uint32	10
severity	Severity	string	8
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User	string	256
vd	Virtual Domain Name	string	32

## 18434 - LOGID\_ATTCK\_ANOMALY\_OTHERS

**Message ID:** 18434

**Message Description:** LOGID\_ATTCK\_ANOMALY\_OTHERS

**Type:** Anomaly

**Category:** GENERAL

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	16
attack	Attack	string	256
attackid	Attack ID	uint32	10
count	Count	uint32	10
craction	Client Reputation Action	uint32	10
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10



Log Field Name	Description	Data Type	Length
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Event Type	string	32
group	User Group Name	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log Message	string	518
policyid	Policy ID	uint32	64
profile		string	64
proto	Protocol	uint8	3
ref	Reference	string	
service	Service	string	36
sessionid	Session ID	uint32	10
severity	Severity	string	8
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User	string	256
vd	Virtual Domain Name	string	32

## App

### 28672 - LOGID\_APP\_CTRL\_IM\_BASIC

**Message ID:** 28672

**Message Description:** LOGID\_APP\_CTRL\_IM\_BASIC

**Type:** App

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36

Log Field Name	Description	Data Type	Length
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 28673 - LOGID\_APP\_CTRL\_IM\_BASIC\_WITH\_STATUS

**Message ID:** 28673

**Message Description:** LOGID\_APP\_CTRL\_IM\_BASIC\_WITH\_STATUS

**Type:** App

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39

Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 28674 - LOGID\_APP\_CTRL\_IM\_BASIC\_WITH\_COUNT

**Message ID:** 28674

**Message Description:** LOGID\_APP\_CTRL\_IM\_BASIC\_WITH\_COUNT

**Type:** App

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16

Log Field Name	Description	Data Type	Length
user	User name	string	256
vd	Virtual domain name	string	32

## 28675 - LOGID\_APP\_CTRL\_IM\_FILE

**Message ID:** 28675

**Message Description:** LOGID\_APP\_CTRL\_IM\_FILE

**Type:** App

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36

Log Field Name	Description	Data Type	Length
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 28676 - LOGID\_APP\_CTRL\_IM\_CHAT

**Message ID:** 28676

**Message Description:** LOGID\_APP\_CTRL\_IM\_CHAT

**Type:** App

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8

Log Field Name	Description	Data Type	Length
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 28677 - LOGID\_APP\_CTRL\_IM\_CHAT\_BLOCK

**Message ID:** 28677

**Message Description:** LOGID\_APP\_CTRL\_IM\_CHAT\_BLOCK

**Type:** App

**Category:** GENERAL



**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 28678 - LOGID\_APP\_CTRL\_IM\_BLOCK

**Message ID:** 28678

**Message Description:** LOGID\_APP\_CTRL\_IM\_BLOCK

**Type:** App

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10

Log Field Name	Description	Data Type	Length
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 28704 - LOGID\_APP\_CTRL\_IPS\_PASS

**Message ID:** 28704

**Message Description:** LOGID\_APP\_CTRL\_IPS\_PASS

**Type:** App

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
appid	Application ID	uint32	10
applist	Application Control profile name	string	64

Log Field Name	Description	Data Type	Length
apprisk	Application risk level	string	16
cloudaction	Action performed by cloud application	string	32
clouduser	User login ID detected by the Deep Application Control feature	string	256
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
filename	File name	string	256
filesize	File size in bytes	uint64	10
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39

Log Field Name	Description	Data Type	Length
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 28705 - LOGID\_APP\_CTRL\_IPS\_BLOCK

**Message ID:** 28705

**Message Description:** LOGID\_APP\_CTRL\_IPS\_BLOCK

**Type:** App

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
appid	Application ID	uint32	10
applist	Application Control profile name	string	64
apprisk	Application risk level	string	16
cloudaction	Action performed by cloud application	string	32
clouduser	User login ID detected by the Deep Application Control feature	string	256
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
filename	File name	string	256
filesize	File size in bytes	uint64	10
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512

Log Field Name	Description	Data Type	Length
user	User name	string	256
vd	Virtual domain name	string	32

## 28706 - LOGID\_APP\_CTRL\_IPS\_RESET

**Message ID:** 28706

**Message Description:** LOGID\_APP\_CTRL\_IPS\_RESET

**Type:** App

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
appid	Application ID	uint32	10
applist	Application Control profile name	string	64
apprisk	Application risk level	string	16
cloudaction	Action performed by cloud application	string	32
clouduser	User login ID detected by the Deep Application Control feature	string	256
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32

Log Field Name	Description	Data Type	Length
filename	File name	string	256
filesize	File size in bytes	uint64	10
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 28720 - LOGID\_APP\_CTRL\_SSH\_PASS

**Message ID:** 28720

**Message Description:** LOGID\_APP\_CTRL\_SSH\_PASS

**Type:** App



**Category:** GENERAL**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 28721 - LOGID\_APP\_CTRL\_SSH\_BLOCK

**Message ID:** 28721

**Message Description:** LOGID\_APP\_CTRL\_SSH\_BLOCK

**Type:** App

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by App Control	string	16
app	Application name	string	96
appcat	Application category name	string	64
applist	Application Control profile name	string	64
date	Date	string	10
direction	Direction of the packets	string	8
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	App Control Event Type	string	32
group	User group name	string	64
level	Log level	string	11
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
policyid	Policy ID	uint32	10
profiletype	Profile Type	string	36
proto	Protocol number	uint8	3
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## AV

### 8192 - MESGID\_INFECT\_WARNING

**Message ID:** 8192

**Message Description:** MESGID\_INFECT\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64

Log Field Name	Description	Data Type	Length
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512

Log Field Name	Description	Data Type	Length
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8193 - MESGID\_INFECT\_NOTIF

**Message ID:** 8193

**Message Description:** MESGID\_INFECT\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8194 - MESGID\_INFECT\_MIME\_WARNING

**Message ID:** 8194

**Message Description:** MESGID\_INFECT\_MIME\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3



Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8195 - MESGID\_INFECT\_MIME\_NOTIF

**Message ID:** 8195

**Message Description:** MESGID\_INFECT\_MIME\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8196 - MESGID\_WORM\_WARNING

**Message ID:** 8196

**Message Description:** MESGID\_WORM\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
vd	VDOM name	string	32
virus	Virus Name	string	128

## 8197 - MESGID\_WORM\_NOTIF

**Message ID:** 8197

**Message Description:** MESGID\_WORM\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log level	string	11

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
vd	VDOM name	string	32
virus	Virus Name	string	128

## 8198 - MESGID\_WORM\_MIME\_WARNING

**Message ID:** 8198

**Message Description:** MESGID\_WORM\_MIME\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
vd	VDOM name	string	32
virus	Virus Name	string	128

## 8199 - MESGID\_WORM\_MIME\_NOTIF

**Message ID:** 8199

**Message Description:** MESGID\_WORM\_MIME\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log level	string	11



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
vd	VDOM name	string	32
virus	Virus Name	string	128

## 8448 - MESGID\_BLOCK\_WARNING

**Message ID:** 8448

**Message Description:** MESGID\_BLOCK\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46

Log Field Name	Description	Data Type	Length
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8449 - MESGID\_BLOCK\_NOTIF

**Message ID:** 8449

**Message Description:** MESGID\_BLOCK\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16

Log Field Name	Description	Data Type	Length
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5

Log Field Name	Description	Data Type	Length
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8450 - MESGID\_BLOCK\_MIME\_WARNING

**Message ID:** 8450

**Message Description:** MESGID\_BLOCK\_MIME\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10

Log Field Name	Description	Data Type	Length
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39

Log Field Name	Description	Data Type	Length
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8451 - MESGID\_BLOCK\_MIME\_NOTIF

**Message ID:** 8451

**Message Description:** MESGID\_BLOCK\_MIME\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39

Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8



Log Field Name	Description	Data Type	Length
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8452 - MESGID\_BLOCK\_COMMAND

**Message ID:** 8452

**Message Description:** MESGID\_BLOCK\_COMMAND

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
command	FTP Command info	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
group	Group name (authentication)	string	64

Log Field Name	Description	Data Type	Length
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8453 - MESGID\_INTERCEPT

**Message ID:** 8453

**Message Description:** MESGID\_INTERCEPT

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46

Log Field Name	Description	Data Type	Length
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8454 - MESGID\_INTERCEPT\_MIME

**Message ID:** 8454

**Message Description:** MESGID\_INTERCEPT\_MIME

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16

Log Field Name	Description	Data Type	Length
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5

Log Field Name	Description	Data Type	Length
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8455 - MESGID\_EXEMPT

**Message ID:** 8455

**Message Description:** MESGID\_EXEMPT

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10

Log Field Name	Description	Data Type	Length
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39

Log Field Name	Description	Data Type	Length
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8456 - MESGID\_EXEMPT\_MIME

**Message ID:** 8456

**Message Description:** MESGID\_EXEMPT\_MIME

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39



Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filefilter	The filter used to identify the affected file	string	12
filename	File name	string	256
filetype	File type	string	16
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8457 - MESGID\_MMS\_CHECKSUM

**Message ID:** 8457

**Message Description:** MESGID\_MMS\_CHECKSUM

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filename	File name	string	256

Log Field Name	Description	Data Type	Length
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8458 - MESGID\_MMS\_CHECKSUM\_NOTIF

**Message ID:** 8458

**Message Description:** MESGID\_MMS\_CHECKSUM\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10

Log Field Name	Description	Data Type	Length
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8704 - MESGID\_OVERSIZE\_WARNING

**Message ID:** 8704

**Message Description:** MESGID\_OVERSIZE\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10

Log Field Name	Description	Data Type	Length
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8705 - MESGID\_OVERSIZE\_NOTIF

**Message ID:** 8705

**Message Description:** MESGID\_OVERSIZE\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8

Log Field Name	Description	Data Type	Length
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512



Log Field Name	Description	Data Type	Length
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8706 - MESGID\_OVERSIZE\_MIME\_WARNING

**Message ID:** 8706

**Message Description:** MESGID\_OVERSIZE\_MIME\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64

Log Field Name	Description	Data Type	Length
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8707 - MESGID\_OVERSIZE\_MIME\_NOTIF

**Message ID:** 8707

**Message Description:** MESGID\_OVERSIZE\_MIME\_NOTIF

**Type:** AV

**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5

Log Field Name	Description	Data Type	Length
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8720 - MESGID\_SWITCH\_PROTO\_WARNING

**Message ID:** 8720

**Message Description:** MESGID\_SWITCH\_PROTO\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8

Log Field Name	Description	Data Type	Length
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
switchproto	Protocol change information	string	128
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512

Log Field Name	Description	Data Type	Length
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8721 - MESGID\_SWITCH\_PROTO\_NOTIF

**Message ID:** 8721

**Message Description:** MESGID\_SWITCH\_PROTO\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
eventtype	Event type of AV	string	32
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	

Log Field Name	Description	Data Type	Length
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
switchproto	Protocol change information	string	128
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32

## 8960 - MESGID\_SCAN\_UNCOMPSizeLIMIT\_WARNING

**Message ID:** 8960

**Message Description:** MESGID\_SCAN\_UNCOMPSizeLIMIT\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3



Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8961 - MESGID\_SCAN\_UNCOMPSIZELIMIT\_NOTIF

**Message ID:** 8961

**Message Description:** MESGID\_SCAN\_UNCOMPSIZELIMIT\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8962 - MESGID\_SCAN\_ARCHIVE\_ENCRYPTED\_WARNING

**Message ID:** 8962

**Message Description:** MESGID\_SCAN\_ARCHIVE\_ENCRYPTED\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8963 - MESGID\_SCAN\_ARCHIVE\_ENCRYPTED\_NOTIF

**Message ID:** 8963

**Message Description:** MESGID\_SCAN\_ARCHIVE\_ENCRYPTED\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8964 - MESGID\_SCAN\_ARCHIVE\_CORRUPTED\_WARNING

**Message ID:** 8964

**Message Description:** MESGID\_SCAN\_ARCHIVE\_CORRUPTED\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3



Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8965 - MESGID\_SCAN\_ARCHIVE\_CORRUPTED\_NOTIF

**Message ID:** 8965

**Message Description:** MESGID\_SCAN\_ARCHIVE\_CORRUPTED\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8966 - MESGID\_SCAN\_ARCHIVE\_MULTIPART\_WARNING

**Message ID:** 8966

**Message Description:** MESGID\_SCAN\_ARCHIVE\_MULTIPART\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8967 - MESGID\_SCAN\_ARCHIVE\_MULTIPART\_NOTIF

**Message ID:** 8967

**Message Description:** MESGID\_SCAN\_ARCHIVE\_MULTIPART\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8968 - MESGID\_SCAN\_ARCHIVE\_NESTED\_WARNING

**Message ID:** 8968

**Message Description:** MESGID\_SCAN\_ARCHIVE\_NESTED\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3



Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8969 - MESGID\_SCAN\_ARCHIVE\_NESTED\_NOTIF

**Message ID:** 8969

**Message Description:** MESGID\_SCAN\_ARCHIVE\_NESTED\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8970 - MESGID\_SCAN\_ARCHIVE\_OVERSIZE\_WARNING

**Message ID:** 8970

**Message Description:** MESGID\_SCAN\_ARCHIVE\_OVERSIZE\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8971 - MESGID\_SCAN\_ARCHIVE\_OVERSIZE\_NOTIF

**Message ID:** 8971

**Message Description:** MESGID\_SCAN\_ARCHIVE\_OVERSIZE\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8972 - MESGID\_SCAN\_ARCHIVE\_UNHANDLED\_WARNING

**Message ID:** 8972

**Message Description:** MESGID\_SCAN\_ARCHIVE\_UNHANDLED\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3



Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 8973 - MESGID\_SCAN\_ARCHIVE\_UNHANDLED\_NOTIF

**Message ID:** 8973

**Message Description:** MESGID\_SCAN\_ARCHIVE\_UNHANDLED\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 9233 - MESGID\_ANALYTICS\_SUBMITTED

**Message ID:** 9233

**Message Description:** MESGID\_ANALYTICS\_SUBMITTED

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 9248 - MESGID\_BOTNET\_WARNING

**Message ID:** 9248

**Message Description:** MESGID\_BOTNET\_WARNING

**Type:** AV

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## 9249 - MESGID\_BOTNET\_NOTIF

**Message ID:** 9249

**Message Description:** MESGID\_BOTNET\_NOTIF

**Type:** AV

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	The security action performed by AV	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
analyticscksum	The checksum of the file submitted for analytics	string	64
analyticssubmit	The flag for analytics submission	string	10
checksum	The checksum of the scanned file	string	16
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Message/packets direction	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstport	Destination Port	uint16	5
dtype	Data type for virus category	string	32
eventtype	Event type of AV	string	32
filename	File name	string	256
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	Group name (authentication)	string	64
level	Log level	string	11
logid	Log ID	string	10
msg	Log message	string	
policyid	Policy ID	uint32	10
profile	The name of the profile that was used to detect and take action	string	64
proto	Protocol number	uint8	3



Log Field Name	Description	Data Type	Length
quarskip	Quarantine skip explanation	string	46
recipient	Email addresses from the SMTP envelope	string	512
ref	The URL of the FortiGuard IPS database entry for the attack	string	512
sender	Email address from the SMTP envelope	string	128
service	Proxy service which scanned this traffic	string	5
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP Address	ip	39
srcport	Source Port	uint16	5
subtype	subtype of the virus log	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The url address	string	512
user	Username (authentication)	string	256
vd	VDOM name	string	32
virus	Virus Name	string	128
virusid	Virus ID (unique virus identifier)	uint32	10

## DLP

### 24576 - LOG\_ID\_DLP\_WARN

**Message ID:** 24576

**Message Description:** LOG\_ID\_DLP\_WARN

**Type:** DLP

**Category:** GENERAL**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by DLP	string	20
agent	User agent - eg. agent="Mozilla/5.0"	string	64
date	Date	string	10
direction	Direction of packets	string	8
dlpextra	DLP extra information	string	256
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
epoch	Epoch used for locating file	uint32	10
eventid	The serial number of the dlparchive file in the same epoch	uint32	10
eventtype	DLP event type	string	32
filename	File name	string	256
filesize	File size in bytes	uint64	10
filetype	File type	string	23
filtercat	DLP filter category	string	8
filteridx	DLP filter ID	uint32	10
filtername	DLP rule name	string	128
filtertype	DLP filter type	string	23
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profile	DLP profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received bytes	uint64	20
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
severity	Severity level of a DLP rule	string	8
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subject	The subject title of the email message	string	128
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 24577 - LOG\_ID\_DLP\_NOTIF

**Message ID:** 24577

**Message Description:** LOG\_ID\_DLP\_NOTIF

**Type:** DLP

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by DLP	string	20
agent	User agent - eg. agent="Mozilla/5.0"	string	64
date	Date	string	10
direction	Direction of packets	string	8
dlpextra	DLP extra information	string	256
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
epoch	Epoch used for locating file	uint32	10
eventid	The serial number of the dlparchive file in the same epoch	uint32	10
eventtype	DLP event type	string	32
filename	File name	string	256
filesize	File size in bytes	uint64	10
filetype	File type	string	23
filtercat	DLP filter category	string	8
filteridx	DLP filter ID	uint32	10
filtername	DLP rule name	string	128
filtertype	DLP filter type	string	23
from	Email address from the Email Headers (IMAP/POP3/SMTP)	string	128
group	User group name	string	64

Log Field Name	Description	Data Type	Length
hostname	The host name of a URL	string	256
level	Log Level	string	11
logid	Log ID	string	10
policyid	Policy ID	uint32	10
profile	DLP profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received bytes	uint64	20
recipient	Email addresses from the SMTP envelope	string	512
sender	Email address from the SMTP envelope	string	128
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
severity	Severity level of a DLP rule	string	8
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subject	The subject title of the email message	string	128
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 24578 - LOG\_ID\_DLP\_DOC\_SOURCE

**Message ID:** 24578

**Message Description:** LOG\_ID\_DLP\_DOC\_SOURCE

**Type:** DLP

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
dlpextra	DLP extra information	string	256
docsource	DLP fingerprint document source	string	515
eventtype	DLP event type	string	32
level	Log Level	string	11
logid	Log ID	string	10
sensitivity	Sensitivity for document fingerprint	string	36
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
vd	Virtual domain name	string	32

## 24579 - LOG\_ID\_DLP\_DOC\_SOURCE\_ERROR

**Message ID:** 24579

**Message Description:** LOG\_ID\_DLP\_DOC\_SOURCE\_ERROR

**Type:** DLP

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10

Log Field Name	Description	Data Type	Length
dlpextra	DLP extra information	string	256
docsource	DLP fingerprint document source	string	515
eventtype	DLP event type	string	32
level	Log Level	string	11
logid	Log ID	string	10
sensitivity	Sensitivity for document fingerprint	string	36
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
vd	Virtual domain name	string	32

## Email

### 41216 - LOGID\_GTP\_FORWARD

**Message ID:** 41216

**Message Description:** LOGID\_GTP\_FORWARD

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41217 - LOGID\_GTP\_DENY

**Message ID:** 41217

**Message Description:** LOGID\_GTP\_DENY

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8



Log Field Name	Description	Data Type	Length
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41218 - LOGID\_GTP\_RATE\_LIMIT

**Message ID:** 41218

**Message Description:** LOGID\_GTP\_RATE\_LIMIT

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41219 - LOGID\_GTP\_STATE\_INVALID

**Message ID:** 41219

**Message Description:** LOGID\_GTP\_STATE\_INVALID

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41220 - LOGID\_GTP\_TUNNEL\_LIMIT

**Message ID:** 41220

**Message Description:** LOGID\_GTP\_TUNNEL\_LIMIT

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41221 - LOGID\_GTP\_TRAFFIC\_COUNT

**Message ID:** 41221

**Message Description:** LOGID\_GTP\_TRAFFIC\_COUNT

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64

Log Field Name	Description	Data Type	Length
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
vd	Virtual domain name	string	12

## 41222 - LOGID\_GTP\_USER\_DATA

**Message ID:** 41222

**Message Description:** LOGID\_GTP\_USER\_DATA

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41223 - LOGID\_GTPV2\_FORWARD

**Message ID:** 41223

**Message Description:** LOGID\_GTPV2\_FORWARD

**Type:** Email**Category:** GENERAL**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41224 - LOGID\_GTPV2\_DENY

**Message ID:** 41224**Message Description:** LOGID\_GTPV2\_DENY**Type:** Email**Category:** GENERAL**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41225 - LOGID\_GTPV2\_RATE\_LIMIT

**Message ID:** 41225

**Message Description:** LOGID\_GTPV2\_RATE\_LIMIT

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64

Log Field Name	Description	Data Type	Length
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41226 - LOGID\_GTPV2\_STATE\_INVALID

**Message ID:** 41226

**Message Description:** LOGID\_GTPV2\_STATE\_INVALID

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512

Log Field Name	Description	Data Type	Length
type	Log type	string	16
vd	Virtual domain name	string	12

## 41227 - LOGID\_GTPV2\_TUNNEL\_LIMIT

**Message ID:** 41227

**Message Description:** LOGID\_GTPV2\_TUNNEL\_LIMIT

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41228 - LOGID\_GTPV2\_TRAFFIC\_COUNT

**Message ID:** 41228

**Message Description:** LOGID\_GTPV2\_TRAFFIC\_COUNT



**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
vd	Virtual domain name	string	12

## 41229 - LOGID\_GTPU\_FORWARD

**Message ID:** 41229

**Message Description:** LOGID\_GTPU\_FORWARD

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5

Log Field Name	Description	Data Type	Length
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## 41230 - LOGID\_GTPU\_DENY

**Message ID:** 41230

**Message Description:** LOGID\_GTPU\_DENY

**Type:** Email

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstport	Destination Port	uint16	5
from	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	128
level	Log Level	string	11
logid	Log ID	string	10
profile	Email Filter profile name	string	64
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	Email address(es) from the Email Headers (IMAP/POP3/SMTP)	string	512
type	Log type	string	16
vd	Virtual domain name	string	12

## Event

### 20001 - LOG\_ID\_CLIENT\_DISASSOCIATED

**Message ID:** 20001

**Message Description:** LOG\_ID\_CLIENT\_DISASSOCIATED

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 20002 - LOG\_ID\_DOMAIN\_UNRESOLVABLE

**Message ID:** 20002

**Message Description:** LOG\_ID\_DOMAIN\_UNRESOLVABLE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20003 - LOG\_ID\_MAIL\_SENT\_FAIL

**Message ID:** 20003

**Message Description:** LOG\_ID\_MAIL\_SENT\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
count	Count	uint32	10
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20004 - LOG\_ID\_POLICY\_TOO\_BIG

**Message ID:** 20004

**Message Description:** LOG\_ID\_POLICY\_TOO\_BIG

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20005 - LOG\_ID\_PPP\_LINK\_UP

**Message ID:** 20005

**Message Description:** LOG\_ID\_PPP\_LINK\_UP

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20006 - LOG\_ID\_PPP\_LINK\_DOWN

**Message ID:** 20006

**Message Description:** LOG\_ID\_PPP\_LINK\_DOWN

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20007 - 20007

**Message ID:** 20007

**Message Description:** 20007

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
nat	NAT IP Address	ip	39
proto	Protocol Number	uint8	3
service	Service Name	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20008 - LOG\_ID\_POLICY6\_TOO\_BIG

**Message ID:** 20008

**Message Description:** LOG\_ID\_POLICY6\_TOO\_BIG

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10



Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20010 - LOG\_ID\_KERNEL\_ERROR

**Message ID:** 20010

**Message Description:** LOG\_ID\_KERNEL\_ERROR

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20011 - LOG\_ID\_CLIENT\_NEW\_ASSOCIATION

**Message ID:** 20011

**Message Description:** LOG\_ID\_CLIENT\_NEW\_ASSOCIATION

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20012 - LOG\_ID\_CLIENT\_WPA\_1X

**Message ID:** 20012

**Message Description:** LOG\_ID\_CLIENT\_WPA\_1X

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**20013 - LOG\_ID\_CLIENT\_WPA\_SSN****Message ID:** 20013**Message Description:** LOG\_ID\_CLIENT\_WPA\_SSN**Type:** Event**Category:** SYSTEM**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
vd	Virtual Domain Name	string	32

## 20015 - LOG\_ID\_IEEE802\_NEW\_STATION

**Message ID:** 20015

**Message Description:** LOG\_ID\_IEEE802\_NEW\_STATION

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20016 - LOG\_ID\_MODEM\_EXCEED\_REDIAL\_COUNT

**Message ID:** 20016

**Message Description:** LOG\_ID\_MODEM\_EXCEED\_REDIAL\_COUNT

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20017 - LOG\_ID\_MODEM\_FAIL\_TO\_OPEN

**Message ID:** 20017

**Message Description:** LOG\_ID\_MODEM\_FAIL\_TO\_OPEN

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20020 - LOG\_ID\_MODEM\_USB\_DETECTED

**Message ID:** 20020

**Message Description:** LOG\_ID\_MODEM\_USB\_DETECTED

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20021 - LOG\_ID\_MAIL\_RESENT

**Message ID:** 20021

**Message Description:** LOG\_ID\_MAIL\_RESENT

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
count	Count	uint32	10
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20022 - LOG\_ID\_MODEM\_USB\_REMOVED

**Message ID:** 20022

**Message Description:** LOG\_ID\_MODEM\_USB\_REMOVED

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20023 - LOG\_ID\_MODEM\_USBLTE\_DETECTED

**Message ID:** 20023

**Message Description:** LOG\_ID\_MODEM\_USBLTE\_DETECTED

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32



## 20024 - LOG\_ID\_MODEM\_USBLTE\_REMOVED

**Message ID:** 20024

**Message Description:** LOG\_ID\_MODEM\_USBLTE\_REMOVED

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20025 - LOG\_ID\_REPORTD\_REPORT\_SUCCESS

**Message ID:** 20025

**Message Description:** LOG\_ID\_REPORTD\_REPORT\_SUCCESS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
datarange	data range for reports	string	50
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
file	File Name for Generated Report?	string	256
filesize	Report File Size in Bytes	uint32	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
processtime	process time for reports	uint32	
reporttype	Report Type	string	20
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20026 - LOG\_ID\_REPORTD\_REPORT\_FAILURE

**Message ID:** 20026

**Message Description:** LOG\_ID\_REPORTD\_REPORT\_FAILURE

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20027 - LOG\_ID\_REPORT\_DEL\_OLD\_REC

**Message ID:** 20027

**Message Description:** LOG\_ID\_REPORT\_DEL\_OLD\_REC

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20031 - LOG\_ID\_RAD\_OUT\_OF\_MEM

**Message ID:** 20031

**Message Description:** LOG\_ID\_RAD\_OUT\_OF\_MEM**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20032 - LOG\_ID\_RAD\_NOT\_FOUND

**Message ID:** 20032**Message Description:** LOG\_ID\_RAD\_NOT\_FOUND**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20033 - LOG\_ID\_RAD\_MOBILE\_IPV6

**Message ID:** 20033

**Message Description:** LOG\_ID\_RAD\_MOBILE\_IPV6

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20034 - LOG\_ID\_RAD\_IPV6\_OUT\_OF\_RANGE

**Message ID:** 20034

**Message Description:** LOG\_ID\_RAD\_IPV6\_OUT\_OF\_RANGE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20035 - LOG\_ID\_RAD\_MIN\_OUT\_OF\_RANGE

**Message ID:** 20035**Message Description:** LOG\_ID\_RAD\_MIN\_OUT\_OF\_RANGE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20036 - LOG\_ID\_RAD\_MAX\_OUT\_OF\_RANGE

**Message ID:** 20036

**Message Description:** LOG\_ID\_RAD\_MAX\_OUT\_OF\_RANGE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20037 - LOG\_ID\_RAD\_MAX\_ADV\_OUT\_OF\_RANGE

**Message ID:** 20037

**Message Description:** LOG\_ID\_RAD\_MAX\_ADV\_OUT\_OF\_RANGE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20038 - LOG\_ID\_RAD\_MTU\_OUT\_OF\_RANGE

**Message ID:** 20038**Message Description:** LOG\_ID\_RAD\_MTU\_OUT\_OF\_RANGE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20039 - LOG\_ID\_RAD\_MTU\_TOO\_SMALL

**Message ID:** 20039

**Message Description:** LOG\_ID\_RAD\_MTU\_TOO\_SMALL

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20040 - LOG\_ID\_RAD\_TIME\_TOO\_SMALL

**Message ID:** 20040

**Message Description:** LOG\_ID\_RAD\_TIME\_TOO\_SMALL**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20041 - LOG\_ID\_RAD\_HOP\_OUT\_OF\_RANGE

**Message ID:** 20041**Message Description:** LOG\_ID\_RAD\_HOP\_OUT\_OF\_RANGE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20042 - LOG\_ID\_RAD\_DFT\_HOP\_OUT\_OF\_RANGE

**Message ID:** 20042

**Message Description:** LOG\_ID\_RAD\_DFT\_HOP\_OUT\_OF\_RANGE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20043 - LOG\_ID\_RAD\_AGENT\_OUT\_OF\_RANGE

**Message ID:** 20043

**Message Description:** LOG\_ID\_RAD\_AGENT\_OUT\_OF\_RANGE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20044 - LOG\_ID\_RAD\_AGENT\_FLAG\_NOT\_SET

**Message ID:** 20044**Message Description:** LOG\_ID\_RAD\_AGENT\_FLAG\_NOT\_SET**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20045 - LOG\_ID\_RAD\_PREFIX\_TOO\_LONG

**Message ID:** 20045

**Message Description:** LOG\_ID\_RAD\_PREFIX\_TOO\_LONG

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20046 - LOG\_ID\_RAD\_PREF\_TIME\_TOO\_SMALL

**Message ID:** 20046

**Message Description:** LOG\_ID\_RAD\_PREF\_TIME\_TOO\_SMALL**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20047 - LOG\_ID\_RAD\_FAIL\_IPV6\_SOCKET

**Message ID:** 20047**Message Description:** LOG\_ID\_RAD\_FAIL\_IPV6\_SOCKET**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20048 - LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_PKTINFO

**Message ID:** 20048

**Message Description:** LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_PKTINFO

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20049 - LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_CHECKSUM

**Message ID:** 20049

**Message Description:** LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_CHECKSUM**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20050 - LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_UNICAST\_HOPS

**Message ID:** 20050**Message Description:** LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_UNICAST\_HOPS**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20051 - LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_MULTICAST\_HOPS

**Message ID:** 20051

**Message Description:** LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_MULTICAST\_HOPS

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20052 - LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_HOPLIMIT

**Message ID:** 20052

**Message Description:** LOG\_ID\_RAD\_FAIL\_OPT\_IPV6\_HOPLIMIT**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20053 - LOG\_ID\_RAD\_FAIL\_OPT\_IPPROTO\_ICMPV6

**Message ID:** 20053**Message Description:** LOG\_ID\_RAD\_FAIL\_OPT\_IPPROTO\_ICMPV6**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20054 - LOG\_ID\_RAD\_EXIT\_BY\_SIGNAL

**Message ID:** 20054

**Message Description:** LOG\_ID\_RAD\_EXIT\_BY\_SIGNAL

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20055 - LOG\_ID\_RAD\_FAIL\_CMDB\_QUERY

**Message ID:** 20055

**Message Description:** LOG\_ID\_RAD\_FAIL\_CMDB\_QUERY**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20056 - LOG\_ID\_RAD\_FAIL\_CMDB\_FOR\_EACH

**Message ID:** 20056**Message Description:** LOG\_ID\_RAD\_FAIL\_CMDB\_FOR\_EACH**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20057 - LOG\_ID\_RAD\_FAIL\_FIND\_VIRT\_INTF

**Message ID:** 20057

**Message Description:** LOG\_ID\_RAD\_FAIL\_FIND\_VIRT\_INTF

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20058 - LOG\_ID\_RAD\_UNLOAD\_INTF

**Message ID:** 20058

**Message Description:** LOG\_ID\_RAD\_UNLOAD\_INTF**Type:** Event**Category:** SYSTEM**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20059 - LOG\_ID\_RAD\_NO\_PKT\_INFO

**Message ID:** 20059**Message Description:** LOG\_ID\_RAD\_NO\_PKT\_INFO**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20060 - LOG\_ID\_RAD\_INV\_ICMPV6\_LEN

**Message ID:** 20060

**Message Description:** LOG\_ID\_RAD\_INV\_ICMPV6\_LEN

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20061 - LOG\_ID\_RAD\_INV\_ICMPV6\_TYPE

**Message ID:** 20061

**Message Description:** LOG\_ID\_RAD\_INV\_ICMPV6\_TYPE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20062 - LOG\_ID\_RAD\_INV\_ICMPV6\_RA\_LEN

**Message ID:** 20062**Message Description:** LOG\_ID\_RAD\_INV\_ICMPV6\_RA\_LEN**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20063 - LOG\_ID\_RAD\_ICMPV6\_NO\_SRC\_ADDR

**Message ID:** 20063

**Message Description:** LOG\_ID\_RAD\_ICMPV6\_NO\_SRC\_ADDR

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20064 - LOG\_ID\_RAD\_INV\_ICMPV6\_RS\_LEN

**Message ID:** 20064

**Message Description:** LOG\_ID\_RAD\_INV\_ICMPV6\_RS\_LEN**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20065 - LOG\_ID\_RAD\_INV\_ICMPV6\_CODE

**Message ID:** 20065**Message Description:** LOG\_ID\_RAD\_INV\_ICMPV6\_CODE**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20066 - LOG\_ID\_RAD\_INV\_ICMPV6\_HOP

**Message ID:** 20066

**Message Description:** LOG\_ID\_RAD\_INV\_ICMPV6\_HOP

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20067 - LOG\_ID\_RAD\_MISMATCH\_HOP

**Message ID:** 20067

**Message Description:** LOG\_ID\_RAD\_MISMATCH\_HOP**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20068 - LOG\_ID\_RAD\_MISMATCH\_MGR\_FLAG

**Message ID:** 20068**Message Description:** LOG\_ID\_RAD\_MISMATCH\_MGR\_FLAG**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20069 - LOG\_ID\_RAD\_MISMATCH\_OTH\_FLAG

**Message ID:** 20069

**Message Description:** LOG\_ID\_RAD\_MISMATCH\_OTH\_FLAG

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20070 - LOG\_ID\_RAD\_MISMATCH\_TIME

**Message ID:** 20070

**Message Description:** LOG\_ID\_RAD\_MISMATCH\_TIME**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20071 - LOG\_ID\_RAD\_MISMATCH\_TIMER

**Message ID:** 20071**Message Description:** LOG\_ID\_RAD\_MISMATCH\_TIMER**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20072 - LOG\_ID\_RAD\_EXTRA\_DATA

**Message ID:** 20072

**Message Description:** LOG\_ID\_RAD\_EXTRA\_DATA

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20073 - LOG\_ID\_RAD\_NO\_OPT\_DATA

**Message ID:** 20073

**Message Description:** LOG\_ID\_RAD\_NO\_OPT\_DATA**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20074 - LOG\_ID\_RAD\_INV\_OPT\_LEN

**Message ID:** 20074**Message Description:** LOG\_ID\_RAD\_INV\_OPT\_LEN**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20075 - LOG\_ID\_RAD\_MISMATCH\_MTU

**Message ID:** 20075

**Message Description:** LOG\_ID\_RAD\_MISMATCH\_MTU

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20077 - LOG\_ID\_RAD\_MISMATCH\_PREF\_TIME

**Message ID:** 20077

**Message Description:** LOG\_ID\_RAD\_MISMATCH\_PREF\_TIME**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20078 - LOG\_ID\_RAD\_INV\_OPT

**Message ID:** 20078**Message Description:** LOG\_ID\_RAD\_INV\_OPT**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20079 - LOG\_ID\_RAD\_READY

**Message ID:** 20079

**Message Description:** LOG\_ID\_RAD\_READY

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20080 - LOG\_ID\_RAD\_FAIL\_TO\_RCV

**Message ID:** 20080

**Message Description:** LOG\_ID\_RAD\_FAIL\_TO\_RCV

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20081 - LOG\_ID\_RAD\_INV\_HOP

**Message ID:** 20081

**Message Description:** LOG\_ID\_RAD\_INV\_HOP

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20082 - LOG\_ID\_RAD\_INV\_PKTINFO

**Message ID:** 20082

**Message Description:** LOG\_ID\_RAD\_INV\_PKTINFO

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20083 - LOG\_ID\_RAD\_FAIL\_TO\_CHECK

**Message ID:** 20083

**Message Description:** LOG\_ID\_RAD\_FAIL\_TO\_CHECK**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20084 - LOG\_ID\_RAD\_FAIL\_TO\_SEND

**Message ID:** 20084**Message Description:** LOG\_ID\_RAD\_FAIL\_TO\_SEND**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20085 - 20085

**Message ID:** 20085

**Message Description:** 20085

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
proto	Protocol Number	uint8	3
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**20086 - 20086****Message ID:** 20086**Message Description:** 20086**Type:** Event**Category:** SYSTEM**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**20090 - LOG\_ID\_INTF\_LINK\_STA\_CHG****Message ID:** 20090**Message Description:** LOG\_ID\_INTF\_LINK\_STA\_CHG**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16



Log Field Name	Description	Data Type	Length
intf	Interface	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20099 - LOG\_ID\_INTF\_STA\_CHG

**Message ID:** 20099

**Message Description:** LOG\_ID\_INTF\_STA\_CHG

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20100 - LOG\_ID\_WEB\_CAT\_UPDATED

**Message ID:** 20100

**Message Description:** LOG\_ID\_WEB\_CAT\_UPDATED

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20101 - LOG\_ID\_WEB\_LIC\_EXPIRE

**Message ID:** 20101

**Message Description:** LOG\_ID\_WEB\_LIC\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20102 - LOG\_ID\_SPAM\_LIC\_EXPIRE

**Message ID:** 20102

**Message Description:** LOG\_ID\_SPAM\_LIC\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20103 - LOG\_ID\_AV\_LIC\_EXPIRE

**Message ID:** 20103

**Message Description:** LOG\_ID\_AV\_LIC\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20104 - LOG\_ID\_IPS\_LIC\_EXPIRE

**Message ID:** 20104

**Message Description:** LOG\_ID\_IPS\_LIC\_EXPIRE

**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20105 - LOG\_ID\_LOG\_UPLOAD\_SKIP

**Message ID:** 20105**Message Description:** LOG\_ID\_LOG\_UPLOAD\_SKIP**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
error	Error Reason for Log Upload to Forticloud	string	256
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
vd	Virtual Domain Name	string	32

## 20107 - LOG\_ID\_LOG\_UPLOAD\_ERR

**Message ID:** 20107

**Message Description:** LOG\_ID\_LOG\_UPLOAD\_ERR

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
error	Error Reason for Log Upload to Forticloud	string	256
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5

Log Field Name	Description	Data Type	Length
server	Server IP Address	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20108 - LOG\_ID\_LOG\_UPLOAD\_DONE

**Message ID:** 20108

**Message Description:** LOG\_ID\_LOG\_UPLOAD\_DONE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20109 - LOG\_ID\_WEB\_LIC\_EXPIRED

**Message ID:** 20109

**Message Description:** LOG\_ID\_WEB\_LIC\_EXPIRED

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20110 - LOG\_ID\_HPAPI\_ESPD\_START

**Message ID:** 20110

**Message Description:** LOG\_ID\_HPAPI\_ESPD\_START

**Type:** Event

**Category:** SYSTEM



**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**20111 - LOG\_ID\_HPAPI\_ESPD\_RESET****Message ID:** 20111**Message Description:** LOG\_ID\_HPAPI\_ESPD\_RESET**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20113 - LOG\_ID\_IPSA\_DOWNLOAD\_FAIL

**Message ID:** 20113

**Message Description:** LOG\_ID\_IPSA\_DOWNLOAD\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20114 - LOG\_ID\_IPSA\_SELFTEST\_FAIL

**Message ID:** 20114

**Message Description:** LOG\_ID\_IPSA\_SELFTEST\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20115 - LOG\_ID\_IPSA\_STATUSUPD\_FAIL

**Message ID:** 20115

**Message Description:** LOG\_ID\_IPSA\_STATUSUPD\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20116 - LOG\_ID\_SPAM\_LIC\_EXPIRED

**Message ID:** 20116

**Message Description:** LOG\_ID\_SPAM\_LIC\_EXPIRED

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20117 - LOG\_ID\_AV\_LIC\_EXPIRED

**Message ID:** 20117

**Message Description:** LOG\_ID\_AV\_LIC\_EXPIRED

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20200 - LOG\_ID\_FIPS\_SELF\_TEST

**Message ID:** 20200

**Message Description:** LOG\_ID\_FIPS\_SELF\_TEST

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20201 - LOG\_ID\_FIPS\_SELF\_ALL\_TEST

**Message ID:** 20201

**Message Description:** LOG\_ID\_FIPS\_SELF\_ALL\_TEST

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20202 - LOG\_ID\_DISK\_FORMAT\_ERROR

**Message ID:** 20202

**Message Description:** LOG\_ID\_DISK\_FORMAT\_ERROR

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20203 - LOG\_ID\_DAEMON\_SHUTDOWN

**Message ID:** 20203

**Message Description:** LOG\_ID\_DAEMON\_SHUTDOWN

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
daemon	Daemon Name	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
pid	Process ID	uint32	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20204 - LOG\_ID\_DAEMON\_START

**Message ID:** 20204

**Message Description:** LOG\_ID\_DAEMON\_START

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
daemon	Daemon Name	string	32
date	Date	string	10
devid	Device ID	string	16



Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
pid	Process ID	uint32	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20205 - LOG\_ID\_DISK\_FORMAT\_REQ

**Message ID:** 20205

**Message Description:** LOG\_ID\_DISK\_FORMAT\_REQ

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20206 - LOG\_ID\_DISK\_SCAN\_REQ

**Message ID:** 20206

**Message Description:** LOG\_ID\_DISK\_SCAN\_REQ

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 20207 - LOG\_ID\_RAD\_MISMATCH\_VALID\_TIME

**Message ID:** 20207

**Message Description:** LOG\_ID\_RAD\_MISMATCH\_VALID\_TIME

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20208 - LOG\_ID\_ZOMBIE\_DAEMON\_CLEANUP

**Message ID:** 20208

**Message Description:** LOG\_ID\_ZOMBIE\_DAEMON\_CLEANUP

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
daemon	Daemon Name	string	32

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
pid	Process ID	uint32	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20209 - LOG\_ID\_DISK\_UNAVAIL

**Message ID:** 20209

**Message Description:** LOG\_ID\_DISK\_UNAVAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20220 - 20220

**Message ID:** 20220

**Message Description:** 20220

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
intf	Interface	string	16
level	Log Level	string	11
limit	Virtual Domain Resource Limit	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20221 - 20221

**Message ID:** 20221

**Message Description:** 20221**Type:** Event**Category:** SYSTEM**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
intf	Interface	string	16
level	Log Level	string	11
limit	Virtual Domain Resource Limit	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20300 - LOG\_ID\_BGP\_NB\_STAT\_CHG

**Message ID:** 20300**Message Description:** LOG\_ID\_BGP\_NB\_STAT\_CHG**Type:** Event**Category:** ROUTER**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 20301 - LOG\_ID\_VZ\_LOG

**Message ID:** 20301

**Message Description:** LOG\_ID\_VZ\_LOG

**Type:** Event

**Category:** ROUTER

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22000 - LOG\_ID\_INV\_PKT\_LEN

**Message ID:** 22000

**Message Description:** LOG\_ID\_INV\_PKT\_LEN

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22001 - LOG\_ID\_UNSUPPORTED\_PROT\_VER

**Message ID:** 22001

**Message Description:** LOG\_ID\_UNSUPPORTED\_PROT\_VER

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16



Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22002 - LOG\_ID\_INV\_REQ\_TYPE

**Message ID:** 22002

**Message Description:** LOG\_ID\_INV\_REQ\_TYPE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22003 - LOG\_ID\_FAIL\_SET\_SIG\_HANDLER

**Message ID:** 22003

**Message Description:** LOG\_ID\_FAIL\_SET\_SIG\_HANDLER

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22004 - LOG\_ID\_FAIL\_CREATE\_SOCKET

**Message ID:** 22004

**Message Description:** LOG\_ID\_FAIL\_CREATE\_SOCKET

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22005 - LOG\_ID\_FAIL\_CREATE\_SOCKET\_RETRY

**Message ID:** 22005

**Message Description:** LOG\_ID\_FAIL\_CREATE\_SOCKET\_RETRY

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22006 - LOG\_ID\_FAIL\_REG\_CMDB\_EVENT

**Message ID:** 22006

**Message Description:** LOG\_ID\_FAIL\_REG\_CMDB\_EVENT**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22009 - LOG\_ID\_FAIL\_FIND\_AV\_PROFILE

**Message ID:** 22009**Message Description:** LOG\_ID\_FAIL\_FIND\_AV\_PROFILE**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22010 - LOG\_ID\_SENDTO\_FAIL

**Message ID:** 22010

**Message Description:** LOG\_ID\_SENDTO\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
process	Process	string	
reason	Reason	string	256
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22011 - 22011

**Message ID:** 22011

**Message Description:** 22011

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
conserve	Flag for Conserve Mode	string	32
date	Date	string	10
devid	Device ID	string	16
free		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
red		string	32
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22012 - 22012

**Message ID:** 22012

**Message Description:** 22012

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
conserve	Flag for Conserve Mode	string	32
date	Date	string	10
devid	Device ID	string	16
free		string	32
green		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22013 - 22013

**Message ID:** 22013

**Message Description:** 22013

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
poolname	IP Pool Name	string	36
saddr	Source Address IP	string	80
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22014 - 22014

**Message ID:** 22014

**Message Description:** 22014

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11



Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
poolname	IP Pool Name	string	36
saddr	Source Address IP	string	80
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22015 - 22015

**Message ID:** 22015

**Message Description:** 22015

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
nat	NAT IP Address	ip	39

Log Field Name	Description	Data Type	Length
poolname	IP Pool Name	string	36
portbegin	Port Number to Begin	uint16	5
portend	Port Number to End	uint16	5
saddr	Source Address IP	string	80
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22016 - 22016

**Message ID:** 22016

**Message Description:** 22016

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
nat	NAT IP Address	ip	39

Log Field Name	Description	Data Type	Length
poolname	IP Pool Name	string	36
portbegin	Port Number to Begin	uint16	5
portend	Port Number to End	uint16	5
saddr	Source Address IP	string	80
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22017 - LOG\_ID\_EXCEED\_GLOB\_RES\_LIMIT

**Message ID:** 22017

**Message Description:** LOG\_ID\_EXCEED\_GLOB\_RES\_LIMIT

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22018 - LOG\_ID\_EXCEED\_VD\_RES\_LIMIT

**Message ID:** 22018

**Message Description:** LOG\_ID\_EXCEED\_VD\_RES\_LIMIT

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22020 - LOG\_ID\_FAIL\_CREATE\_HA\_SOCKET

**Message ID:** 22020

**Message Description:** LOG\_ID\_FAIL\_CREATE\_HA\_SOCKET

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22021 - LOG\_ID\_FAIL\_CREATE\_HA\_SOCKET\_RETRY

**Message ID:** 22021

**Message Description:** LOG\_ID\_FAIL\_CREATE\_HA\_SOCKET\_RETRY

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22100 - LOG\_ID\_QUAR\_DROP\_TRAN\_JOB

**Message ID:** 22100

**Message Description:** LOG\_ID\_QUAR\_DROP\_TRAN\_JOB

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
count	Count	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
fams_pause	Fortinet Analysis and Management Service Pause	uint32	10
level	Log Level	string	11
limit	Virtual Domain Resource Limit	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
used	Number of Used IPs	uint32	10
vd	Virtual Domain Name	string	32

## 22101 - LOG\_ID\_QUAR\_DROP\_TLL\_JOB

**Message ID:** 22101

**Message Description:** LOG\_ID\_QUAR\_DROP\_TLL\_JOB

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
count	Count	uint32	10
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22102 - LOG\_ID\_LOG\_DISK\_FAILURE

**Message ID:** 22102

**Message Description:** LOG\_ID\_LOG\_DISK\_FAILURE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22103 - LOG\_ID\_QUAR\_DAILY\_LIMIT\_REACHED

**Message ID:** 22103

**Message Description:** LOG\_ID\_QUAR\_DAILY\_LIMIT\_REACHED

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
count	Count	uint32	10



Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
limit	Virtual Domain Resource Limit	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22104 - LOG\_ID\_POWER\_RESTORE

**Message ID:** 22104

**Message Description:** LOG\_ID\_POWER\_RESTORE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
unit	Unit	uint32	10
vd	Virtual Domain Name	string	32

## 22105 - LOG\_ID\_POWER\_FAILURE

**Message ID:** 22105

**Message Description:** LOG\_ID\_POWER\_FAILURE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
unit	Unit	uint32	10
vd	Virtual Domain Name	string	32

## 22106 - LOG\_ID\_POWER\_OPTIONAL\_NOT\_DETECTED

**Message ID:** 22106

**Message Description:** LOG\_ID\_POWER\_OPTIONAL\_NOT\_DETECTED

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22107 - LOG\_ID\_VOLT\_ANOM

**Message ID:** 22107

**Message Description:** LOG\_ID\_VOLT\_ANOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22108 - LOG\_ID\_FAN\_ANOM

**Message ID:** 22108

**Message Description:** LOG\_ID\_FAN\_ANOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22109 - LOG\_ID\_TEMP\_TOO\_HIGH

**Message ID:** 22109

**Message Description:** LOG\_ID\_TEMP\_TOO\_HIGH

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22110 - LOG\_ID\_SPARE\_BLOCK\_LOW

**Message ID:** 22110

**Message Description:** LOG\_ID\_SPARE\_BLOCK\_LOW

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22150 - LOG\_ID\_VOLT\_NOM

**Message ID:** 22150

**Message Description:** LOG\_ID\_VOLT\_NOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**22151 - LOG\_ID\_FAN\_NOM****Message ID:** 22151**Message Description:** LOG\_ID\_FAN\_NOM**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22152 - LOG\_ID\_TEMP\_TOO\_LOW

**Message ID:** 22152

**Message Description:** LOG\_ID\_TEMP\_TOO\_LOW

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8



Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22153 - LOG\_ID\_TEMP\_NORM

**Message ID:** 22153

**Message Description:** LOG\_ID\_TEMP\_NORM

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22200 - LOG\_ID\_AUTO\_UPT\_CERT

**Message ID:** 22200

**Message Description:** LOG\_ID\_AUTO\_UPT\_CERT

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert	Certificate	string	36
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22201 - LOG\_ID\_AUTO\_GEN\_CERT

**Message ID:** 22201**Message Description:** LOG\_ID\_AUTO\_GEN\_CERT**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert	Certificate	string	36
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22202 - LOG\_ID\_AUTO\_UPT\_CERT\_FAIL

**Message ID:** 22202

**Message Description:** LOG\_ID\_AUTO\_UPT\_CERT\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert	Certificate	string	36
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22203 - LOG\_ID\_AUTO\_GEN\_CERT\_FAIL

**Message ID:** 22203

**Message Description:** LOG\_ID\_AUTO\_GEN\_CERT\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert	Certificate	string	36
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22204 - LOG\_ID\_AUTO\_GEN\_CERT\_PENDING

**Message ID:** 22204

**Message Description:** LOG\_ID\_AUTO\_GEN\_CERT\_PENDING

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22205 - LOG\_ID\_AUTO\_GEN\_CERT\_SUCC

**Message ID:** 22205

**Message Description:** LOG\_ID\_AUTO\_GEN\_CERT\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22206 - LOG\_ID\_CRL\_EXPIRED

**Message ID:** 22206

**Message Description:** LOG\_ID\_CRL\_EXPIRED

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22700 - LOG\_ID\_IPS\_FAIL\_OPEN

**Message ID:** 22700

**Message Description:** LOG\_ID\_IPS\_FAIL\_OPEN

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22701 - LOG\_ID\_IPS\_FAIL\_OPEN\_END

**Message ID:** 22701

**Message Description:** LOG\_ID\_IPS\_FAIL\_OPEN\_END

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	



Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22800 - LOG\_ID\_SCAN\_SERV\_FAIL

**Message ID:** 22800

**Message Description:** LOG\_ID\_SCAN\_SERV\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
mode	Mode	string	12
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22801 - LOG\_ID\_SCAN\_LEAVE\_CONSERVE\_MODE

**Message ID:** 22801

**Message Description:** LOG\_ID\_SCAN\_LEAVE\_CONSERVE\_MODE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
conserve	Flag for Conserve Mode	string	32
date	Date	string	10
devid	Device ID	string	16
entermargin	Conserve Mode Enter Margin	uint32	10
exitmargin	Conserve Mode Exit Margin	uint32	10
free		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
total	Total	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22802 - LOG\_ID\_SYS\_ENTER\_CONSERVE\_MODE

**Message ID:** 22802

**Message Description:** LOG\_ID\_SYS\_ENTER\_CONSERVE\_MODE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
entermargin	Conserve Mode Enter Margin	uint32	10
exitmargin	Conserve Mode Exit Margin	uint32	10
free		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
sysconserve	On/Off Flag for Server Conserve Mode	string	32
time	Time	string	8
total	Total	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22803 - LOG\_ID\_SYS\_LEAVE\_CONSERVE\_MODE

**Message ID:** 22803

**Message Description:** LOG\_ID\_SYS\_LEAVE\_CONSERVE\_MODE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
entermargin	Conserve Mode Enter Margin	uint32	10
exitmargin	Conserve Mode Exit Margin	uint32	10
free		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
sysconserve	On/Off Flag for Server Conserve Mode	string	32
time	Time	string	8
total	Total	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22804 - LOG\_ID\_LIC\_STATUS\_CHG

**Message ID:** 22804

**Message Description:** LOG\_ID\_LIC\_STATUS\_CHG

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22805 - LOG\_ID\_FAIL\_TO\_VALIDATE\_LIC

**Message ID:** 22805

**Message Description:** LOG\_ID\_FAIL\_TO\_VALIDATE\_LIC

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22806 - LOG\_ID\_DUP\_LIC

**Message ID:** 22806

**Message Description:** LOG\_ID\_DUP\_LIC

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22810 - LOG\_ID\_SCAN\_ENTER\_CONSERVE\_MODE

**Message ID:** 22810

**Message Description:** LOG\_ID\_SCAN\_ENTER\_CONSERVE\_MODE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
conserve	Flag for Conserve Mode	string	32
date	Date	string	10
devid	Device ID	string	16
entermargin	Conserve Mode Enter Margin	uint32	10
exitmargin	Conserve Mode Exit Margin	uint32	10
free		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
total	Total	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22900 - LOG\_ID\_CAPUTP\_SESSION

**Message ID:** 22900

**Message Description:** LOG\_ID\_CAPUTP\_SESSION

**Type:** Event

**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22901 - LOG\_ID\_FAZ\_CON

**Message ID:** 22901**Message Description:** LOG\_ID\_FAZ\_CON**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11



Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22902 - LOG\_ID\_FAZ\_DISCON

**Message ID:** 22902

**Message Description:** LOG\_ID\_FAZ\_DISCON

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22903 - LOG\_ID\_FAZ\_CON\_ERR

**Message ID:** 22903

**Message Description:** LOG\_ID\_FAZ\_CON\_ERR

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22913 - LOG\_ID\_FDS\_SRV\_DISCON

**Message ID:** 22913

**Message Description:** LOG\_ID\_FDS\_SRV\_DISCON

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
server	Server IP Address	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22914 - LOG\_ID\_FDS\_SRV\_CHG

**Message ID:** 22914

**Message Description:** LOG\_ID\_FDS\_SRV\_CHG

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
server	Server IP Address	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22915 - LOG\_ID\_FDS\_SRV\_CON

**Message ID:** 22915

**Message Description:** LOG\_ID\_FDS\_SRV\_CON

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
server	Server IP Address	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22916 - LOG\_ID\_FDS\_STATUS

**Message ID:** 22916

**Message Description:** LOG\_ID\_FDS\_STATUS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22917 - LOG\_ID\_FDS\_SMS\_QUOTA

**Message ID:** 22917

**Message Description:** LOG\_ID\_FDS\_SMS\_QUOTA

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 22918 - LOG\_ID\_FDS\_CTRL\_STATUS

**Message ID:** 22918

**Message Description:** LOG\_ID\_FDS\_CTRL\_STATUS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22921 - LOG\_ID\_EVENT\_ROUTE\_INFO\_CHANGED

**Message ID:** 22921

**Message Description:** LOG\_ID\_EVENT\_ROUTE\_INFO\_CHANGED

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
member		uint8	

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22922 - LOG\_ID\_EVENT\_LINK\_MONITOR\_STATUS

**Message ID:** 22922

**Message Description:** LOG\_ID\_EVENT\_LINK\_MONITOR\_STATUS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
probeprotocol	Link Monitor Probe Protocol	string	16
subtype	Log Subtype	string	20



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22923 - LOG\_ID\_EVENT\_VWL\_LQTY\_STATUS

**Message ID:** 22923

**Message Description:** LOG\_ID\_EVENT\_VWL\_LQTY\_STATUS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 22924 - LOG\_ID\_EVENT\_VWL\_VOLUME\_STATUS

**Message ID:** 22924

**Message Description:** LOG\_ID\_EVENT\_VWL\_VOLUME\_STATUS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**26001 - LOG\_ID\_DHCP\_ACK****Message ID:** 26001**Message Description:** LOG\_ID\_DHCP\_ACK**Type:** Event**Category:** SYSTEM**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dhcp_msg	DHCP Message	string	
hostname	Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39

Log Field Name	Description	Data Type	Length
lease	DHCP Lease	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
mac	Mac Address	string	17
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 26002 - LOG\_ID\_DHCP\_RELEASE

**Message ID:** 26002

**Message Description:** LOG\_ID\_DHCP\_RELEASE

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dhcp_msg	DHCP Message	string	
hostname	Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
mac	Mac Address	string	17
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 26003 - LOG\_ID\_DHCP\_STAT

**Message ID:** 26003

**Message Description:** LOG\_ID\_DHCP\_STAT

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
total	Total	uint32	10
type	Log Type	string	16
used	Number of Used IPs	uint32	10
vd	Virtual Domain Name	string	32

## 26004 - LOG\_ID\_DHCP\_CLIENT\_LEASE

**Message ID:** 26004

**Message Description:** LOG\_ID\_DHCP\_CLIENT\_LEASE

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 26005 - LOG\_ID\_DHCP\_LEASE\_USAGE\_HIGH

**Message ID:** 26005

**Message Description:** LOG\_ID\_DHCP\_LEASE\_USAGE\_HIGH

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 26006 - LOG\_ID\_DHCP\_LEASE\_USAGE\_FULL

**Message ID:** 26006**Message Description:** LOG\_ID\_DHCP\_LEASE\_USAGE\_FULL**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 26007 - LOG\_ID\_DHCP\_BLOCKED\_MAC

**Message ID:** 26007

**Message Description:** LOG\_ID\_DHCP\_BLOCKED\_MAC

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
mac	Mac Address	string	17
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 27001 - LOG\_ID\_VRRP\_STATE\_CHG

**Message ID:** 27001

**Message Description:** LOG\_ID\_VRRP\_STATE\_CHG

**Type:** Event

**Category:** ROUTER

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
interface	Interface	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29001 - LOG\_ID\_PPPD\_MSG

**Message ID:** 29001

**Message Description:** LOG\_ID\_PPPD\_MSG

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
assigned	Assigned IP Address	ip	39



Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
local	Local IP for a PPPD Connection	ip	39
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
remote	Remote IP Address	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 29002 - LOG\_ID\_PPPD\_AUTH\_SUC

**Message ID:** 29002

**Message Description:** LOG\_ID\_PPPD\_AUTH\_SUC

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assigned	Assigned IP Address	ip	39
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
local	Local IP for a PPPD Connection	ip	39
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
remote	Remote IP Address	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 29003 - LOG\_ID\_PPPD\_AUTH\_FAIL

**Message ID:** 29003

**Message Description:** LOG\_ID\_PPPD\_AUTH\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assigned	Assigned IP Address	ip	39
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
local	Local IP for a PPPD Connection	ip	39
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
remote	Remote IP Address	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29009 - LOG\_ID\_PPPOE\_STATUS\_REPORT

**Message ID:** 29009

**Message Description:** LOG\_ID\_PPPOE\_STATUS\_REPORT

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
assigned	Assigned IP Address	ip	39
date	Date	string	10
devid	Device ID	string	16
gateway	gateway ip address for PPPoE status report	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
mtu	Max Transmission Unit Value	uint32	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29011 - LOG\_ID\_PPPD\_FAIL\_TO\_EXEC

**Message ID:** 29011

**Message Description:** LOG\_ID\_PPPD\_FAIL\_TO\_EXEC

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29012 - LOG\_ID\_PPP\_OPT\_ERR

**Message ID:** 29012

**Message Description:** LOG\_ID\_PPP\_OPT\_ERR

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29013 - LOG\_ID\_PPPD\_START

**Message ID:** 29013

**Message Description:** LOG\_ID\_PPPD\_START

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29014 - LOG\_ID\_PPPD\_EXIT

**Message ID:** 29014

**Message Description:** LOG\_ID\_PPPD\_EXIT

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29015 - LOG\_ID\_PPP\_RCV\_BAD\_PEER\_IP

**Message ID:** 29015

**Message Description:** LOG\_ID\_PPP\_RCV\_BAD\_PEER\_IP

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29016 - LOG\_ID\_PPP\_RCV\_BAD\_LOCAL\_IP

**Message ID:** 29016**Message Description:** LOG\_ID\_PPP\_RCV\_BAD\_LOCAL\_IP**Type:** Event**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29017 - LOG\_ID\_PPP\_OPT\_NOTIF

**Message ID:** 29017

**Message Description:** LOG\_ID\_PPP\_OPT\_NOTIF

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29020 - LOG\_ID\_WIRELESS\_SET\_FAIL

**Message ID:** 29020

**Message Description:** LOG\_ID\_WIRELESS\_SET\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice



Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 29021 - LOG\_ID\_EVENT\_AUTH\_SNMP\_QUERY\_FAILED

**Message ID:** 29021

**Message Description:** LOG\_ID\_EVENT\_AUTH\_SNMP\_QUERY\_FAILED

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
community	Community	string	36
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
port	Port Number	uint16	5
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
version	Version	string	64

### 32001 - LOG\_ID\_ADMIN\_LOGIN\_SUCC

**Message ID:** 32001

**Message Description:** LOG\_ID\_ADMIN\_LOGIN\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
profile	Profile	string	64
reason	Reason	string	256

Log Field Name	Description	Data Type	Length
sn	Serial Number	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32002 - LOG\_ID\_ADMIN\_LOGIN\_FAIL

**Message ID:** 32002

**Message Description:** LOG\_ID\_ADMIN\_LOGIN\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
sn	Serial Number	string	64

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32003 - LOG\_ID\_ADMIN\_LOGOUT

**Message ID:** 32003

**Message Description:** LOG\_ID\_ADMIN\_LOGOUT

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
sn	Serial Number	string	64

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32005 - LOG\_ID\_ADMIN\_OVERRIDE\_VDOM

**Message ID:** 32005

**Message Description:** LOG\_ID\_ADMIN\_OVERRIDE\_VDOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32006 - LOG\_ID\_ADMIN\_ENTER\_VDOM

**Message ID:** 32006

**Message Description:** LOG\_ID\_ADMIN\_ENTER\_VDOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32007 - LOG\_ID\_ADMIN\_LEFT\_VDOM

**Message ID:** 32007

**Message Description:** LOG\_ID\_ADMIN\_LEFT\_VDOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32008 - LOG\_ID\_VIEW\_DISK\_LOG\_FAIL

**Message ID:** 32008

**Message Description:** LOG\_ID\_VIEW\_DISK\_LOG\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32009 - LOG\_ID\_SYSTEM\_START

**Message ID:** 32009

**Message Description:** LOG\_ID\_SYSTEM\_START

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10



Log Field Name	Description	Data Type	Length
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32010 - LOG\_ID\_DISK\_LOG\_FULL

**Message ID:** 32010

**Message Description:** LOG\_ID\_DISK\_LOG\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32011 - LOG\_ID\_LOG\_ROLL

**Message ID:** 32011

**Message Description:** LOG\_ID\_LOG\_ROLL

**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
log	Log Name for Log Rotation	string	32
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32012 - LOG\_ID\_FIPS\_LEAVE\_ERR\_MOD

**Message ID:** 32012**Message Description:** LOG\_ID\_FIPS\_LEAVE\_ERR\_MOD**Type:** Event**Category:** SYSTEM**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32014 - LOG\_ID\_CS\_LIC\_EXPIRE

**Message ID:** 32014

**Message Description:** LOG\_ID\_CS\_LIC\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32015 - LOG\_ID\_DISK\_LOG\_USAGE

**Message ID:** 32015

**Message Description:** LOG\_ID\_DISK\_LOG\_USAGE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32016 - LOG\_ID\_FDS\_QUOTA\_WARN

**Message ID:** 32016

**Message Description:** LOG\_ID\_FDS\_QUOTA\_WARN

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32017 - LOG\_ID\_FDS\_DAILY\_QUOTA\_FULL

**Message ID:** 32017

**Message Description:** LOG\_ID\_FDS\_DAILY\_QUOTA\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32018 - LOG\_ID\_FIPS\_ENTER\_ERR\_MOD

**Message ID:** 32018

**Message Description:** LOG\_ID\_FIPS\_ENTER\_ERR\_MOD

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32019 - LOG\_ID\_CC\_ENTER\_ERR\_MOD

**Message ID:** 32019

**Message Description:** LOG\_ID\_CC\_ENTER\_ERR\_MOD

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32020 - LOG\_ID\_SSH\_CORRPUT\_MAC

**Message ID:** 32020

**Message Description:** LOG\_ID\_SSH\_CORRPUT\_MAC

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
vd	Virtual Domain Name	string	32

### 32021 - LOG\_ID\_ADMIN\_LOGIN\_DISABLE

**Message ID:** 32021

**Message Description:** LOG\_ID\_ADMIN\_LOGIN\_DISABLE

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23



Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32022 - LOG\_ID\_VDOM\_ENABLED

**Message ID:** 32022

**Message Description:** LOG\_ID\_VDOM\_ENABLED

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32023 - LOG\_ID\_MEM\_LOG\_FIRST\_FULL

**Message ID:** 32023

**Message Description:** LOG\_ID\_MEM\_LOG\_FIRST\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32024 - LOG\_ID\_ADMIN\_PASSWD\_EXPIRE

**Message ID:** 32024

**Message Description:** LOG\_ID\_ADMIN\_PASSWD\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32027 - LOG\_ID\_VIEW\_DISK\_LOG\_SUCC

**Message ID:** 32027

**Message Description:** LOG\_ID\_VIEW\_DISK\_LOG\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
log	Log Name for Log Rotation	string	32
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32028 - LOG\_ID\_LOG\_DEL\_DIR

**Message ID:** 32028

**Message Description:** LOG\_ID\_LOG\_DEL\_DIR

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32029 - LOG\_ID\_LOG\_DEL\_FILE

**Message ID:** 32029

**Message Description:** LOG\_ID\_LOG\_DEL\_FILE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32030 - LOG\_ID\_SEND\_FDS\_STAT

**Message ID:** 32030

**Message Description:** LOG\_ID\_SEND\_FDS\_STAT

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32031 - LOG\_ID\_VIEW\_MEM\_LOG\_FAIL

**Message ID:** 32031

**Message Description:** LOG\_ID\_VIEW\_MEM\_LOG\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32032 - LOG\_ID\_DISK\_DLP\_ARCH\_FULL

**Message ID:** 32032

**Message Description:** LOG\_ID\_DISK\_DLP\_ARCH\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32033 - LOG\_ID\_DISK\_QUAR\_FULL

**Message ID:** 32033

**Message Description:** LOG\_ID\_DISK\_QUAR\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32034 - LOG\_ID\_DISK\_REPORT\_FULL

**Message ID:** 32034

**Message Description:** LOG\_ID\_DISK\_REPORT\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16



Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32035 - LOG\_ID\_VDOM\_DISABLED

**Message ID:** 32035

**Message Description:** LOG\_ID\_VDOM\_DISABLED

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32036 - LOG\_ID\_DISK\_IPS\_ARCH\_FULL

**Message ID:** 32036

**Message Description:** LOG\_ID\_DISK\_IPS\_ARCH\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32037 - LOG\_ID\_DISK\_LOG\_FIRST\_FULL

**Message ID:** 32037

**Message Description:** LOG\_ID\_DISK\_LOG\_FIRST\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32038 - LOG\_ID\_LOG\_ROLL\_FORTICRON

**Message ID:** 32038

**Message Description:** LOG\_ID\_LOG\_ROLL\_FORTICRON

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
log	Log Name for Log Rotation	string	32
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
reason	Reason	string	256
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32039 - LOG\_ID\_VIEW\_MEM\_LOG\_SUCC

**Message ID:** 32039

**Message Description:** LOG\_ID\_VIEW\_MEM\_LOG\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
log	Log Name for Log Rotation	string	32
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32040 - LOG\_ID\_REPORT\_DELETED

**Message ID:** 32040

**Message Description:** LOG\_ID\_REPORT\_DELETED

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32041 - LOG\_ID\_REPORT\_DELETED\_GUI

**Message ID:** 32041

**Message Description:** LOG\_ID\_REPORT\_DELETED\_GUI

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32042 - LOG\_ID\_MEM\_LOG\_SECOND\_FULL

**Message ID:** 32042

**Message Description:** LOG\_ID\_MEM\_LOG\_SECOND\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32043 - LOG\_ID\_MEM\_LOG\_FINAL\_FULL

**Message ID:** 32043

**Message Description:** LOG\_ID\_MEM\_LOG\_FINAL\_FULL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32045 - LOG\_ID\_MGR\_LIC\_EXPIRE

**Message ID:** 32045

**Message Description:** LOG\_ID\_MGR\_LIC\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32046 - LOG\_ID\_SSL\_CORRPUT\_MAC

**Message ID:** 32046**Message Description:** LOG\_ID\_SSL\_CORRPUT\_MAC**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
vd	Virtual Domain Name	string	32

### 32048 - LOG\_ID\_SCHEDULE\_EXPIRE

**Message ID:** 32048

**Message Description:** LOG\_ID\_SCHEDULE\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32049 - LOG\_ID\_FC\_EXPIRE

**Message ID:** 32049

**Message Description:** LOG\_ID\_FC\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 32051 - LOG\_ID\_LOG\_UPLOAD

**Message ID:** 32051**Message Description:** LOG\_ID\_LOG\_UPLOAD**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
vd	Virtual Domain Name	string	32

### 32086 - LOG\_ID\_ENTER\_TRANSPARENT

**Message ID:** 32086

**Message Description:** LOG\_ID\_ENTER\_TRANSPARENT

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32087 - LOG\_ID\_ENTER\_NAT

**Message ID:** 32087

**Message Description:** LOG\_ID\_ENTER\_NAT

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32095 - LOG\_ID\_GUI\_CHG\_SUB\_MODULE

**Message ID:** 32095

**Message Description:** LOG\_ID\_GUI\_CHG\_SUB\_MODULE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32096 - LOG\_ID\_GUI\_DOWNLOAD\_LOG

**Message ID:** 32096

**Message Description:** LOG\_ID\_GUI\_DOWNLOAD\_LOG

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
file	File Name for Generated Report?	string	256
hash	Hash Value of Downloaded File	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32100 - LOG\_ID\_FORTI\_TOKEN\_SYNC

**Message ID:** 32100

**Message Description:** LOG\_ID\_FORTI\_TOKEN\_SYNC

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32101 - LOG\_ID\_LCD\_CHG\_CONF

**Message ID:** 32101

**Message Description:** LOG\_ID\_LCD\_CHG\_CONF

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32102 - LOG\_ID\_CHG\_CONFIG

**Message ID:** 32102

**Message Description:** LOG\_ID\_CHG\_CONFIG

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
module	Configuration Module Name	string	32
msg	Message Text	string	
submodule	Configuration Sub-Module Name	string	32
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16



Log Field Name	Description	Data Type	Length
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32103 - LOG\_ID\_NEW\_FIRMWARE

**Message ID:** 32103

**Message Description:** LOG\_ID\_NEW\_FIRMWARE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32104 - LOG\_ID\_CHG\_CONFIG\_GUI

**Message ID:** 32104

**Message Description:** LOG\_ID\_CHG\_CONFIG\_GUI**Type:** Event**Category:** SYSTEM**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
module	Configuration Module Name	string	32
msg	Message Text	string	
submodule	Configuration Sub-Module Name	string	32
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32105 - LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_REACHABLE

**Message ID:** 32105**Message Description:** LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_REACHABLE**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
field		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32106 - LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_RESOLVABLE

**Message ID:** 32106

**Message Description:** LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_RESOLVABLE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
field		string	32
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32107 - LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_UNRESOLVABLE

**Message ID:** 32107

**Message Description:** LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_UNRESOLVABLE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
field		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32108 - LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_UNREACHABLE

**Message ID:** 32108

**Message Description:** LOG\_ID\_NTP\_SVR\_STAUS\_CHG\_UNREACHABLE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
field		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32109 - LOG\_ID\_UPD\_SIGN\_AV\_DB

**Message ID:** 32109

**Message Description:** LOG\_ID\_UPD\_SIGN\_AV\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32110 - LOG\_ID\_UPD\_SIGN\_IPS\_DB

**Message ID:** 32110

**Message Description:** LOG\_ID\_UPD\_SIGN\_IPS\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32111 - LOG\_ID\_UPD\_SIGN\_AVIPS\_DB

**Message ID:** 32111

**Message Description:** LOG\_ID\_UPD\_SIGN\_AVIPS\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32112 - LOG\_ID\_UPD\_SIGN\_NETSCAN\_DB

**Message ID:** 32112

**Message Description:** LOG\_ID\_UPD\_SIGN\_NETSCAN\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32113 - LOG\_ID\_UPD\_SIGN\_SRCVIS\_DB

**Message ID:** 32113

**Message Description:** LOG\_ID\_UPD\_SIGN\_SRCVIS\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32114 - LOG\_ID\_UPD\_SIGN\_GEOIP\_DB

**Message ID:** 32114

**Message Description:** LOG\_ID\_UPD\_SIGN\_GEOIP\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32115 - LOG\_ID\_UPD\_SIGN\_SERVER\_LIST

**Message ID:** 32115

**Message Description:** LOG\_ID\_UPD\_SIGN\_SERVER\_LIST

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32116 - LOG\_ID\_UPD\_SIGN\_AVPKG\_FAILURE

**Message ID:** 32116

**Message Description:** LOG\_ID\_UPD\_SIGN\_AVPKG\_FAILURE

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32117 - LOG\_ID\_UPD\_SIGN\_AVPKG\_SUCCESS

**Message ID:** 32117

**Message Description:** LOG\_ID\_UPD\_SIGN\_AVPKG\_SUCCESS

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32118 - LOG\_ID\_UPD\_ADMIN\_AV\_DB

**Message ID:** 32118

**Message Description:** LOG\_ID\_UPD\_ADMIN\_AV\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32119 - LOG\_ID\_UPD\_SCANUNIT\_AV\_DB

**Message ID:** 32119

**Message Description:** LOG\_ID\_UPD\_SCANUNIT\_AV\_DB**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32120 - LOG\_ID\_RPT\_ADD\_DATASET

**Message ID:** 32120**Message Description:** LOG\_ID\_RPT\_ADD\_DATASET**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32122 - LOG\_ID\_RPT\_DEL\_DATASET

**Message ID:** 32122

**Message Description:** LOG\_ID\_RPT\_DEL\_DATASET

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
name	Name	string	128
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32125 - LOG\_ID\_RPT\_ADD\_CHART

**Message ID:** 32125

**Message Description:** LOG\_ID\_RPT\_ADD\_CHART

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
subtype	Log Subtype	string	20
time	Time	string	8



Log Field Name	Description	Data Type	Length
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32126 - LOG\_ID\_RPT\_DEL\_CHART

**Message ID:** 32126

**Message Description:** LOG\_ID\_RPT\_DEL\_CHART

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32129 - LOG\_ID\_ADD\_GUEST

**Message ID:** 32129

**Message Description:** LOG\_ID\_ADD\_GUEST

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32130 - LOG\_ID\_CHG\_USER

**Message ID:** 32130

**Message Description:** LOG\_ID\_CHG\_USER

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
new_status	New Status	string	512
old_status	Original Status	string	512
passwd	Password	string	20
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32131 - LOG\_ID\_DEL\_GUEST

**Message ID:** 32131

**Message Description:** LOG\_ID\_DEL\_GUEST

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32132 - LOG\_ID\_ADD\_USER

**Message ID:** 32132

**Message Description:** LOG\_ID\_ADD\_USER

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32138 - LOG\_ID\_REBOOT

**Message ID:** 32138

**Message Description:** LOG\_ID\_REBOOT

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32140 - LOG\_ID\_TIME\_USER\_SETTING\_CHG

**Message ID:** 32140

**Message Description:** LOG\_ID\_TIME\_USER\_SETTING\_CHG

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
field		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32141 - LOG\_ID\_TIME\_NTP\_SETTING\_CHG

**Message ID:** 32141

**Message Description:** LOG\_ID\_TIME\_NTP\_SETTING\_CHG

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
field		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32142 - LOG\_ID\_BACKUP\_CONF

**Message ID:** 32142

**Message Description:** LOG\_ID\_BACKUP\_CONF**Type:** Event**Category:** SYSTEM**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32143 - LOG\_ID\_BACKUP\_CONF\_BY\_SCP

**Message ID:** 32143**Message Description:** LOG\_ID\_BACKUP\_CONF\_BY\_SCP**Type:** Event**Category:** SYSTEM**Severity:** Warning



Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32148 - LOG\_ID\_GET\_CRL

**Message ID:** 32148

**Message Description:** LOG\_ID\_GET\_CRL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
crl		string	
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32149 - LOG\_ID\_COMMAND\_FAIL

**Message ID:** 32149

**Message Description:** LOG\_ID\_COMMAND\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32151 - LOG\_ID\_ADD\_IP6\_LOCAL\_POL

**Message ID:** 32151

**Message Description:** LOG\_ID\_ADD\_IP6\_LOCAL\_POL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32152 - LOG\_ID\_CHG\_IP6\_LOCAL\_POL

**Message ID:** 32152

**Message Description:** LOG\_ID\_CHG\_IP6\_LOCAL\_POL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32153 - LOG\_ID\_DEL\_IP6\_LOCAL\_POL

**Message ID:** 32153**Message Description:** LOG\_ID\_DEL\_IP6\_LOCAL\_POL**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
vd	Virtual Domain Name	string	32

### 32155 - LOG\_ID\_ACT\_FTOKEN\_REQ

**Message ID:** 32155

**Message Description:** LOG\_ID\_ACT\_FTOKEN\_REQ

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
serialno	Serial Number	string	16
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32156 - LOG\_ID\_ACT\_FTOKEN\_SUCC

**Message ID:** 32156

**Message Description:** LOG\_ID\_ACT\_FTOKEN\_SUCC

**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
serialno	Serial Number	string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 32157 - LOG\_ID\_SYNC\_FTOKEN\_SUCC

**Message ID:** 32157**Message Description:** LOG\_ID\_SYNC\_FTOKEN\_SUCC**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
serialno	Serial Number	string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32158 - LOG\_ID\_SYNC\_FTOKEN\_FAIL

**Message ID:** 32158

**Message Description:** LOG\_ID\_SYNC\_FTOKEN\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
serialno	Serial Number	string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32159 - LOG\_ID\_ACT\_FTOKEN\_FAIL

**Message ID:** 32159

**Message Description:** LOG\_ID\_ACT\_FTOKEN\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10



Log Field Name	Description	Data Type	Length
msg	Message Text	string	
serialno	Serial Number	string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32168 - LOG\_ID\_REACH\_VDOM\_LIMIT

**Message ID:** 32168

**Message Description:** LOG\_ID\_REACH\_VDOM\_LIMIT

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32169 - LOG\_ID\_ALARM\_DLP\_DB

**Message ID:** 32169

**Message Description:** LOG\_ID\_ALARM\_DLP\_DB

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32170 - LOG\_ID\_ALARM\_MSG

**Message ID:** 32170

**Message Description:** LOG\_ID\_ALARM\_MSG

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
alarmid	Alarm ID	uint32	10
date	Date	string	10
devid	Device ID	string	16
groupid	User Group ID	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 32171 - LOG\_ID\_ALARM\_ACK

**Message ID:** 32171

**Message Description:** LOG\_ID\_ALARM\_ACK

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
acktime	Alarm Acknowledge Time	string	24
action	Action	string	32
alarmid	Alarm ID	uint32	10
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32172 - LOG\_ID\_ADD\_IP4\_LOCAL\_POL

**Message ID:** 32172

**Message Description:** LOG\_ID\_ADD\_IP4\_LOCAL\_POL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32173 - LOG\_ID\_CHG\_IP4\_LOCAL\_POL

**Message ID:** 32173

**Message Description:** LOG\_ID\_CHG\_IP4\_LOCAL\_POL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32174 - LOG\_ID\_DEL\_IP4\_LOCAL\_POL

**Message ID:** 32174

**Message Description:** LOG\_ID\_DEL\_IP4\_LOCAL\_POL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32190 - LOG\_ID\_UPT\_INVALID\_IMG

**Message ID:** 32190

**Message Description:** LOG\_ID\_UPT\_INVALID\_IMG

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32191 - LOG\_ID\_UPT\_INVALID\_IMG\_CC

**Message ID:** 32191

**Message Description:** LOG\_ID\_UPT\_INVALID\_IMG\_CC

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32192 - LOG\_ID\_UPT\_INVALID\_IMG\_RSA

**Message ID:** 32192

**Message Description:** LOG\_ID\_UPT\_INVALID\_IMG\_RSA

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32193 - LOG\_ID\_UPT\_IMG\_RSA

**Message ID:** 32193

**Message Description:** LOG\_ID\_UPT\_IMG\_RSA

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical



Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32194 - LOG\_ID\_UPT\_IMG\_FAIL

**Message ID:** 32194

**Message Description:** LOG\_ID\_UPT\_IMG\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32199 - LOG\_ID\_RESTORE\_IMG\_USB

**Message ID:** 32199

**Message Description:** LOG\_ID\_RESTORE\_IMG\_USB

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32200 - LOG\_ID\_SHUTDOWN

**Message ID:** 32200

**Message Description:** LOG\_ID\_SHUTDOWN

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32201 - LOG\_ID\_LOAD\_IMG\_SUCC

**Message ID:** 32201

**Message Description:** LOG\_ID\_LOAD\_IMG\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32202 - LOG\_ID\_RESTORE\_IMG

**Message ID:** 32202

**Message Description:** LOG\_ID\_RESTORE\_IMG

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32203 - LOG\_ID\_RESTORE\_CONF

**Message ID:** 32203

**Message Description:** LOG\_ID\_RESTORE\_CONF

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32204 - LOG\_ID\_RESTORE\_FGD\_SVR

**Message ID:** 32204

**Message Description:** LOG\_ID\_RESTORE\_FGD\_SVR

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32205 - LOG\_ID\_RESTORE\_VDOM\_LIC

**Message ID:** 32205

**Message Description:** LOG\_ID\_RESTORE\_VDOM\_LIC

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32206 - LOG\_ID\_RESTORE\_SCRIPT

**Message ID:** 32206

**Message Description:** LOG\_ID\_RESTORE\_SCRIPT

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32207 - LOG\_ID\_RETRIEVE\_CONF\_LIST

**Message ID:** 32207

**Message Description:** LOG\_ID\_RETRIEVE\_CONF\_LIST



**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32208 - LOG\_ID\_IMP\_PKCS12\_CERT

**Message ID:** 32208**Message Description:** LOG\_ID\_IMP\_PKCS12\_CERT**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32209 - LOG\_ID\_RESTORE\_USR\_DEF\_IPS

**Message ID:** 32209

**Message Description:** LOG\_ID\_RESTORE\_USR\_DEF\_IPS

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32210 - LOG\_ID\_BACKUP\_IMG\_SUCC

**Message ID:** 32210

**Message Description:** LOG\_ID\_BACKUP\_IMG\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32211 - LOG\_ID\_UPLOAD\_REVISION

**Message ID:** 32211

**Message Description:** LOG\_ID\_UPLOAD\_REVISION

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32212 - LOG\_ID\_DEL\_REVISION

**Message ID:** 32212

**Message Description:** LOG\_ID\_DEL\_REVISION

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32213 - LOG\_ID\_RESTORE\_TEMPLATE

**Message ID:** 32213

**Message Description:** LOG\_ID\_RESTORE\_TEMPLATE**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32214 - LOG\_ID\_RESTORE\_FILE

**Message ID:** 32214**Message Description:** LOG\_ID\_RESTORE\_FILE**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32215 - LOG\_ID\_UPT\_IMG

**Message ID:** 32215

**Message Description:** LOG\_ID\_UPT\_IMG

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32217 - LOG\_ID\_UPD\_IPS

**Message ID:** 32217

**Message Description:** LOG\_ID\_UPD\_IPS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32



## 32218 - LOG\_ID\_UPD\_DLP

**Message ID:** 32218

**Message Description:** LOG\_ID\_UPD\_DLP

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32219 - LOG\_ID\_BACKUP\_OUTPUT

**Message ID:** 32219

**Message Description:** LOG\_ID\_BACKUP\_OUTPUT

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32220 - LOG\_ID\_BACKUP\_COMMAND

**Message ID:** 32220

**Message Description:** LOG\_ID\_BACKUP\_COMMAND

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32221 - LOG\_ID\_UPD\_VDOM\_LIC

**Message ID:** 32221

**Message Description:** LOG\_ID\_UPD\_VDOM\_LIC

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32222 - LOG\_ID\_GLB\_SETTING\_CHG

**Message ID:** 32222

**Message Description:** LOG\_ID\_GLB\_SETTING\_CHG

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
field		string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
new_value	New Virtual Domain Name	string	128
old_value	Original Virtual Domain name	string	16
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32223 - LOG\_ID\_BACKUP\_USER\_DEF\_IPS

**Message ID:** 32223

**Message Description:** LOG\_ID\_BACKUP\_USER\_DEF\_IPS

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32224 - LOG\_ID\_BACKUP\_DISK\_LOG

**Message ID:** 32224

**Message Description:** LOG\_ID\_BACKUP\_DISK\_LOG

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
file	File Name for Generated Report?	string	256
hash	Hash Value of Downloaded File	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32225 - LOG\_ID\_DEL\_ALL\_REVISION

**Message ID:** 32225

**Message Description:** LOG\_ID\_DEL\_ALL\_REVISION

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**32226 - LOG\_ID\_LOAD\_IMG\_FAIL****Message ID:** 32226**Message Description:** LOG\_ID\_LOAD\_IMG\_FAIL**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32227 - LOG\_ID\_UPD\_DLP\_FAIL

**Message ID:** 32227

**Message Description:** LOG\_ID\_UPD\_DLP\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32228 - LOG\_ID\_LOAD\_IMG\_FAIL\_WRONG\_IMG

**Message ID:** 32228

**Message Description:** LOG\_ID\_LOAD\_IMG\_FAIL\_WRONG\_IMG

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32229 - LOG\_ID\_LOAD\_IMG\_FAIL\_NO\_RSA

**Message ID:** 32229

**Message Description:** LOG\_ID\_LOAD\_IMG\_FAIL\_NO\_RSA

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32230 - LOG\_ID\_LOAD\_IMG\_FAIL\_INVALID\_RSA

**Message ID:** 32230

**Message Description:** LOG\_ID\_LOAD\_IMG\_FAIL\_INVALID\_RSA

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32231 - LOG\_ID\_RESTORE\_FGD\_SVR\_FAIL

**Message ID:** 32231

**Message Description:** LOG\_ID\_RESTORE\_FGD\_SVR\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32232 - LOG\_ID\_RESTORE\_VDOM\_LIC\_FAIL

**Message ID:** 32232

**Message Description:** LOG\_ID\_RESTORE\_VDOM\_LIC\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32233 - LOG\_ID\_BACKUP\_IMG\_FAIL

**Message ID:** 32233

**Message Description:** LOG\_ID\_BACKUP\_IMG\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32234 - LOG\_ID\_RESTORE\_IMG\_INVALID\_CC

**Message ID:** 32234

**Message Description:** LOG\_ID\_RESTORE\_IMG\_INVALID\_CC

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32235 - LOG\_ID\_RESTORE\_IMG\_FORTIGUARD

**Message ID:** 32235

**Message Description:** LOG\_ID\_RESTORE\_IMG\_FORTIGUARD

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32236 - LOG\_ID\_BACKUP\_MEM\_LOG

**Message ID:** 32236

**Message Description:** LOG\_ID\_BACKUP\_MEM\_LOG

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32237 - LOG\_ID\_BACKUP\_MEM\_LOG\_FAIL

**Message ID:** 32237

**Message Description:** LOG\_ID\_BACKUP\_MEM\_LOG\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8



Log Field Name	Description	Data Type	Length
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32238 - LOG\_ID\_BACKUP\_DISK\_LOG\_FAIL

**Message ID:** 32238

**Message Description:** LOG\_ID\_BACKUP\_DISK\_LOG\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32239 - LOG\_ID\_BACKUP\_DISK\_LOG\_USB

**Message ID:** 32239

**Message Description:** LOG\_ID\_BACKUP\_DISK\_LOG\_USB

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32240 - LOG\_ID\_SYS\_USB\_MODE

**Message ID:** 32240

**Message Description:** LOG\_ID\_SYS\_USB\_MODE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32241 - LOG\_ID\_BACKUP\_DISK\_LOG\_USB\_FAIL

**Message ID:** 32241

**Message Description:** LOG\_ID\_BACKUP\_DISK\_LOG\_USB\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32242 - LOG\_ID\_UPD\_VDOM\_LIC\_FAIL

**Message ID:** 32242

**Message Description:** LOG\_ID\_UPD\_VDOM\_LIC\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32243 - LOG\_ID\_UPD\_IPS\_SCP

**Message ID:** 32243

**Message Description:** LOG\_ID\_UPD\_IPS\_SCP

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32244 - LOG\_ID\_UPD\_IPS\_SCP\_FAIL

**Message ID:** 32244

**Message Description:** LOG\_ID\_UPD\_IPS\_SCP\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32245 - LOG\_ID\_BACKUP\_USER\_DEF\_IPS\_FAIL

**Message ID:** 32245

**Message Description:** LOG\_ID\_BACKUP\_USER\_DEF\_IPS\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32252 - LOG\_ID\_FACTORY\_RESET

**Message ID:** 32252

**Message Description:** LOG\_ID\_FACTORY\_RESET

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32253 - LOG\_ID\_FORMAT\_RAID

**Message ID:** 32253

**Message Description:** LOG\_ID\_FORMAT\_RAID

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	



Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32254 - LOG\_ID\_ENABLE\_RAID

**Message ID:** 32254

**Message Description:** LOG\_ID\_ENABLE\_RAID

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32255 - LOG\_ID\_DISABLE\_RAID

**Message ID:** 32255

**Message Description:** LOG\_ID\_DISABLE\_RAID

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32300 - LOG\_ID\_UPLOAD\_RPT\_IMG

**Message ID:** 32300

**Message Description:** LOG\_ID\_UPLOAD\_RPT\_IMG

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32301 - LOG\_ID\_ADD\_VDOM

**Message ID:** 32301

**Message Description:** LOG\_ID\_ADD\_VDOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32302 - LOG\_ID\_DEL\_VDOM

**Message ID:** 32302

**Message Description:** LOG\_ID\_DEL\_VDOM

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32340 - LOG\_ID\_LOG\_DISK\_UNAVAIL

**Message ID:** 32340

**Message Description:** LOG\_ID\_LOG\_DISK\_UNAVAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32341 - LOG\_ID\_LOG\_DISK\_DEFAULT\_DISABLED

**Message ID:** 32341

**Message Description:** LOG\_ID\_LOG\_DISK\_DEFAULT\_DISABLED

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32400 - LOG\_ID\_CONF\_CHG

**Message ID:** 32400

**Message Description:** LOG\_ID\_CONF\_CHG

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 32545 - LOG\_ID\_SYS\_RESTART

**Message ID:** 32545

**Message Description:** LOG\_ID\_SYS\_RESTART

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32546 - LOG\_ID\_APPLICATION\_CRASH

**Message ID:** 32546

**Message Description:** LOG\_ID\_APPLICATION\_CRASH

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8



Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32560 - LOG\_ID\_ADMIN\_LOGIN\_DISCLAIMER\_SUCC

**Message ID:** 32560

**Message Description:** LOG\_ID\_ADMIN\_LOGIN\_DISCLAIMER\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32561 - LOG\_ID\_ADMIN\_LOGOUT\_DISCONNECT

**Message ID:** 32561

**Message Description:** LOG\_ID\_ADMIN\_LOGOUT\_DISCONNECT

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
reason	Reason	string	256
sn	Serial Number	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32562 - LOG\_ID\_STORE\_CONF\_FAIL\_SPACE

**Message ID:** 32562

**Message Description:** LOG\_ID\_STORE\_CONF\_FAIL\_SPACE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32563 - LOG\_ID\_STORE\_CONF\_FAIL\_FIRST\_LINE

**Message ID:** 32563

**Message Description:** LOG\_ID\_STORE\_CONF\_FAIL\_FIRST\_LINE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 32564 - LOG\_ID\_RESTORE\_CONF\_FAIL

**Message ID:** 32564

**Message Description:** LOG\_ID\_RESTORE\_CONF\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32565 - LOG\_ID\_RESTORE\_CONF\_BY\_MGMT

**Message ID:** 32565

**Message Description:** LOG\_ID\_RESTORE\_CONF\_BY\_MGMT

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32566 - LOG\_ID\_RESTORE\_CONF\_BY\_SCP

**Message ID:** 32566

**Message Description:** LOG\_ID\_RESTORE\_CONF\_BY\_SCP

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32567 - LOG\_ID\_RESTORE\_CONF\_BY\_USB

**Message ID:** 32567

**Message Description:** LOG\_ID\_RESTORE\_CONF\_BY\_USB

**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 32568 - LOG\_ID\_DEL\_REVISION\_DB

**Message ID:** 32568**Message Description:** LOG\_ID\_DEL\_REVISION\_DB**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35001 - LOG\_ID\_HA\_SYNC\_VIRDB

**Message ID:** 35001

**Message Description:** LOG\_ID\_HA\_SYNC\_VIRDB

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35002 - LOG\_ID\_HA\_SYNC\_ETDB

**Message ID:** 35002

**Message Description:** LOG\_ID\_HA\_SYNC\_ETDB

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35003 - LOG\_ID\_HA\_SYNC\_EXDB

**Message ID:** 35003

**Message Description:** LOG\_ID\_HA\_SYNC\_EXDB

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35005 - LOG\_ID\_HA\_SYNC\_IPS

**Message ID:** 35005

**Message Description:** LOG\_ID\_HA\_SYNC\_IPS

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35007 - LOG\_ID\_HA\_SYNC\_AV

**Message ID:** 35007

**Message Description:** LOG\_ID\_HA\_SYNC\_AV

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35008 - LOG\_ID\_HA\_SYNC\_VCM

**Message ID:** 35008

**Message Description:** LOG\_ID\_HA\_SYNC\_VCM

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35009 - LOG\_ID\_HA\_SYNC\_CID

**Message ID:** 35009

**Message Description:** LOG\_ID\_HA\_SYNC\_CID

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35010 - LOG\_ID\_HA\_SYNC\_FAIL

**Message ID:** 35010

**Message Description:** LOG\_ID\_HA\_SYNC\_FAIL

**Type:** Event

**Category:** HA

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 35011 - LOG\_ID\_CONF\_SYNC\_FAIL

**Message ID:** 35011

**Message Description:** LOG\_ID\_CONF\_SYNC\_FAIL

**Type:** Event

**Category:** HA

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 36880 - LOG\_ID\_EVENT\_SYSTEM\_MAC\_HOST\_STORE\_LIMIT

**Message ID:** 36880

**Message Description:** LOG\_ID\_EVENT\_SYSTEM\_MAC\_HOST\_STORE\_LIMIT

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37120 - MESGID\_NEG\_GENERIC\_P1\_NOTIF

**Message ID:** 37120

**Message Description:** MESGID\_NEG\_GENERIC\_P1\_NOTIF

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39

Log Field Name	Description	Data Type	Length
remport	Remote Port	uint16	5
result	Result	string	31
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37121 - MESGID\_NEG\_GENERIC\_P1\_ERROR

**Message ID:** 37121

**Message Description:** MESGID\_NEG\_GENERIC\_P1\_ERROR

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64



Log Field Name	Description	Data Type	Length
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37122 - MESGID\_NEG\_GENERIC\_P2\_NOTIF

**Message ID:** 37122

**Message Description:** MESGID\_NEG\_GENERIC\_P2\_NOTIF

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
espauth	ESP Authentication	string	17
esptransform	ESP Transform	string	8
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
role	Role	string	9
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

Log Field Name	Description	Data Type	Length
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37123 - MESGID\_NEG\_GENERIC\_P2\_ERROR

**Message ID:** 37123

**Message Description:** MESGID\_NEG\_GENERIC\_P2\_ERROR

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
espauth	ESP Authentication	string	17
esptransform	ESP Transform	string	8
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
role	Role	string	9
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37124 - MESGID\_NEG\_I\_P1\_ERROR

**Message ID:** 37124

**Message Description:** MESGID\_NEG\_I\_P1\_ERROR

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
peer_notif	Peer Notification	string	25
reason	Reason	string	256
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37125 - MESGID\_NEG\_I\_P2\_ERROR

**Message ID:** 37125

**Message Description:** MESGID\_NEG\_I\_P2\_ERROR

**Type:** Event**Category:** VPN**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
reason	Reason	string	256
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

Log Field Name	Description	Data Type	Length
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37126 - MESGID\_NEG\_NO\_STATE\_ERROR

**Message ID:** 37126

**Message Description:** MESGID\_NEG\_NO\_STATE\_ERROR

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
reason	Reason	string	256

Log Field Name	Description	Data Type	Length
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37127 - MESGID\_NEG\_PROGRESS\_P1\_NOTIF

**Message ID:** 37127

**Message Description:** MESGID\_NEG\_PROGRESS\_P1\_NOTIF

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8



Log Field Name	Description	Data Type	Length
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
mode	Mode	string	12
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
role	Role	string	9
stage	Stage	uint8	3
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37128 - MESGID\_NEG\_PROGRESS\_P1\_ERROR

**Message ID:** 37128

**Message Description:** MESGID\_NEG\_PROGRESS\_P1\_ERROR

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
mode	Mode	string	12
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31

Log Field Name	Description	Data Type	Length
role	Role	string	9
stage	Stage	uint8	3
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37129 - MESGID\_NEG\_PROGRESS\_P2\_NOTIF

**Message ID:** 37129

**Message Description:** MESGID\_NEG\_PROGRESS\_P2\_NOTIF

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8

Log Field Name	Description	Data Type	Length
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
mode	Mode	string	12
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
role	Role	string	9
stage	Stage	uint8	3
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37130 - MESGID\_NEG\_PROGRESS\_P2\_ERROR

**Message ID:** 37130

**Message Description:** MESGID\_NEG\_PROGRESS\_P2\_ERROR

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
mode	Mode	string	12
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31

Log Field Name	Description	Data Type	Length
role	Role	string	9
stage	Stage	uint8	3
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37131 - MESGID\_ESP\_ERROR

**Message ID:** 37131

**Message Description:** MESGID\_ESP\_ERROR

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
error_num	Error Number	string	53

Log Field Name	Description	Data Type	Length
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
seq	Sequence	string	16
spi		string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37132 - MESGID\_ESP\_CRITICAL

**Message ID:** 37132

**Message Description:** MESGID\_ESP\_CRITICAL

**Type:** Event

**Category:** VPN**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
error_num	Error Number	string	53
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
seq	Sequence	string	16
spi		string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16



Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37133 - MESGID\_INSTALL\_SA

**Message ID:** 37133

**Message Description:** MESGID\_INSTALL\_SA

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
in_spi		string	16
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
outintf	Out interface	string	32
out_spi	Out SPI	string	16
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
role	Role	string	9
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37134 - MESGID\_DELETE\_P1\_SA

**Message ID:** 37134

**Message Description:** MESGID\_DELETE\_P1\_SA

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37135 - MESGID\_DELETE\_P2\_SA

**Message ID:** 37135

**Message Description:** MESGID\_DELETE\_P2\_SA

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
in_spi		string	16
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
out_spi	Out SPI	string	16
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128

Log Field Name	Description	Data Type	Length
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37136 - MESGID\_DPD\_FAILURE

**Message ID:** 37136

**Message Description:** MESGID\_DPD\_FAILURE

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37137 - MESGID\_CONN\_FAILURE

**Message ID:** 37137

**Message Description:** MESGID\_CONN\_FAILURE

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39

Log Field Name	Description	Data Type	Length
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37138 - MESGID\_CONN\_UPDOWN

**Message ID:** 37138

**Message Description:** MESGID\_CONN\_UPDOWN

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
nextstat	Time interval in seconds for the next statistics	uint32	10
outintf	Out interface	string	32
rcvdbyte	Received Bytes	uint64	20
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16



Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37139 - MESGID\_P2\_UPDOWN

**Message ID:** 37139

**Message Description:** MESGID\_P2\_UPDOWN

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
outintf	Out interface	string	32
phase2_name	Phase 2 Name	string	128
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37140 - MESGID\_AUTO\_IPSEC

**Message ID:** 37140

**Message Description:** MESGID\_AUTO\_IPSEC

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
reason	Reason	string	256
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37141 - MESGID\_CONN\_STATS

**Message ID:** 37141

**Message Description:** MESGID\_CONN\_STATS

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
nextstat	Time interval in seconds for the next statistics	uint32	10
outintf	Out interface	string	32
rcvdbyte	Received Bytes	uint64	20
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37184 - MESGID\_NEG\_GENERIC\_P1\_NOTIF\_IKEV2

**Message ID:** 37184

**Message Description:** MESGID\_NEG\_GENERIC\_P1\_NOTIF\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
outintf	Out interface	string	32
peer_notif	Peer Notification	string	25
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37185 - MESGID\_NEG\_GENERIC\_P1\_ERROR\_IKEV2

**Message ID:** 37185

**Message Description:** MESGID\_NEG\_GENERIC\_P1\_ERROR\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39

Log Field Name	Description	Data Type	Length
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
peer_notif	Peer Notification	string	25
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37186 - MESGID\_NEG\_GENERIC\_P2\_NOTIF\_IKEV2

**Message ID:** 37186

**Message Description:** MESGID\_NEG\_GENERIC\_P2\_NOTIF\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
espauth	ESP Authentication	string	17
esptransform	ESP Transform	string	8
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
role	Role	string	9
status	Status	string	23



Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37187 - MESGID\_NEG\_GENERIC\_P2\_ERROR\_IKEV2

**Message ID:** 37187

**Message Description:** MESGID\_NEG\_GENERIC\_P2\_ERROR\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
espauth	ESP Authentication	string	17
espttransform	ESP Transform	string	8
group	User Name Group	string	64
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
role	Role	string	9
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37188 - MESGID\_NEG\_I\_P1\_ERROR\_IKEV2

**Message ID:** 37188

**Message Description:** MESGID\_NEG\_I\_P1\_ERROR\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
reason	Reason	string	256
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

**37189 - MESGID\_NEG\_I\_P2\_ERROR\_IKEV2****Message ID:** 37189**Message Description:** MESGID\_NEG\_I\_P2\_ERROR\_IKEV2**Type:** Event**Category:** VPN**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
reason	Reason	string	256
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37190 - MESGID\_NEG\_NO\_STATE\_ERROR\_IKEV2

**Message ID:** 37190

**Message Description:** MESGID\_NEG\_NO\_STATE\_ERROR\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
outintf	Out interface	string	32
reason	Reason	string	256
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37191 - MESGID\_NEG\_PROGRESS\_P1\_NOTIF\_IKEV2

**Message ID:** 37191

**Message Description:** MESGID\_NEG\_PROGRESS\_P1\_NOTIF\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
exch	In SPI	string	12
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
role	Role	string	9
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
version		string	64

Log Field Name	Description	Data Type	Length
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37192 - MESGID\_NEG\_PROGRESS\_P1\_ERROR\_IKEV2

**Message ID:** 37192

**Message Description:** MESGID\_NEG\_PROGRESS\_P1\_ERROR\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
exch	In SPI	string	12
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10



Log Field Name	Description	Data Type	Length
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
role	Role	string	9
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
version		string	64
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37193 - MESGID\_NEG\_PROGRESS\_P2\_NOTIF\_IKEV2

**Message ID:** 37193

**Message Description:** MESGID\_NEG\_PROGRESS\_P2\_NOTIF\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
exch	In SPI	string	12
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
role	Role	string	9
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256

Log Field Name	Description	Data Type	Length
vd	Virtual Domain Name	string	32
version		string	64
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37194 - MESGID\_NEG\_PROGRESS\_P2\_ERROR\_IKEV2

**Message ID:** 37194

**Message Description:** MESGID\_NEG\_PROGRESS\_P2\_ERROR\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
exch	In SPI	string	12
group	User Name Group	string	64
init		string	6
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
result	Result	string	31
role	Role	string	9
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
version		string	64
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37195 - MESGID\_ESP\_ERROR\_IKEV2

**Message ID:** 37195

**Message Description:** MESGID\_ESP\_ERROR\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
error_num	Error Number	string	53
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
seq	Sequence	string	16
spi		string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

Log Field Name	Description	Data Type	Length
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37196 - MESGID\_ESP\_CRITICAL\_IKEV2

**Message ID:** 37196

**Message Description:** MESGID\_ESP\_CRITICAL\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
error_num	Error Number	string	53
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32

Log Field Name	Description	Data Type	Length
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
seq	Sequence	string	16
spi		string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37197 - MESGID\_INSTALL\_SA\_IKEV2

**Message ID:** 37197

**Message Description:** MESGID\_INSTALL\_SA\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
group	User Name Group	string	64
in_spi		string	16
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
out_spi	Out SPI	string	16
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
role	Role	string	9
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37198 - MESGID\_DELETE\_P1\_SA\_IKEV2

**Message ID:** 37198

**Message Description:** MESGID\_DELETE\_P1\_SA\_IKEV2



**Type:** Event**Category:** VPN**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128

Log Field Name	Description	Data Type	Length
xauthuser	XAuth User Name	string	128

### 37199 - MESGID\_DELETE\_P2\_SA\_IKEV2

**Message ID:** 37199

**Message Description:** MESGID\_DELETE\_P2\_SA\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
in_spi		string	16
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
out_spi	Out SPI	string	16
remip	Remote IP	ip	39

Log Field Name	Description	Data Type	Length
remport	Remote Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37200 - MESGID\_DPD\_FAILURE\_IKEV2

**Message ID:** 37200

**Message Description:** MESGID\_DPD\_FAILURE\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39

Log Field Name	Description	Data Type	Length
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37201 - MESGID\_CONN\_FAILURE\_IKEV2

**Message ID:** 37201

**Message Description:** MESGID\_CONN\_FAILURE\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37202 - MESGID\_CONN\_UPDOWN\_IKEV2

**Message ID:** 37202

**Message Description:** MESGID\_CONN\_UPDOWN\_IKEV2**Type:** Event**Category:** VPN**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
nextstat	Time interval in seconds for the next statistics	uint32	10
outintf	Out interface	string	32
rcvdbyte	Received Bytes	uint64	20
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37203 - MESGID\_P2\_UPDOWN\_IKEV2

**Message ID:** 37203

**Message Description:** MESGID\_P2\_UPDOWN\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39

Log Field Name	Description	Data Type	Length
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
outintf	Out interface	string	32
phase2_name	Phase 2 Name	string	128
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

## 37204 - MESGID\_CONN\_STATS\_IKEV2

**Message ID:** 37204

**Message Description:** MESGID\_CONN\_STATS\_IKEV2

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32



Log Field Name	Description	Data Type	Length
assignip	Assigned IP Address	ip	39
cookies	Cookie	string	64
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
locip	Local IP	ip	39
locport	Local Port	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
nextstat	Time interval in seconds for the next statistics	uint32	10
outintf	Out interface	string	32
rcvdbyte	Received Bytes	uint64	20
remip	Remote IP	ip	39
remport	Remote Port	uint16	5
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32
vpntunnel	IPsec Vpn Tunnel Name	string	128
xauthgroup	XAuth Group Name	string	128
xauthuser	XAuth User Name	string	128

### 37888 - MESGID\_HA\_GROUP\_DELETE

**Message ID:** 37888

**Message Description:** MESGID\_HA\_GROUP\_DELETE

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
ha_group	HA Group Number - can be 1 - 256	uint8	3
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37889 - MESGID\_VC\_DELETE

**Message ID:** 37889

**Message Description:** MESGID\_VC\_DELETE**Type:** Event**Category:** HA**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vcluster	virtual cluster id	uint32	10
vd	Virtual Domain Name	string	32

### 37890 - MESGID\_VC\_MOVE\_VDOM

**Message ID:** 37890**Message Description:** MESGID\_VC\_MOVE\_VDOM**Type:** Event**Category:** HA**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
from_vcluster	source virtual cluster number	uint32	10

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
to_vcluster	destination virtual cluster number	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vdname	Virtual Domain Name	string	16

### 37891 - MESGID\_VC\_ADD\_VDOM

**Message ID:** 37891

**Message Description:** MESGID\_VC\_ADD\_VDOM

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
to_vcluster	destination virtual cluster number	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vdname	Virtual Domain Name	string	16

### 37892 - MESGID\_VC\_MOVE\_MEMB\_STATE

**Message ID:** 37892

**Message Description:** MESGID\_VC\_MOVE\_MEMB\_STATE

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37893 - MESGID\_VC\_DETECT\_MEMB\_DEAD

**Message ID:** 37893

**Message Description:** MESGID\_VC\_DETECT\_MEMB\_DEAD

**Type:** Event

**Category:** HA

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
ha_group	HA Group Number - can be 1 - 256	uint8	3
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vcluster	virtual cluster id	uint32	10
vd	Virtual Domain Name	string	32

**37894 - MESGID\_VC\_DETECT\_MEMB\_JOIN****Message ID:** 37894**Message Description:** MESGID\_VC\_DETECT\_MEMB\_JOIN**Type:** Event**Category:** HA**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
ha_group	HA Group Number - can be 1 - 256	uint8	3
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vcluster	virtual cluster id	uint32	10
vd	Virtual Domain Name	string	32

### 37895 - MESGID\_VC\_ADD\_HADEV

**Message ID:** 37895

**Message Description:** MESGID\_VC\_ADD\_HADEV

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
devintfname	HA device Interface Name	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vcluster	virtual cluster id	uint32	10
vd	Virtual Domain Name	string	32

### 37896 - MESGID\_VC\_DEL\_HADEV

**Message ID:** 37896

**Message Description:** MESGID\_VC\_DEL\_HADEV

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
devintfname	HA device Interface Name	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vcluster	virtual cluster id	uint32	10
vd	Virtual Domain Name	string	32

### 37897 - MESGID\_HADEV\_READY

**Message ID:** 37897



**Message Description:** MESGID\_HADEV\_READY**Type:** Event**Category:** HA**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
devintfname	HA device Interface Name	string	32
ha_role	The HA role in the cluster	string	6
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37898 - MESGID\_HADEV\_FAIL

**Message ID:** 37898**Message Description:** MESGID\_HADEV\_FAIL**Type:** Event**Category:** HA**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
devintfname	HA device Interface Name	string	32
ha_role	The HA role in the cluster	string	6
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37899 - MESGID\_HADEV\_PEERINFO

**Message ID:** 37899

**Message Description:** MESGID\_HADEV\_PEERINFO

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
devintfname	HA device Interface Name	string	32
ha_role	The HA role in the cluster	string	6
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37900 - MESGID\_HBDEV\_DELETE

**Message ID:** 37900

**Message Description:** MESGID\_HBDEV\_DELETE

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
devintfname	HA device Interface Name	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37901 - MESGID\_HBDEV\_DOWN

**Message ID:** 37901

**Message Description:** MESGID\_HBDEV\_DOWN**Type:** Event**Category:** HA**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
devintfname	HA device Interface Name	string	32
ha_role	The HA role in the cluster	string	6
hbdn_reason	heartbeat down reason	string	18
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37902 - MESGID\_HBDEV\_UP

**Message ID:** 37902**Message Description:** MESGID\_HBDEV\_UP**Type:** Event**Category:** HA**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
devintfname	HA device Interface Name	string	32
ha_role	The HA role in the cluster	string	6
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37903 - MESGID\_SYNC\_STATUS

**Message ID:** 37903

**Message Description:** MESGID\_SYNC\_STATUS

**Type:** Event

**Category:** HA

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
sync_status	The sync status with the master	string	11
sync_type	The sync type with the master	string	14
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37904 - MESGID\_HA\_ACTIVITY

**Message ID:** 37904

**Message Description:** MESGID\_HA\_ACTIVITY

**Type:** Event

**Category:** HA

**Severity:** Information

Log Field Name	Description	Data Type	Length
activity	HA activity message	string	128
date	Date	string	10
devid	Device ID	string	16
ha-prio	HA Priority	uint8	3
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37905 - MESGID\_HA\_ENABLE\_SET\_AS\_MASTER

**Message ID:** 37905

**Message Description:** MESGID\_HA\_ENABLE\_SET\_AS\_MASTER

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
activity	HA activity message	string	128
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 37906 - MESGID\_HA\_DISABLE\_SET\_AS\_MASTER

**Message ID:** 37906

**Message Description:** MESGID\_HA\_DISABLE\_SET\_AS\_MASTER

**Type:** Event

**Category:** HA

**Severity:** Notice

Log Field Name	Description	Data Type	Length
activity	HA activity message	string	128
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38010 - LOG\_ID\_FIPS\_ENCRY\_FAIL

**Message ID:** 38010

**Message Description:** LOG\_ID\_FIPS\_ENCRY\_FAIL

**Type:** Event

**Category:** USER

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 38011 - LOG\_ID\_FIPS\_DECRY\_FAIL

**Message ID:** 38011

**Message Description:** LOG\_ID\_FIPS\_DECRY\_FAIL

**Type:** Event

**Category:** USER

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 38012 - LOG\_ID\_ENTROPY\_TOKEN

**Message ID:** 38012

**Message Description:** LOG\_ID\_ENTROPY\_TOKEN

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 38031 - LOG\_ID\_FSSO\_LOGON

**Message ID:** 38031

**Message Description:** LOG\_ID\_FSSO\_LOGON

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
server	AD server FQDN or IP	string	64
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 38032 - LOG\_ID\_FSSO\_LOGOFF

**Message ID:** 38032

**Message Description:** LOG\_ID\_FSSO\_LOGOFF

**Type:** Event

**Category:** USER**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
server	AD server FQDN or IP	string	64
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

**38033 - LOG\_ID\_FSSO\_SVR\_STATUS****Message ID:** 38033**Message Description:** LOG\_ID\_FSSO\_SVR\_STATUS**Type:** Event**Category:** USER**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
server	AD server FQDN or IP	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 38400 - LOGID\_EVENT\_NOTIF\_SEND\_SUCC

**Message ID:** 38400

**Message Description:** LOGID\_EVENT\_NOTIF\_SEND\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
count	Count	uint32	10
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39

Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
duration	Duration	uint32	10
from	Sender Email Address for Notification	string	128
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
msgproto	Message Protocol Number	string	16
nf_type	Notification Type	string	14
profile	Profile	string	64
profilegroup	Profile Group Name	string	4
profiletype	Profile Type	string	64
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
to	Recipient Email Addresses for Notification	string	512
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32
virus	Virus Name	string	128

### 38401 - LOGID\_EVENT\_NOTIF\_SEND\_FAIL

**Message ID:** 38401

**Message Description:** LOGID\_EVENT\_NOTIF\_SEND\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Warning

Log Field Name	Description	Data Type	Length
count	Count	uint32	10
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
duration	Duration	uint32	10
from	Sender Email Address for Notification	string	128
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
msgproto	Message Protocol Number	string	16
nf_type	Notification Type	string	14
profile	Profile	string	64
profilegroup	Profile Group Name	string	4
profiletype	Profile Type	string	64
service	Service Name	string	64
sess_duration	Session Duration	uint32	10
subtype	Log Subtype	string	20
time	Time	string	8
to	Recipient Email Addresses for Notification	string	512
type	Log Type	string	16
user	User Name	string	256

Log Field Name	Description	Data Type	Length
vd	Virtual Domain Name	string	32
virus	Virus Name	string	128

## 38402 - LOGID\_EVENT\_NOTIF\_DNS\_FAIL

**Message ID:** 38402

**Message Description:** LOGID\_EVENT\_NOTIF\_DNS\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
hostname	Hostname	string	128
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
profile	Profile	string	64
profiletype	Profile Type	string	64
profile_vd	Virtual Domain Name	string	64
service	Service Name	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32



### 38403 - LOGID\_EVENT\_NOTIF\_INSUFFICIENT\_RESOURCE

**Message ID:** 38403

**Message Description:** LOGID\_EVENT\_NOTIF\_INSUFFICIENT\_RESOURCE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38404 - LOGID\_EVENT\_NOTIF\_HOSTNAME\_ERROR

**Message ID:** 38404

**Message Description:** LOGID\_EVENT\_NOTIF\_HOSTNAME\_ERROR

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
hostname	Hostname	string	128
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38405 - LOGID\_NOTIF\_CODE\_SENDTO\_SMS\_PHONE

**Message ID:** 38405

**Message Description:** LOGID\_NOTIF\_CODE\_SENDTO\_SMS\_PHONE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 38406 - LOGID\_NOTIF\_CODE\_SENDTO\_SMS\_TO

**Message ID:** 38406

**Message Description:** LOGID\_NOTIF\_CODE\_SENDTO\_SMS\_TO

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 38407 - LOGID\_NOTIF\_CODE\_SENDTO\_EMAIL

**Message ID:** 38407

**Message Description:** LOGID\_NOTIF\_CODE\_SENDTO\_EMAIL**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 38408 - LOGID\_EVENT\_OFTP\_SSL\_CONNECTED

**Message ID:** 38408**Message Description:** LOGID\_EVENT\_OFTP\_SSL\_CONNECTED**Type:** Event**Category:** SYSTEM**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38409 - LOGID\_EVENT\_OFTP\_SSL\_DISCONNECTED

**Message ID:** 38409

**Message Description:** LOGID\_EVENT\_OFTP\_SSL\_DISCONNECTED

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38410 - LOGID\_EVENT\_OFTP\_SSL\_FAILED

**Message ID:** 38410

**Message Description:** LOGID\_EVENT\_OFTP\_SSL\_FAILED

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38411 - LOGID\_EVENT\_TWO\_F\_AUTH\_CODE\_SENDTO

**Message ID:** 38411

**Message Description:** LOGID\_EVENT\_TWO\_F\_AUTH\_CODE\_SENDTO

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 38412 - LOGID\_EVENT\_TOKEN\_CODE\_SENDTO

**Message ID:** 38412

**Message Description:** LOGID\_EVENT\_TOKEN\_CODE\_SENDTO

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 38656 - LOGID\_EVENT\_RAD\_RPT\_PROTO\_ERROR

**Message ID:** 38656

**Message Description:** LOGID\_EVENT\_RAD\_RPT\_PROTO\_ERROR

**Type:** Event

**Category:** USER



**Severity:** Notice

Log Field Name	Description	Data Type	Length
count	Number of Packets	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**38657 - LOGID\_EVENT\_RAD\_RPT\_PROF\_NOT\_FOUND****Message ID:** 38657**Message Description:** LOGID\_EVENT\_RAD\_RPT\_PROF\_NOT\_FOUND**Type:** Event**Category:** USER**Severity:** Notice

Log Field Name	Description	Data Type	Length
count	Number of Packets	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38658 - LOGID\_EVENT\_RAD\_RPT\_CTX\_NOT\_FOUND

**Message ID:** 38658

**Message Description:** LOGID\_EVENT\_RAD\_RPT\_CTX\_NOT\_FOUND

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
count	Number of Packets	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38659 - LOGID\_EVENT\_RAD\_RPT\_ACCT\_STOP\_MISSED

**Message ID:** 38659

**Message Description:** LOGID\_EVENT\_RAD\_RPT\_ACCT\_STOP\_MISSED

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
count	Number of Packets	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38660 - LOGID\_EVENT\_RAD\_RPT\_ACCT\_EVENT

**Message ID:** 38660

**Message Description:** LOGID\_EVENT\_RAD\_RPT\_ACCT\_EVENT

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
count	Number of Packets	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 38661 - LOGID\_EVENT\_RAD\_RPT\_OTHER

**Message ID:** 38661**Message Description:** LOGID\_EVENT\_RAD\_RPT\_OTHER**Type:** Event**Category:** USER**Severity:** Notice

Log Field Name	Description	Data Type	Length
count	Number of Packets	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38662 - LOGID\_EVENT\_RAD\_STAT\_PROTO\_ERROR

**Message ID:** 38662

**Message Description:** LOGID\_EVENT\_RAD\_STAT\_PROTO\_ERROR

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
acct_stat	Accounting state (RADIUS)	string	14
carrier_ep	The FortiOS Carrier end-point identification	string	64
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
rsso_key	RADIUS SSO attribute value	string	64

Log Field Name	Description	Data Type	Length
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38663 - LOGID\_EVENT\_RAD\_STAT\_PROF\_NOT\_FOUND

**Message ID:** 38663

**Message Description:** LOGID\_EVENT\_RAD\_STAT\_PROF\_NOT\_FOUND

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
acct_stat	Accounting state (RADIUS)	string	14
carrier_ep	The FortiOS Carrier end-point identification	string	64
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
rsso_key	RADIUS SSO attribute value	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38665 - LOGID\_EVENT\_RAD\_STAT\_ACCT\_STOP\_MISSED

**Message ID:** 38665

**Message Description:** LOGID\_EVENT\_RAD\_STAT\_ACCT\_STOP\_MISSED

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
acct_stat	Accounting state (RADIUS)	string	14
carrier_ep	The FortiOS Carrier end-point identification	string	64
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
rsso_key	RADIUS SSO attribute value	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 38666 - LOGID\_EVENT\_RAD\_STAT\_ACCT\_EVENT

**Message ID:** 38666

**Message Description:** LOGID\_EVENT\_RAD\_STAT\_ACCT\_EVENT

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
acct_stat	Accounting state (RADIUS)	string	14
carrier_ep	The FortiOS Carrier end-point identification	string	64
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
rsso_key	RADIUS SSO attribute value	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 38667 - LOGID\_EVENT\_RAD\_STAT\_OTHER

**Message ID:** 38667

**Message Description:** LOGID\_EVENT\_RAD\_STAT\_OTHER

**Type:** Event

**Category:** USER

**Severity:** Notice



Log Field Name	Description	Data Type	Length
acct_stat	Accounting state (RADIUS)	string	14
carrier_ep	The FortiOS Carrier end-point identification	string	64
count	Number of Packets	uint32	10
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
rsso_key	RADIUS SSO attribute value	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 38668 - LOGID\_EVENT\_RAD\_STAT\_EP\_BLK

**Message ID:** 38668

**Message Description:** LOGID\_EVENT\_RAD\_STAT\_EP\_BLK

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
acct_stat	Accounting state (RADIUS)	string	14

Log Field Name	Description	Data Type	Length
carrier_ep	The FortiOS Carrier end-point identification	string	64
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
rsso_key	RADIUS SSO attribute value	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 39424 - LOG\_ID\_EVENT\_SSL\_VPN\_USER\_TUNNEL\_UP

**Message ID:** 39424

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_USER\_TUNNEL\_UP

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39425 - LOG\_ID\_EVENT\_SSL\_VPN\_USER\_TUNNEL\_DOWN

**Message ID:** 39425

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_USER\_TUNNEL\_DOWN

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
rcvdbyte	Received Bytes	uint64	20
reason	Reason	string	256
remip	Remote IP	ip	39
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39426 - LOG\_ID\_EVENT\_SSL\_VPN\_USER\_SSL\_LOGIN\_FAIL

**Message ID:** 39426

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_USER\_SSL\_LOGIN\_FAIL

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39936 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEB\_TUNNEL\_STATS

**Message ID:** 39936

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEB\_TUNNEL\_STATS

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
nextstat	Time interval in seconds for the next statistics	uint32	10
rcvdbyte	Received Bytes	uint64	20
remip	Remote IP	ip	39
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39937 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_DENY

**Message ID:** 39937

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_DENY

**Type:** Event

**Category:** VPN**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39938 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_PASS

**Message ID:** 39938**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_PASS**Type:** Event**Category:** VPN**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39939 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_TIMEOUT

**Message ID:** 39939

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_TIMEOUT

**Type:** Event

**Category:** VPN

**Severity:** Unknown



Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39940 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_CLOSE

**Message ID:** 39940

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_WEBAPP\_CLOSE

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39941 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_SYS\_BUSY

**Message ID:** 39941

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_SYS\_BUSY

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39942 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_CERT\_OK

**Message ID:** 39942

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_CERT\_OK

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39943 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_NEW\_CON

**Message ID:** 39943

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_NEW\_CON

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39944 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_ALERT

**Message ID:** 39944

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_ALERT

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
desc		string	128
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39945 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_EXIT\_FAIL

**Message ID:** 39945

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_EXIT\_FAIL

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39946 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_EXIT\_ERR

**Message ID:** 39946

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_EXIT\_ERR

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39947 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_UP

**Message ID:** 39947

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_UP

**Type:** Event

**Category:** VPN

**Severity:** Unknown



Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39948 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_DOWN

**Message ID:** 39948

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_DOWN

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
rcvdbyte	Received Bytes	uint64	20
reason	Reason	string	256
remip	Remote IP	ip	39
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39949 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_STATS

**Message ID:** 39949

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_STATS

**Type:** Event

**Category:** VPN**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
nextstat	Time interval in seconds for the next statistics	uint32	10
rcvdbyte	Received Bytes	uint64	20
remip	Remote IP	ip	39
sentbyte	Bytes Sent	uint64	20
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

**39950 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_UNKNOWN\_TAG****Message ID:** 39950

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_UNKNOWNTAG**Type:** Event**Category:** VPN**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39951 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_ERROR

**Message ID:** 39951**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_TUNNEL\_ERROR**Type:** Event

**Category:** VPN**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

**39952 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_ENTER\_CONSERVE\_MODE****Message ID:** 39952**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_ENTER\_CONSERVE\_MODE**Type:** Event**Category:** VPN**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

### 39953 - LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_LEAVE\_CONSERVE\_MODE

**Message ID:** 39953

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SESSION\_LEAVE\_CONSERVE\_MODE

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 40001 - LOG\_ID\_PPTP\_TUNNEL\_UP

**Message ID:** 40001

**Message Description:** LOG\_ID\_PPTP\_TUNNEL\_UP

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 40002 - LOG\_ID\_PPTP\_TUNNEL\_DOWN

**Message ID:** 40002

**Message Description:** LOG\_ID\_PPTP\_TUNNEL\_DOWN

**Type:** Event

**Category:** VPN

**Severity:** Unknown



Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 40003 - LOG\_ID\_PPTP\_TUNNEL\_STAT

**Message ID:** 40003

**Message Description:** LOG\_ID\_PPTP\_TUNNEL\_STAT

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 40014 - LOG\_ID\_PPTP\_REACH\_MAX\_CON

**Message ID:** 40014

**Message Description:** LOG\_ID\_PPTP\_REACH\_MAX\_CON

**Type:** Event

**Category:** VPN

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40016 - LOG\_ID\_L2TPD\_SVR\_DISCON

**Message ID:** 40016

**Message Description:** LOG\_ID\_L2TPD\_SVR\_DISCON

**Type:** Event

**Category:** VPN

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40017 - LOG\_ID\_L2TPD\_CLIENT\_CON\_FAIL

**Message ID:** 40017

**Message Description:** LOG\_ID\_L2TPD\_CLIENT\_CON\_FAIL

**Type:** Event

**Category:** VPN

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
status	Status	string	23

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40019 - LOG\_ID\_L2TPD\_CLIENT\_DISCON

**Message ID:** 40019

**Message Description:** LOG\_ID\_L2TPD\_CLIENT\_DISCON

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40021 - LOG\_ID\_PPTP\_NOT\_CONIG

**Message ID:** 40021

**Message Description:** LOG\_ID\_PPTP\_NOT\_CONIG**Type:** Event**Category:** VPN**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40022 - LOG\_ID\_PPTP\_NO\_IP\_AVAIL

**Message ID:** 40022**Message Description:** LOG\_ID\_PPTP\_NO\_IP\_AVAIL**Type:** Event**Category:** VPN**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40024 - LOG\_ID\_PPTP\_OUT\_MEM

**Message ID:** 40024

**Message Description:** LOG\_ID\_PPTP\_OUT\_MEM

**Type:** Event

**Category:** VPN

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40034 - LOG\_ID\_PPTP\_START

**Message ID:** 40034

**Message Description:** LOG\_ID\_PPTP\_START

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32



## 40035 - LOG\_ID\_PPTP\_START\_FAIL

**Message ID:** 40035

**Message Description:** LOG\_ID\_PPTP\_START\_FAIL

**Type:** Event

**Category:** VPN

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40036 - LOG\_ID\_PPTP\_EXIT

**Message ID:** 40036

**Message Description:** LOG\_ID\_PPTP\_EXIT

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40037 - LOG\_ID\_PPTPD\_SVR\_DISCON

**Message ID:** 40037

**Message Description:** LOG\_ID\_PPTPD\_SVR\_DISCON

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40038 - LOG\_ID\_PPTPD\_CLIENT\_CON

**Message ID:** 40038

**Message Description:** LOG\_ID\_PPTPD\_CLIENT\_CON

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40039 - LOG\_ID\_PPTPD\_CLIENT\_DISCON

**Message ID:** 40039

**Message Description:** LOG\_ID\_PPTPD\_CLIENT\_DISCON

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40101 - LOG\_ID\_L2TP\_TUNNEL\_UP

**Message ID:** 40101

**Message Description:** LOG\_ID\_L2TP\_TUNNEL\_UP

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 40102 - LOG\_ID\_L2TP\_TUNNEL\_DOWN

**Message ID:** 40102

**Message Description:** LOG\_ID\_L2TP\_TUNNEL\_DOWN

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 40103 - LOG\_ID\_L2TP\_TUNNEL\_STAT

**Message ID:** 40103

**Message Description:** LOG\_ID\_L2TP\_TUNNEL\_STAT

**Type:** Event

**Category:** VPN

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
remip	Remote IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
tunnelid	Tunnel ID	uint32	10
tunnelip	Tunnel IP	ip	39
tunneltype	Tunnel Type	string	64
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 40114 - LOG\_ID\_L2TPD\_START

**Message ID:** 40114

**Message Description:** LOG\_ID\_L2TPD\_START

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40115 - LOG\_ID\_L2TPD\_EXIT

**Message ID:** 40115

**Message Description:** LOG\_ID\_L2TPD\_EXIT

**Type:** Event

**Category:** VPN

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40118 - LOG\_ID\_L2TPD\_CLIENT\_CON

**Message ID:** 40118

**Message Description:** LOG\_ID\_L2TPD\_CLIENT\_CON

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40704 - LOG\_ID\_EVENT\_SYS\_PERF

**Message ID:** 40704

**Message Description:** LOG\_ID\_EVENT\_SYS\_PERF

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
bandwidth	Bandwidth	string	42
cpu	CPU Usage	uint8	3
date	Date	string	10
devid	Device ID	string	16
disk	Disk Usage	uint8	3
disklograte	Disk Log Rate	uint64	20
fazlograte	FAZ Log Rate	uint64	20
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
mem	Memory Usage	uint8	3
msg	Message Text	string	
setuprate	Session Setup Rate	uint64	20
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
totalsession	Total Number of Sessions	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 40960 - LOGID\_EVENT\_WAD\_WEBPROXY\_FWD\_SRV\_ERROR

**Message ID:** 40960

**Message Description:** LOGID\_EVENT\_WAD\_WEBPROXY\_FWD\_SRV\_ERROR

**Type:** Event

**Category:** WAD

**Severity:** Notice

Log Field Name	Description	Data Type	Length
addr_type	Address Type	string	4
date	Date	string	10
devid	Device ID	string	16
fqdn	Fully Qualified Domain Name	string	256
fwserver_name		string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
port	Port Number	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 41000 - LOG\_ID\_UPD\_FGT\_SUCC

**Message ID:** 41000

**Message Description:** LOG\_ID\_UPD\_FGT\_SUCC

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 41001 - LOG\_ID\_UPD\_FGT\_FAIL

**Message ID:** 41001

**Message Description:** LOG\_ID\_UPD\_FGT\_FAIL**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 41002 - LOG\_ID\_UPD\_SRC\_VIS

**Message ID:** 41002**Message Description:** LOG\_ID\_UPD\_SRC\_VIS**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 41003 - LOG\_ID\_INVALID\_UPD\_LIC

**Message ID:** 41003

**Message Description:** LOG\_ID\_INVALID\_UPD\_LIC

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 41005 - LOG\_ID\_UPD\_VCM

**Message ID:** 41005

**Message Description:** LOG\_ID\_UPD\_VCM

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**41216 - LOGID\_GTP\_FORWARD****Message ID:** 41216**Message Description:** LOGID\_GTP\_FORWARD**Type:** Event**Category:** GTP**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
c-gsn	Control Plane GSN	ip	39
date	Date	string	10
dstport	Destination Port	uint16	5
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
linked-nsapi	Linked Netscape Server Application Programming Interface	uint8	3
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
nsapi	Netscape Server Application Programming Interface	uint8	3
profile	Profile	string	64
rai		string	32



Log Field Name	Description	Data Type	Length
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
u-gsn	User Plane GSN	ip	39
uli		string	32
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41217 - LOGID\_GTP\_DENY

**Message ID:** 41217

**Message Description:** LOGID\_GTP\_DENY

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
c-gsn	Control Plane GSN	ip	39
date	Date	string	10

Log Field Name	Description	Data Type	Length
deny_cause	Deny Cause	string	25
dstport	Destination Port	uint16	5
dtlexp	Detailed Explanation	string	64
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
ietype	Malformed GTP IE number	uint8	3
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
linked-nsapi	Linked Netscape Server Application Programming Interface	uint8	3
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
nsapi	Netscape Server Application Programming Interface	uint8	3
profile	Profile	string	64
rai		string	32
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
u-gsn	User Plane GSN	ip	39
uli		string	32
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41218 - LOGID\_GTP\_RATE\_LIMIT

**Message ID:** 41218

**Message Description:** LOGID\_GTP\_RATE\_LIMIT

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
c-gsn	Control Plane GSN	ip	39
date	Date	string	10
dstport	Destination Port	uint16	5
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
linked-nsapi	Linked Netscape Server Application Programming Interface	uint8	3
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
nsapi	Netscape Server Application Programming Interface	uint8	3
profile	Profile	string	64
rai		string	32
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
u-gsn	User Plane GSN	ip	39
uli		string	32
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41219 - LOGID\_GTP\_STATE\_INVALID

**Message ID:** 41219

**Message Description:** LOGID\_GTP\_STATE\_INVALID

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
c-gsn	Control Plane GSN	ip	39
date	Date	string	10
dstport	Destination Port	uint16	5
dtlexp	Detailed Explanation	string	64
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
linked-nsapi	Linked Netscape Server Application Programming Interface	uint8	3
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
nsapi	Netscape Server Application Programming Interface	uint8	3
profile	Profile	string	64
rai		string	32
rat-type	Radio Access Technology type	string	7

Log Field Name	Description	Data Type	Length
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
u-gsn	User Plane GSN	ip	39
uli		string	32
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41220 - LOGID\_GTP\_TUNNEL\_LIMIT

**Message ID:** 41220

**Message Description:** LOGID\_GTP\_TUNNEL\_LIMIT

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
c-gsn	Control Plane GSN	ip	39
date	Date	string	10
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
linked-nsapi	Linked Netscape Server Application Programming Interface	uint8	3
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
nsapi	Netscape Server Application Programming Interface	uint8	3
profile	Profile	string	64
rai		string	32
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
u-gsn	User Plane GSN	ip	39
uli		string	32
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41221 - LOGID\_GTP\_TRAFFIC\_COUNT

**Message ID:** 41221

**Message Description:** LOGID\_GTP\_TRAFFIC\_COUNT

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
c-bytes	Control Plane Data Bytes	uint64	20
c-ggsn	Control Plane GGSN IP Address	ip	39
c-ggsn-teid	Control Plane GGSN Tunnel Endpoint Identifier	uint32	10
c-pkts	Control Plane Packets	uint64	20
c-sgsn	Control Plane SGSN IP Address	ip	39
c-sgsn-teid	Control Plane SGSN Tunnel Endpoint Identifier	uint32	10
date	Date	string	10
duration	tunnel duration	uint32	10
end-usr-address	End User IP Address	ip	39
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11



Log Field Name	Description	Data Type	Length
linked-nsapi	Linked Netscape Server Application Programming Interface	uint8	3
logid	Log ID	string	10
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
nsapi	Netscape Server Application Programming Interface	uint8	3
profile	Profile	string	64
rai		string	32
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
u-bytes	User Plane Data Bytes	uint64	20
u-ggsn	user plane ggsn IP address	ip	39
u-ggsn-teid	user plane ggsn teid	uint32	10
u-pkts	User Plane Packets	uint64	20
u-sgsn	user plane sgsn IP address	ip	39
u-sgsn-teid	user plane sgsn teid	uint32	10
uli		string	32
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41222 - LOGID\_GTP\_USER\_DATA

**Message ID:** 41222

**Message Description:** LOGID\_GTP\_USER\_DATA**Type:** Event**Category:** GTP**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
date	Date	string	10
end-usr-address	End User IP Address	ip	39
from	From	string	128
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
profile	Profile	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
user_data	user traffic content inside gtp-u tunnel	string	256
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41223 - LOGID\_GTPV2\_FORWARD

**Message ID:** 41223**Message Description:** LOGID\_GTPV2\_FORWARD**Type:** Event**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
cpaddr	Control Plane Address (either downlink or uplink)	ip	39
cpteid	Control Plane teid (either downlink or uplink)	uint32	10
date	Date	string	10
dstport	Destination Port	uint16	5
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
snetwork	Source Network, it's a IE type in GTPv2 packet	string	64
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41224 - LOGID\_GTPV2\_DENY

**Message ID:** 41224

**Message Description:** LOGID\_GTPV2\_DENY

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
cpaddr	Control Plane Address (either downlink or uplink)	ip	39
cpteid	Control Plane teid (either downlink or uplink)	uint32	10
date	Date	string	10
deny_cause	Deny Cause	string	25
dstport	Destination Port	uint16	5
dtlexp	Detailed Explanation	string	64
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
ietype	Malformed GTP IE number	uint8	3

Log Field Name	Description	Data Type	Length
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
snetwork	Source Network, it's a IE type in GTPv2 packet	string	64
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41225 - LOGID\_GTPV2\_RATE\_LIMIT

**Message ID:** 41225

**Message Description:** LOGID\_GTPV2\_RATE\_LIMIT

**Type:** Event

**Category:** GTP**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
cpaddr	Control Plane Address (either downlink or uplink)	ip	39
cpteid	Control Plane teid (either downlink or uplink)	uint32	10
date	Date	string	10
dstport	Destination Port	uint16	5
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
snetwork	Source Network, it's a IE type in GTPv2 packet	string	64
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41226 - LOGID\_GTPV2\_STATE\_INVALID

**Message ID:** 41226

**Message Description:** LOGID\_GTPV2\_STATE\_INVALID

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
cpaddr	Control Plane Address (either downlink or uplink)	ip	39
cpteid	Control Plane teid (either downlink or uplink)	uint32	10
date	Date	string	10
dstport	Destination Port	uint16	5
dtlexp	Detailed Explanation	string	64
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
snetwork	Source Network, it's a IE type in GTPv2 packet	string	64
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41227 - LOGID\_GTPV2\_TUNNEL\_LIMIT

**Message ID:** 41227

**Message Description:** LOGID\_GTPV2\_TUNNEL\_LIMIT

**Type:** Event

**Category:** GTP

**Severity:** Information



Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
cpaddr	Control Plane Address (either downlink or uplink)	ip	39
cpteid	Control Plane teid (either downlink or uplink)	uint32	10
date	Date	string	10
dstport	Destination Port	uint16	5
end-usr-address	End User IP Address	ip	39
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
seqnum	GTP packet sequence number	uint32	10
snetwork	Source Network, it's a IE type in GTPv2 packet	string	64
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41228 - LOGID\_GTPV2\_TRAFFIC\_COUNT

**Message ID:** 41228

**Message Description:** LOGID\_GTPV2\_TRAFFIC\_COUNT

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
c-bytes	Control Plane Data Bytes	uint64	20
c-pkts	Control Plane Packets	uint64	20
cpdladdr	Control Plane Downlink IP Address	ip	39
cpdlisraddr	Control Plane ISR Downlink IP Address	ip	39
cpdlisrteid	control plane ISR downlink teid	uint32	10
cpdlteid	control plane downlink teid	uint32	10
cpuladdr	control plane uplink IP address	ip	39
cpulteid	control plane uplink teid	uint32	10
date	Date	string	10
duration	tunnel duration	uint32	10
end-usr-address	End User IP Address	ip	39

Log Field Name	Description	Data Type	Length
imei-sv	International Mobile Station Equipment Identity Software Version	string	32
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
rat-type	Radio Access Technology type	string	7
selection	APN selection, which is one IE in gtp packet	string	14
snetwork	Source Network, it's a IE type in GTPv2 packet	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
u-bytes	User Plane Data Bytes	uint64	20
u-pkts	User Plane Packets	uint64	20
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41229 - LOGID\_GTPU\_FORWARD

**Message ID:** 41229

**Message Description:** LOGID\_GTPU\_FORWARD

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
date	Date	string	10
dstport	Destination Port	uint16	5
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
version	Version	string	64

## 41230 - LOGID\_GTPU\_DENY

**Message ID:** 41230

**Message Description:** LOGID\_GTPU\_DENY

**Type:** Event

**Category:** GTP

**Severity:** Information

Log Field Name	Description	Data Type	Length
apn	Access Point Name	string	128
date	Date	string	10
deny_cause	Deny Cause	string	25
dstport	Destination Port	uint16	5
from	From	string	128
headerteid	Tunnel Endpoint ID Header	uint32	10
imsi	International mobile subscriber ID	string	16
level	Log Level	string	11
logid	Log ID	string	10
msg-type	Message Type	uint8	3
msisdn	Mobile Subscriber Integrated Services Digital Network-Number (telephone # to a SIM card)	string	16
profile	Profile	string	64
srcport	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to		string	512
tunnel-idx	tunnel serial number, internally assigned	uint32	10
type	Log Type	string	16
vd	Virtual Domain Name	string	32
version	Version	string	64

**41984 - LOG\_ID\_EVENT\_VPN\_CERT\_LOAD****Message ID:** 41984

**Message Description:** LOG\_ID\_EVENT\_VPN\_CERT\_LOAD**Type:** Event**Category:** VPN**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert-type	Certification type	string	6
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
name	Name	string	128
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 41985 - LOG\_ID\_EVENT\_VPN\_CERT\_REMOVAL

**Message ID:** 41985**Message Description:** LOG\_ID\_EVENT\_VPN\_CERT\_REMOVAL**Type:** Event**Category:** VPN**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert-type	Certification type	string	6
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
name	Name	string	128
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 41986 - LOG\_ID\_EVENT\_VPN\_CERT\_REGEN

**Message ID:** 41986

**Message Description:** LOG\_ID\_EVENT\_VPN\_CERT\_REGEN

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert-type	Certification type	string	6

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 41987 - LOG\_ID\_EVENT\_VPN\_CERT\_UPDATE

**Message ID:** 41987

**Message Description:** LOG\_ID\_EVENT\_VPN\_CERT\_UPDATE

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert-type	Certification type	string	6
date	Date	string	10



Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
method		string	64
msg	Message	string	
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 41988 - LOG\_ID\_EVENT\_SSL\_VPN\_SETTING\_UPDATE

**Message ID:** 41988

**Message Description:** LOG\_ID\_EVENT\_SSL\_VPN\_SETTING\_UPDATE

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 41989 - LOG\_ID\_EVENT\_VPN\_CERT\_ERR

**Message ID:** 41989

**Message Description:** LOG\_ID\_EVENT\_VPN\_CERT\_ERR

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert-type	Certification type	string	6
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
method		string	64
msg	Message	string	

Log Field Name	Description	Data Type	Length
name	Name	string	128
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 41990 - LOG\_ID\_EVENT\_VPN\_CERT\_UPDATE\_FAILED

**Message ID:** 41990

**Message Description:** LOG\_ID\_EVENT\_VPN\_CERT\_UPDATE\_FAILED

**Type:** Event

**Category:** VPN

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cert-type	Certification type	string	6
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
method		string	64
msg	Message	string	
name	Name	string	128
status	Status	string	23

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43008 - LOG\_ID\_EVENT\_AUTH\_SUCCESS

**Message ID:** 43008

**Message Description:** LOG\_ID\_EVENT\_AUTH\_SUCCESS

**Type:** Event

**Category:** USER

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43009 - LOG\_ID\_EVENT\_AUTH\_FAILED

**Message ID:** 43009

**Message Description:** LOG\_ID\_EVENT\_AUTH\_FAILED

**Type:** Event

**Category:** USER

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10

Log Field Name	Description	Data Type	Length
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43010 - LOG\_ID\_EVENT\_AUTH\_LOCKOUT

**Message ID:** 43010

**Message Description:** LOG\_ID\_EVENT\_AUTH\_LOCKOUT

**Type:** Event

**Category:** USER

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43011 - LOG\_ID\_EVENT\_AUTH\_TIME\_OUT

**Message ID:** 43011

**Message Description:** LOG\_ID\_EVENT\_AUTH\_TIME\_OUT

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43012 - LOG\_ID\_EVENT\_AUTH\_FSAE\_AUTH\_SUCCESS

**Message ID:** 43012

**Message Description:** LOG\_ID\_EVENT\_AUTH\_FSAE\_AUTH\_SUCCESS

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
adgroup	AD Group Name	string	128
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16



Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
proto	Protocol Number	uint8	3
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43013 - LOG\_ID\_EVENT\_AUTH\_FSAE\_AUTH\_FAIL

**Message ID:** 43013

**Message Description:** LOG\_ID\_EVENT\_AUTH\_FSAE\_AUTH\_FAIL

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
adgroup	AD Group Name	string	128

Log Field Name	Description	Data Type	Length
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
proto	Protocol Number	uint8	3
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43014 - LOG\_ID\_EVENT\_AUTH\_FSAE\_LOGON

**Message ID:** 43014

**Message Description:** LOG\_ID\_EVENT\_AUTH\_FSAE\_LOGON

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
server	AD server FQDN or IP	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43015 - LOG\_ID\_EVENT\_AUTH\_FSAE\_LOGOFF

**Message ID:** 43015

**Message Description:** LOG\_ID\_EVENT\_AUTH\_FSAE\_LOGOFF

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
server	AD server FQDN or IP	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43016 - LOG\_ID\_EVENT\_AUTH\_NTLM\_AUTH\_SUCCESS

**Message ID:** 43016

**Message Description:** LOG\_ID\_EVENT\_AUTH\_NTLM\_AUTH\_SUCCESS

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
adgroup	AD Group Name	string	128
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39

Log Field Name	Description	Data Type	Length
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43017 - LOG\_ID\_EVENT\_AUTH\_NTLM\_AUTH\_FAIL

**Message ID:** 43017

**Message Description:** LOG\_ID\_EVENT\_AUTH\_NTLM\_AUTH\_FAIL

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
adgroup	AD Group Name	string	128
authproto	The protocol that initiated the authentication	string	64

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43018 - LOG\_ID\_EVENT\_AUTH\_FGOVRD\_FAIL

**Message ID:** 43018

**Message Description:** LOG\_ID\_EVENT\_AUTH\_FGOVRD\_FAIL

**Type:** Event

**Category:** USER

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
initiator	Original login user name for Fortiguard override	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43020 - LOG\_ID\_EVENT\_AUTH\_FGOVRD\_SUCCESS

**Message ID:** 43020

**Message Description:** LOG\_ID\_EVENT\_AUTH\_FGOVRD\_SUCCESS

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
expiry	FortiGuard override expiry timestamp	string	64
initiator	Original login user name for Fortiguard override	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
oldwprof	Old Web Filter Profile	string	64
reason	Reason	string	256
scope	FortiGuard Override Scope	string	16
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43025 - LOG\_ID\_EVENT\_AUTH\_PROXY\_SUCCESS

**Message ID:** 43025

**Message Description:** LOG\_ID\_EVENT\_AUTH\_PROXY\_SUCCESS

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32



Log Field Name	Description	Data Type	Length
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43026 - LOG\_ID\_EVENT\_AUTH\_PROXY\_FAILED

**Message ID:** 43026

**Message Description:** LOG\_ID\_EVENT\_AUTH\_PROXY\_FAILED

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43027 - LOG\_ID\_EVENT\_AUTH\_PROXY\_TIME\_OUT

**Message ID:** 43027

**Message Description:** LOG\_ID\_EVENT\_AUTH\_PROXY\_TIME\_OUT

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43028 - LOG\_ID\_EVENT\_AUTH\_PROXY\_AUTHORIZATION\_FAILED

**Message ID:** 43028

**Message Description:** LOG\_ID\_EVENT\_AUTH\_PROXY\_AUTHORIZATION\_FAILED

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43029 - LOG\_ID\_EVENT\_AUTH\_WARNING\_SUCCESS

**Message ID:** 43029

**Message Description:** LOG\_ID\_EVENT\_AUTH\_WARNING\_SUCCESS

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
expiry	FortiGuard override expiry timestamp	string	64
initiator	Original login user name for Fortiguard override	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
oldwprof	Old Web Filter Profile	string	64
reason	Reason	string	256
scope	FortiGuard Override Scope	string	16
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43030 - LOG\_ID\_EVENT\_AUTH\_WARNING\_TBL\_FULL

**Message ID:** 43030

**Message Description:** LOG\_ID\_EVENT\_AUTH\_WARNING\_TBL\_FULL

**Type:** Event

**Category:** USER

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
initiator	Original login user name for Fortiguard override	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43040 - LOG\_ID\_EVENT\_AUTH\_LOGOUT

**Message ID:** 43040

**Message Description:** LOG\_ID\_EVENT\_AUTH\_LOGOUT

**Type:** Event

**Category:** USER

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43041 - LOG\_ID\_EVENT\_AUTH\_DISCLAIMER\_ACCEPT

**Message ID:** 43041

**Message Description:** LOG\_ID\_EVENT\_AUTH\_DISCLAIMER\_ACCEPT

**Type:** Event

**Category:** USER

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43042 - LOG\_ID\_EVENT\_AUTH\_DISCLAIMER\_DECLINE

**Message ID:** 43042

**Message Description:** LOG\_ID\_EVENT\_AUTH\_DISCLAIMER\_DECLINE

**Type:** Event

**Category:** USER

**Severity:** Unknown



Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43043 - LOG\_ID\_EVENT\_AUTH\_EMAIL\_COLLECTING\_SUCCESS

**Message ID:** 43043

**Message Description:** LOG\_ID\_EVENT\_AUTH\_EMAIL\_COLLECTING\_SUCCESS

**Type:** Event

**Category:** USER

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43044 - LOG\_ID\_EVENT\_AUTH\_EMAIL\_COLLECTING\_FAIL

**Message ID:** 43044

**Message Description:** LOG\_ID\_EVENT\_AUTH\_EMAIL\_COLLECTING\_FAIL

**Type:** Event

**Category:** USER

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
authproto	The protocol that initiated the authentication	string	64
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
group	User name group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
srcip	Source IP	ip	39
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43264 - LOGID\_MMS\_STATS

**Message ID:** 43264

**Message Description:** LOGID\_MMS\_STATS

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
blocked	Blocked MMS	uint32	10
checksum	for MMS Statistics	uint32	10
date	Date	string	10
devid	Device ID	string	16
duration	Duration	uint32	10
infected	Infected MMS	uint32	10
intercepted	Intercepted MMS	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msgproto	Message Protocol Number	string	16
scanned	Number of Scanned MMSs	uint32	10
subtype	Log Subtype	string	20
suspicious	Number of Suspicious MMSs	uint32	10
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43521 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE

**Message ID:** 43521

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40

Log Field Name	Description	Data Type	Length
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43525 - LOG\_ID\_EVENT\_WIRELESS\_ONWIRE

**Message ID:** 43525

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ONWIRE

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3

Log Field Name	Description	Data Type	Length
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43528 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_ERROR

**Message ID:** 43528

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_ERROR

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10



Log Field Name	Description	Data Type	Length
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43530 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_WL\_BRIDGE

**Message ID:** 43530

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_WL\_BRIDGE

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rss	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threattype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43531 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_BR\_DEAUTH

**Message ID:** 43531

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_BR\_DEAUTH

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10

Log Field Name	Description	Data Type	Length
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rssi	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threatype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43532 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_NL\_PBRESP

**Message ID:** 43532

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_NL\_PBRESP

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rss	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17

Log Field Name	Description	Data Type	Length
threattype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 43533 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_MAC\_OUI

**Message ID:** 43533

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_MAC\_OUI

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
invalidmac	the MAC address with invalid OUI	string	17
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rssi	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threatype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43534 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_LONG\_DUR

**Message ID:** 43534

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_LONG\_DUR

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
duration	Duration of the last threatening packet captured from TA	uint32	10
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rss	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threatype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43535 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_WEP\_IV

**Message ID:** 43535

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_WEP\_IV

**Type:** Event**Category:** WIRELESS**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rssi	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threattype	WIDS threat type	string	64



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
weakwepiv	Weak Wep Initiation Vector	string	8

## 43542 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_EAPOL\_FLOOD

**Message ID:** 43542

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_EAPOL\_FLOOD

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
eapolcnt	EAPOL packet count	uint32	10
eapoltype	EAPOL packet type	string	16
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
sndetected	SN of the AP which detected the rogue AP	string	36

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threattype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43544 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_MGMT\_FLOOD

**Message ID:** 43544

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_MGMT\_FLOOD

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
frametype	Frame Type	string	32
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
manuf	Manufacturer name	string	20
mgmtcnt	The number of unauthorized client flooding managemet frames	uint32	10
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rssi	Received signal strength indicator	uint8	3
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threatype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43546 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_SPOOF\_DEAUTH

**Message ID:** 43546

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_SPOOF\_DEAUTH

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rsssi	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threatype	WIDS threat type	string	64
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43548 - LOG\_ID\_EVENT\_WIRELESS\_WIDS\_ASLEAP

**Message ID:** 43548

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WIDS\_ASLEAP

**Type:** Event

**Category:** WIRELESS**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
ds	direction with distribution system	string	8
encrypt	whether the packet is encrypted or not	uint8	3
frametype	Frame Type	string	32
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rss	Received signal strength indicator	uint8	3
seq	Sequence	string	16
sndetected	SN of the AP which detected the rogue AP	string	36
subtype	Log Subtype	string	20
tamac	the MAC address of Transmitter, if none, then Receiver	string	17
threattype	WIDS threat type	string	64

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43550 - LOG\_ID\_EVENT\_WIRELESS\_STA\_LOCATE

**Message ID:** 43550

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_LOCATE

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
noise		int8	4
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
signal	Signal	int8	4
sn	Serial Number	string	64
stamac	Station/Client MAC address	string	17

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43551 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_JOIN

**Message ID:** 43551

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_JOIN

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64

Log Field Name	Description	Data Type	Length
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43552 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_LEAVE

**Message ID:** 43552

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_LEAVE

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256



Log Field Name	Description	Data Type	Length
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 43553 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_FAIL

**Message ID:** 43553

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_FAIL

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64

Log Field Name	Description	Data Type	Length
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43554 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_UPDATE

**Message ID:** 43554

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_UPDATE

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	

Log Field Name	Description	Data Type	Length
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43555 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_RESET

**Message ID:** 43555

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_RESET

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19

Log Field Name	Description	Data Type	Length
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43556 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_KICK

**Message ID:** 43556

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_KICK

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43557 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_ADD\_FAILURE

**Message ID:** 43557

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_ADD\_FAILURE

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43558 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_CFG\_ERR

**Message ID:** 43558

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_CFG\_ERR

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43559 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_SN\_MISMATCH

**Message ID:** 43559

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_SN\_MISMATCH

**Type:** Event

**Category:** WIRELESS

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43560 - LOG\_ID\_EVENT\_WIRELESS\_SYS\_AC\_RESTARTED

**Message ID:** 43560

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_SYS\_AC\_RESTARTED

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11



Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43561 - LOG\_ID\_EVENT\_WIRELESS\_SYS\_AC\_HOSTAPD\_UP

**Message ID:** 43561

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_SYS\_AC\_HOSTAPD\_UP

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43562 - LOG\_ID\_EVENT\_WIRELESS\_SYS\_AC\_HOSTAPD\_DOWN

**Message ID:** 43562

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_SYS\_AC\_HOSTAPD\_DOWN

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43563 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_DETECT

**Message ID:** 43563

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_DETECT

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4

Log Field Name	Description	Data Type	Length
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43564 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_OFFAIR

**Message ID:** 43564

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_OFFAIR

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10

Log Field Name	Description	Data Type	Length
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43565 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_ONAIR

**Message ID:** 43565

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_ONAIR

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43566 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_OFFWIRE

**Message ID:** 43566

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_OFFWIRE

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40



Log Field Name	Description	Data Type	Length
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43567 - LOG\_ID\_EVENT\_WIRELESS\_FAKEAP\_DETECT

**Message ID:** 43567

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_FAKEAP\_DETECT

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3

Log Field Name	Description	Data Type	Length
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43568 - LOG\_ID\_EVENT\_WIRELESS\_FAKEAP\_ONAIR

**Message ID:** 43568

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_FAKEAP\_ONAIR

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43569 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_SUPPRESSED

**Message ID:** 43569

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_SUPPRESSED

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5

Log Field Name	Description	Data Type	Length
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43570 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_UNSUPPRESSED

**Message ID:** 43570

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_UNSUPPRESSED

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17

Log Field Name	Description	Data Type	Length
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43571 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_DETECT\_CHG

**Message ID:** 43571

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_DETECT\_CHG

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
age	time in seconds - time passed since last seen	uint32	10
apscan	The name of the AP, which scanned and detected the rogue AP	string	36
apstatus	Access Point Status	uint8	3
aptype	AP Type	uint8	3
bssid	Service Set ID	string	17
channel	Channel	uint8	3
date	Date	string	10
detectionmethod	Detection Method	string	21
devid	Device ID	string	16
encryption	Encryption	string	12
level	Log Level	string	11
live	time in seconds	uint32	10



Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
manuf	Manufacturer name	string	20
msg	Message	string	
noise		int8	4
onwire	A flag to indicate if the AP is onwire or not	string	3
radioband	Radio Band	string	64
radioidclosest	Radio ID on the AP closest the rogue AP	uint8	3
radioiddetected	Radio ID on the AP which detected the rogue AP	uint8	3
rate		uint16	5
security	Security	string	40
signal	Signal	int8	4
snclosest	SN of the AP closest to the rogue AP	string	36
sndetected	SN of the AP which detected the rogue AP	string	36
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43572 - LOG\_ID\_EVENT\_WIRELESS\_STA ASSO

**Message ID:** 43572

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA ASSO

**Type:** Event

**Category:** WIRELESS**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43573 - LOG\_ID\_EVENT\_WIRELESS\_STA\_AUTH

**Message ID:** 43573

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_AUTH

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256

Log Field Name	Description	Data Type	Length
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43574 - LOG\_ID\_EVENT\_WIRELESS\_STA\_DASS

**Message ID:** 43574

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_DASS

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12

Log Field Name	Description	Data Type	Length
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43575 - LOG\_ID\_EVENT\_WIRELESS\_STA\_DAUT

**Message ID:** 43575

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_DAUT

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43576 - LOG\_ID\_EVENT\_WIRELESS\_STA\_IDLE

**Message ID:** 43576

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_IDLE

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43577 - LOG\_ID\_EVENT\_WIRELESS\_STA\_DENY

**Message ID:** 43577

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_DENY

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	



Log Field Name	Description	Data Type	Length
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43578 - LOG\_ID\_EVENT\_WIRELESS\_STA\_KICK

**Message ID:** 43578

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_KICK

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43579 - LOG\_ID\_EVENT\_WIRELESS\_STA\_IP

**Message ID:** 43579

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_IP

**Type:** Event**Category:** WIRELESS**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43580 - LOG\_ID\_EVENT\_WIRELESS\_STA\_LEAVE\_WTP

**Message ID:** 43580

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_LEAVE\_WTP

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256

Log Field Name	Description	Data Type	Length
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43581 - LOG\_ID\_EVENT\_WIRELESS\_STA\_WTP\_DISCONN

**Message ID:** 43581

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_WTP\_DISCONN

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12

Log Field Name	Description	Data Type	Length
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43582 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_UNCLASSIFIED

**Message ID:** 43582

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_UNCLASSIFIED

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
apstatus	Access Point Status	uint8	3
bssid	Service Set ID	string	17
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
ssid	Base Service Set ID	string	33
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43583 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_ACCEPTED

**Message ID:** 43583

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_ACCEPTED

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
apstatus	Access Point Status	uint8	3
bssid	Service Set ID	string	17

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
ssid	Base Service Set ID	string	33
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43584 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_ROGUE

**Message ID:** 43584

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_ROGUE

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
apstatus	Access Point Status	uint8	3
bssid	Service Set ID	string	17
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11



Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
ssid	Base Service Set ID	string	33
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43585 - LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_SUPPRESSED

**Message ID:** 43585

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_ROGUE\_CFG\_SUPPRESSED

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
apstatus	Access Point Status	uint8	3
bssid	Service Set ID	string	17
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
ssid	Base Service Set ID	string	33
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43586 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_DARRP\_CHAN

**Message ID:** 43586

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_DARRP\_CHAN

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43587 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_DARRP\_START

**Message ID:** 43587

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_DARRP\_START

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43588 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_OPER\_CHAN

**Message ID:** 43588

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_OPER\_CHAN

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10

Log Field Name	Description	Data Type	Length
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43589 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_RADAR

**Message ID:** 43589

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_RADAR

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43590 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_NOL

**Message ID:** 43590

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_NOL

**Type:** Event

**Category:** WIRELESS**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

**43591 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_COUNTRY\_CFG\_SUCCESS****Message ID:** 43591

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_COUNTRY\_CFG\_SUCCESS

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32



## 43592 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_OPER\_COUNTRY

**Message ID:** 43592

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_OPER\_COUNTRY

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43593 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_CFG\_TXPOWER

**Message ID:** 43593

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_CFG\_TXPOWER

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64

Log Field Name	Description	Data Type	Length
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43594 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_OPER\_TXPOWER

**Message ID:** 43594

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_OPER\_TXPOWER

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 43595 - LOG\_ID\_EVENT\_WIRELESS\_CLB\_DENY

**Message ID:** 43595

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_CLB\_DENY

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
radioband	Radio Band	string	64
reason	Reason	string	256
sn	Serial Number	string	64
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vap		string	36
vd	Virtual Domain Name	string	32

## 43596 - LOG\_ID\_EVENT\_WIRELESS\_CLB\_RETRY

**Message ID:** 43596

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_CLB\_RETRY

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
reason	Reason	string	256
sn	Serial Number	string	64
ssid	Base Service Set ID	string	33
stacount	Number of stations/clients	uint32	10
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vap		string	36
vd	Virtual Domain Name	string	32

## 43597 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_ADD

**Message ID:** 43597

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_ADD

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43598 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_ADD\_XSS

**Message ID:** 43598

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_ADD\_XSS

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43599 - LOG\_ID\_EVENT\_WIRELESS\_WTP\_DEL

**Message ID:** 43599

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTP\_DEL

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32



Log Field Name	Description	Data Type	Length
ap	Access Point	string	36
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
meshmode	Mesh mode	string	19
msg	Message	string	
profile	Profile	string	64
reason	Reason	string	256
sn	Serial Number	string	64
snmeshparent	SN of the mesh parent	string	36
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43600 - LOG\_ID\_EVENT\_WIRELESS\_WTPR\_DARRP\_STOP

**Message ID:** 43600

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_WTPR\_DARRP\_STOP

**Type:** Event

**Category:** WIRELESS

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
bandwidth	Bandwidth	string	42
cfgtxpower	Config TX power	uint32	10
configcountry	Config Country	string	4
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
opercountry	Operating Country	string	4
opertxpower	Operating TX power	uint32	10
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43601 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_SIGNON

**Message ID:** 43601

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_SIGNON

**Type:** Event

**Category:** WIRELESS**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43602 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_SIGNON\_SUCCESS

**Message ID:** 43602

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_SIGNON\_SUCCESS

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256

Log Field Name	Description	Data Type	Length
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43603 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_SIGNON\_FAILURE

**Message ID:** 43603

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_SIGNON\_FAILURE

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12

Log Field Name	Description	Data Type	Length
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43604 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_EMAIL\_REQUEST

**Message ID:** 43604

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_EMAIL\_REQUEST

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

**43605 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_EMAIL\_SUCCESS****Message ID:** 43605**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_EMAIL\_SUCCESS**Type:** Event**Category:** WIRELESS**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17



Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43606 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_EMAIL\_FAILURE

**Message ID:** 43606

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_EMAIL\_FAILURE

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43607 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_DISCLAIMER\_CHECK

**Message ID:** 43607

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_DISCLAIMER\_CHECK

**Type:** Event

**Category:** WIRELESS

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43608 - LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_DISCLAIMER\_DECLINE

**Message ID:** 43608

**Message Description:** LOG\_ID\_EVENT\_WIRELESS\_STA\_CAP\_DISCLAIMER\_DECLINE

**Type:** Event**Category:** WIRELESS**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
ap	Access Point	string	36
channel	Channel	uint8	3
date	Date	string	10
devid	Device ID	string	16
encryption	Encryption	string	12
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
radioband	Radio Band	string	64
radioid	Radio ID	uint8	3
reason	Reason	string	256
security	Security	string	40
sn	Serial Number	string	64
srcip	Source IP	ip	39
ssid	Base Service Set ID	string	33
stamac	Station/Client MAC address	string	17
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
user	User Name	string	256
vap		string	36
vd	Virtual Domain Name	string	32

## 43776 - LOG\_ID\_EVENT\_NAC\_QUARANTINE

**Message ID:** 43776

**Message Description:** LOG\_ID\_EVENT\_NAC\_QUARANTINE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
banned_rule	NAC quarantine Banned Rule Name	string	36
banned_src	NAC quarantine Banned Source IP	string	16
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
dst_int	Destination Interface	string	64
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
policyid	Policy ID	uint32	10
proto	Protocol Number	uint8	3

Log Field Name	Description	Data Type	Length
sensor	NAC Sensor Name	string	36
service	Service Name	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
src_int	Source Interface	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43777 - LOG\_ID\_EVENT\_NAC\_ANOMALY\_QUARANTINE

**Message ID:** 43777

**Message Description:** LOG\_ID\_EVENT\_NAC\_ANOMALY\_QUARANTINE

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
banned_rule	NAC quarantine Banned Rule Name	string	36
banned_src	NAC quarantine Banned Source IP	string	16
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
dst_int	Destination Interface	string	64
group	User Name Group	string	64
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
policyid	Policy ID	uint32	10
proto	Protocol Number	uint8	3
sensor	NAC Sensor Name	string	36
service	Service Name	string	64
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
src_int	Source Interface	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 43800 - LOG\_ID\_EVENT\_ELBC\_BLADE\_JOIN

**Message ID:** 43800

**Message Description:** LOG\_ID\_EVENT\_ELBC\_BLADE\_JOIN

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
slot	Slot Number	uint8	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43801 - LOG\_ID\_EVENT\_ELBC\_BLADE\_LEAVE

**Message ID:** 43801

**Message Description:** LOG\_ID\_EVENT\_ELBC\_BLADE\_LEAVE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10



Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
slot	Slot Number	uint8	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43802 - LOG\_ID\_EVENT\_ELBC\_MASTER\_BLADE\_FOUND

**Message ID:** 43802

**Message Description:** LOG\_ID\_EVENT\_ELBC\_MASTER\_BLADE\_FOUND

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
slot	Slot Number	uint8	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

### 43803 - LOG\_ID\_EVENT\_ELBC\_MASTER\_BLADE\_LOST

**Message ID:** 43803

**Message Description:** LOG\_ID\_EVENT\_ELBC\_MASTER\_BLADE\_LOST

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
slot	Slot Number	uint8	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43804 - LOG\_ID\_EVENT\_ELBC\_MASTER\_BLADE\_CHANGE

**Message ID:** 43804

**Message Description:** LOG\_ID\_EVENT\_ELBC\_MASTER\_BLADE\_CHANGE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
newchassisid	New Chassis ID	uint8	
newslot	New Slot Number	uint8	
oldchassisid	Original Chassis Number	uint8	
oldslot	Original Slot Number	uint8	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43805 - LOG\_ID\_EVENT\_ELBC\_ACTIVE\_CHANNEL\_FOUND

**Message ID:** 43805

**Message Description:** LOG\_ID\_EVENT\_ELBC\_ACTIVE\_CHANNEL\_FOUND

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
newchannel	New Channel Number	uint8	
slot	Slot Number	uint8	
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43806 - LOG\_ID\_EVENT\_ELBC\_ACTIVE\_CHANNEL\_LOST

**Message ID:** 43806

**Message Description:** LOG\_ID\_EVENT\_ELBC\_ACTIVE\_CHANNEL\_LOST

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
oldchannel	Original Channel Number	uint8	
slot	Slot Number	uint8	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43807 - LOG\_ID\_EVENT\_ELBC\_ACTIVE\_CHANNEL\_CHANGE

**Message ID:** 43807

**Message Description:** LOG\_ID\_EVENT\_ELBC\_ACTIVE\_CHANNEL\_CHANGE

**Type:** Event

**Category:** SYSTEM

**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
newchannel	New Channel Number	uint8	
oldchannel	Original Channel Number	uint8	
slot	Slot Number	uint8	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43808 - LOG\_ID\_EVENT\_ELBC\_CHASSIS\_ACTIVE

**Message ID:** 43808

**Message Description:** LOG\_ID\_EVENT\_ELBC\_CHASSIS\_ACTIVE

**Type:** Event

**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 43809 - LOG\_ID\_EVENT\_ELBC\_CHASSIS\_INACTIVE

**Message ID:** 43809**Message Description:** LOG\_ID\_EVENT\_ELBC\_CHASSIS\_INACTIVE**Type:** Event**Category:** SYSTEM**Severity:** Critical

Log Field Name	Description	Data Type	Length
action	Action	string	32
chassisid	Chassis ID	uint8	
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
informationsource	Information Source	string	
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 44544 - LOGID\_EVENT\_CONFIG\_PATH

**Message ID:** 44544

**Message Description:** LOGID\_EVENT\_CONFIG\_PATH

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cfgpath	configuration path	string	128
cfgtid	config transaction id	uint32	10
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 44545 - LOGID\_EVENT\_CONFIG\_OBJ

**Message ID:** 44545

**Message Description:** LOGID\_EVENT\_CONFIG\_OBJ

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cfgobj	configuration object	string	256
cfgpath	configuration path	string	128
cfgtid	config transaction id	uint32	10
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 44546 - LOGID\_EVENT\_CONFIG\_ATTR

**Message ID:** 44546

**Message Description:** LOGID\_EVENT\_CONFIG\_ATTR

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cfgattr	configuration attribute	string	
cfgpath	configuration path	string	128
cfgtid	config transaction id	uint32	10
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 44547 - LOGID\_EVENT\_CONFIG\_OBJATTR

**Message ID:** 44547

**Message Description:** LOGID\_EVENT\_CONFIG\_OBJATTR

**Type:** Event

**Category:** SYSTEM

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32
cfgattr	configuration attribute	string	
cfgobj	configuration object	string	256
cfgpath	configuration path	string	128
cfgtid	config transaction id	uint32	10
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45000 - LOG\_ID\_VSD\_SSL\_RCV\_HS

**Message ID:** 45000

**Message Description:** LOG\_ID\_VSD\_SSL\_RCV\_HS

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45001 - LOG\_ID\_VSD\_SSL\_RCV\_WRG\_HS

**Message ID:** 45001

**Message Description:** LOG\_ID\_VSD\_SSL\_RCV\_WRG\_HS

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
expectedhandshake	Expected Handshake	string	
identidx	use 'id' ?	uint32	10
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
receivedhandshake	Received Handshake	string	
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45002 - LOG\_ID\_VSD\_SSL\_SENT\_HS

**Message ID:** 45002

**Message Description:** LOG\_ID\_VSD\_SSL\_SENT\_HS

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39

Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45003 - LOG\_ID\_VSD\_SSL\_WRG\_HS\_LEN

**Message ID:** 45003

**Message Description:** LOG\_ID\_VSD\_SSL\_WRG\_HS\_LEN

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
identidx	use 'id' ?	uint32	10
len	SSL Handshake Message Length	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45004 - LOG\_ID\_VSD\_SSL\_RCV\_CCS

**Message ID:** 45004

**Message Description:** LOG\_ID\_VSD\_SSL\_RCV\_CCS

**Type:** Event

**Category:** SYSTEM



**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45005 - LOG\_ID\_VSD\_SSL\_RSA\_DH\_FAIL

**Message ID:** 45005**Message Description:** LOG\_ID\_VSD\_SSL\_RSA\_DH\_FAIL**Type:** Event**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45006 - LOG\_ID\_VSD\_SSL\_SENT\_CCS

**Message ID:** 45006

**Message Description:** LOG\_ID\_VSD\_SSL\_SENT\_CCS

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45007 - LOG\_ID\_VSD\_SSL\_BAD\_HASH

**Message ID:** 45007

**Message Description:** LOG\_ID\_VSD\_SSL\_BAD\_HASH

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
local	Local IP for a PPPD Connection	ip	39
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
remote	Remote IP Address	ip	39
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45009 - LOG\_ID\_VSD\_SSL\_DECRY\_FAIL

**Message ID:** 45009

**Message Description:** LOG\_ID\_VSD\_SSL\_DECRY\_FAIL

**Type:** Event

**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

**45010 - LOG\_ID\_VSD\_SSL\_SESSION\_CLOSED****Message ID:** 45010**Message Description:** LOG\_ID\_VSD\_SSL\_SESSION\_CLOSED

**Type:** Event**Category:** SYSTEM**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45011 - LOG\_ID\_VSD\_SSL\_LESS\_MINOR

**Message ID:** 45011**Message Description:** LOG\_ID\_VSD\_SSL\_LESS\_MINOR**Type:** Event

**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
minminor		uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
recvminor		uint8	
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

**45012 - LOG\_ID\_VSD\_SSL\_REACH\_MAX\_CON****Message ID:** 45012

**Message Description:** LOG\_ID\_VSD\_SSL\_REACH\_MAX\_CON**Type:** Event**Category:** SYSTEM**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45013 - LOG\_ID\_VSD\_SSL\_NOT\_SUPPORT\_CS

**Message ID:** 45013**Message Description:** LOG\_ID\_VSD\_SSL\_NOT\_SUPPORT\_CS



**Type:** Event**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45016 - LOG\_ID\_VSD\_SSL\_HS\_FIN

**Message ID:** 45016**Message Description:** LOG\_ID\_VSD\_SSL\_HS\_FIN**Type:** Event

**Category:** SYSTEM**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45017 - LOG\_ID\_VSD\_SSL\_HS\_TOO\_LONG

**Message ID:** 45017**Message Description:** LOG\_ID\_VSD\_SSL\_HS\_TOO\_LONG**Type:** Event**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
identidx	use 'id' ?	uint32	10
len	SSL Handshake Message Length	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
max	Max Value	uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

**45018 - LOG\_ID\_VSD\_SSL\_MORE\_MINOR****Message ID:** 45018

**Message Description:** LOG\_ID\_VSD\_SSL\_MORE\_MINOR**Type:** Event**Category:** SYSTEM**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
maxminor		uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
recvminor		uint8	
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45019 - LOG\_ID\_VSD\_SSL\_SENT\_ALERT\_ERR

**Message ID:** 45019

**Message Description:** LOG\_ID\_VSD\_SSL\_SENT\_ALERT\_ERR

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
desc	Description	string	128
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45020 - LOG\_ID\_VSD\_SSL\_SESSION\_EXPIRE

**Message ID:** 45020

**Message Description:** LOG\_ID\_VSD\_SSL\_SESSION\_EXPIRE

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
addr	IP Address	string	80
created	Sessions Created	string	64
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
session_id	Session ID	uint32	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45021 - LOG\_ID\_VSD\_SSL\_SENT\_ALERT

**Message ID:** 45021

**Message Description:** LOG\_ID\_VSD\_SSL\_SENT\_ALERT

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
desc	Description	string	128
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45022 - LOG\_ID\_VSD\_SSL\_RCV\_CH

**Message ID:** 45022

**Message Description:** LOG\_ID\_VSD\_SSL\_RCV\_CH

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
major	Major Version	uint8	
minor	SSL Minor Version	uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10



Log Field Name	Description	Data Type	Length
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
ssl2		uint8	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45023 - LOG\_ID\_VSD\_SSL\_RCV\_SH

**Message ID:** 45023

**Message Description:** LOG\_ID\_VSD\_SSL\_RCV\_SH

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
cipher	Encryption Type	uint16	
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
identidx	use 'id' ?	uint32	10

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
major	Major Version	uint8	
minor	SSL Minor Version	uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45024 - LOG\_ID\_VSD\_SSL\_SENT\_SH

**Message ID:** 45024

**Message Description:** LOG\_ID\_VSD\_SSL\_SENT\_SH

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
cipher	Encryption Type	uint16	
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
major	Major Version	uint8	
minor	SSL Minor Version	uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45025 - LOG\_ID\_VSD\_SSL\_RCV\_ALERT

**Message ID:** 45025

**Message Description:** LOG\_ID\_VSD\_SSL\_RCV\_ALERT**Type:** Event**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
desc	Description	string	128
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45027 - LOG\_ID\_VSD\_SSL\_INVALID\_CONT\_TYPE

**Message ID:** 45027

**Message Description:** LOG\_ID\_VSD\_SSL\_INVALID\_CONT\_TYPE

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

**45029 - LOG\_ID\_VSD\_SSL\_BAD\_CCS\_LEN****Message ID:** 45029**Message Description:** LOG\_ID\_VSD\_SSL\_BAD\_CCS\_LEN**Type:** Event**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

**45031 - LOG\_ID\_VSD\_SSL\_BAD\_DH****Message ID:** 45031**Message Description:** LOG\_ID\_VSD\_SSL\_BAD\_DH**Type:** Event**Category:** SYSTEM**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
max	Max Value	uint8	
min	Minimum Value	uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
received	Received Packet	uint8	
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45032 - LOG\_ID\_VSD\_SSL\_PUB\_KEY\_TOO\_BIG

**Message ID:** 45032

**Message Description:** LOG\_ID\_VSD\_SSL\_PUB\_KEY\_TOO\_BIG

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
len	SSL Handshake Message Length	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
max	Max Value	uint8	
msg	Message Text	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10



Log Field Name	Description	Data Type	Length
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45033 - LOG\_ID\_VSD\_SSL\_NOT\_SUPPORT\_CM

**Message ID:** 45033

**Message Description:** LOG\_ID\_VSD\_SSL\_NOT\_SUPPORT\_CM

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

#### 45034 - LOG\_ID\_VSD\_SSL\_SERVER\_KEY\_HASH\_ALGORITHM\_MISMATCH

**Message ID:** 45034

**Message Description:** LOG\_ID\_VSD\_SSL\_SERVER\_KEY\_HASH\_ALGORITHM\_MISMATCH

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
received	Received Packet	uint8	
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45035 - LOG\_ID\_VSD\_SSL\_SERVER\_KEY\_SIGNATURE\_ALGORITHM\_MISMATCH

**Message ID:** 45035

**Message Description:** LOG\_ID\_VSD\_SSL\_SERVER\_KEY\_SIGNATURE\_ALGORITHM\_MISMATCH

**Type:** Event

**Category:** SYSTEM

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
expectedsignature	Expected Signature	uint8	
identidx	use 'id' ?	uint32	10
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
policyid	Policy ID	uint32	10
receivedsignature	Received Signature	uint8	
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 45056 - LOG\_ID\_FCC\_EXCEED

**Message ID:** 45056

**Message Description:** LOG\_ID\_FCC\_EXCEED

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	EndPoint Action	string	32

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
license_limit	Maximum Number of FortiClients for the License	string	32
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
repeat	Number of Times Repeated for the Action	uint16	5
status	Status	string	23
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 45057 - LOG\_ID\_FCC\_ADD

**Message ID:** 45057

**Message Description:** LOG\_ID\_FCC\_ADD

**Type:** Event

**Category:** ENDPOINT

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	EndPoint Action	string	32
connection_type	FortiClient Connection Type	string	6
count	Count of EndPoint Connections	uint32	10

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
ip	Source IP	ip	39
level	Log Level	string	11
license_limit	Maximum Number of FortiClients for the License	string	32
license_used	use 'used'?	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
name	Display Name of the Connection	string	128
status	Status	string	23
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
used_for_type	Connection for the type	uint16	5
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45058 - LOG\_ID\_FCC\_CLOSE

**Message ID:** 45058

**Message Description:** LOG\_ID\_FCC\_CLOSE

**Type:** Event

**Category:** ENDPOINT

**Severity:** Information

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 45059 - LOG\_ID\_FCC\_UPGRADE\_SUCC

**Message ID:** 45059

**Message Description:** LOG\_ID\_FCC\_UPGRADE\_SUCC

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	EndPoint Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
license_limit	Maximum Number of FortiClients for the License	string	32
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
status	Status	string	23
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45060 - LOG\_ID\_FCC\_UPGRADE\_FAIL

**Message ID:** 45060

**Message Description:** LOG\_ID\_FCC\_UPGRADE\_FAIL

**Type:** Event

**Category:** ENDPOINT

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	EndPoint Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
reason	Reason	string	256
status	Status	string	23
subtype	Log subtype	string	20



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
ui	User Interface	string	64
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45061 - LOG\_ID\_FCC\_CLOSE\_BY\_TYPE

**Message ID:** 45061

**Message Description:** LOG\_ID\_FCC\_CLOSE\_BY\_TYPE

**Type:** Event

**Category:** ENDPOINT

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	EndPoint Action	string	32
connection_type	FortiClient Connection Type	string	6
count	Count of EndPoint Connections	uint32	10
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
ip	Source IP	ip	39
level	Log Level	string	11
license_limit	Maximum Number of FortiClients for the License	string	32
license_used	use 'used'?	uint16	5
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
name	Display Name of the Connection	string	128
status	Status	string	23
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
used_for_type	Connection for the type	uint16	5
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45100 - LOG\_ID\_EC\_REG\_FAIL\_LIMIT

**Message ID:** 45100

**Message Description:** LOG\_ID\_EC\_REG\_FAIL\_LIMIT

**Type:** Event

**Category:** ENDPOINT

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45101 - LOG\_ID\_EC\_REG\_SUCCEED

**Message ID:** 45101

**Message Description:** LOG\_ID\_EC\_REG\_SUCCEED

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	

Log Field Name	Description	Data Type	Length
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45102 - LOG\_ID\_EC\_REG\_RENEWED

**Message ID:** 45102

**Message Description:** LOG\_ID\_EC\_REG\_RENEWED

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45103 - LOG\_ID\_EC\_REG\_BLOCK

**Message ID:** 45103

**Message Description:** LOG\_ID\_EC\_REG\_BLOCK

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 45104 - LOG\_ID\_EC\_REG\_UNBLOCK

**Message ID:** 45104

**Message Description:** LOG\_ID\_EC\_REG\_UNBLOCK

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 45105 - LOG\_ID\_EC\_REG\_DEREG

**Message ID:** 45105**Message Description:** LOG\_ID\_EC\_REG\_DEREG**Type:** Event**Category:** ENDPOINT**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 45106 - LOG\_ID\_EC\_REG\_LIC\_UPGRADED

**Message ID:** 45106

**Message Description:** LOG\_ID\_EC\_REG\_LIC\_UPGRADED

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 45107 - LOG\_ID\_EC\_CONF\_DISTRIBUTED

**Message ID:** 45107

**Message Description:** LOG\_ID\_EC\_CONF\_DISTRIBUTED

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45108 - LOG\_ID\_EC\_FTCL\_UNREG

**Message ID:** 45108

**Message Description:** LOG\_ID\_EC\_FTCL\_UNREG

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice



Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45109 - LOG\_ID\_EC\_FTCL\_LOGOFF

**Message ID:** 45109

**Message Description:** LOG\_ID\_EC\_FTCL\_LOGOFF

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45110 - LOG\_ID\_EC\_FTCL\_ENABLE\_NOTSYNC

**Message ID:** 45110

**Message Description:** LOG\_ID\_EC\_FTCL\_ENABLE\_NOTSYNC

**Type:** Event

**Category:** ENDPOINT

**Severity:** Notice

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128

Log Field Name	Description	Data Type	Length
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45111 - LOG\_ID\_EC\_REG\_SYNC\_FAIL

**Message ID:** 45111

**Message Description:** LOG\_ID\_EC\_REG\_SYNC\_FAIL

**Type:** Event

**Category:** ENDPOINT

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
ip	Source IP	ip	39
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45112 - LOG\_ID\_EC\_REG\_FAIL\_KEY

**Message ID:** 45112

**Message Description:** LOG\_ID\_EC\_REG\_FAIL\_KEY

**Type:** Event

**Category:** ENDPOINT

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
msg	Message	string	
subtype	Log subtype	string	20
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 45113 - LOG\_ID\_EC\_REG\_FAIL\_BLOCKED

**Message ID:** 45113

**Message Description:** LOG\_ID\_EC\_REG\_FAIL\_BLOCKED

**Type:** Event

**Category:** ENDPOINT

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
forticlient_id	Unique FortiClient ID	string	33
hostname	Endpoint Hostname	string	128
interface	Interface	string	32
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
subtype	Log subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
user	User Name	string	256
vd	Virtual Domain Name	string	32

## 46000 - LOG\_ID\_VIP\_REAL\_SVR\_ENA

**Message ID:** 46000

**Message Description:** LOG\_ID\_VIP\_REAL\_SVR\_ENA

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16

Log Field Name	Description	Data Type	Length
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 46001 - LOG\_ID\_VIP\_REAL\_SVR\_DISA

**Message ID:** 46001

**Message Description:** LOG\_ID\_VIP\_REAL\_SVR\_DISA

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 46002 - LOG\_ID\_VIP\_REAL\_SVR\_UP

**Message ID:** 46002

**Message Description:** LOG\_ID\_VIP\_REAL\_SVR\_UP

**Type:** Event

**Category:** SYSTEM

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 46003 - LOG\_ID\_VIP\_REAL\_SVR\_DOWN

**Message ID:** 46003

**Message Description:** LOG\_ID\_VIP\_REAL\_SVR\_DOWN

**Type:** Event

**Category:** SYSTEM



**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

**46004 - LOG\_ID\_VIP\_REAL\_SVR\_ENT\_HOLDDOWN****Message ID:** 46004**Message Description:** LOG\_ID\_VIP\_REAL\_SVR\_ENT\_HOLDDOWN**Type:** Event**Category:** SYSTEM**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 46005 - LOG\_ID\_VIP\_REAL\_SVR\_FAIL\_HOLDDOWN

**Message ID:** 46005

**Message Description:** LOG\_ID\_VIP\_REAL\_SVR\_FAIL\_HOLDDOWN

**Type:** Event

**Category:** SYSTEM

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 46006 - LOG\_ID\_VIP\_REAL\_SVR\_FAIL

**Message ID:** 46006

**Message Description:** LOG\_ID\_VIP\_REAL\_SVR\_FAIL

**Type:** Event

**Category:** SYSTEM

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
monitor-name	Health Monitor Type	string	32
monitor-type	Health Monitor Name	string	32
msg	Message Text	string	
port	Port Number	uint16	5
server	Server IP Address	string	64
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vip	Virtual IP	string	64

## 46400 - LOG\_ID\_EVENT\_EXT\_SYS

**Message ID:** 46400

**Message Description:** LOG\_ID\_EVENT\_EXT\_SYS

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 46401 - LOG\_ID\_EVENT\_EXT\_LOCAL

**Message ID:** 46401

**Message Description:** LOG\_ID\_EVENT\_EXT\_LOCAL

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 46402 - LOG\_ID\_EVENT\_EXT\_REMOTE

**Message ID:** 46402

**Message Description:** LOG\_ID\_EVENT\_EXT\_REMOTE

**Type:** Event

**Category:** SYSTEM

**Severity:** Unknown

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
ip	Source IP	ip	39
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
sn	Serial Number	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 47201 - LOG\_ID\_AMC\_ENTER\_BYPASS

**Message ID:** 47201

**Message Description:** LOG\_ID\_AMC\_ENTER\_BYPASS

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 47202 - LOG\_ID\_AMC\_EXIT\_BYPASS

**Message ID:** 47202

**Message Description:** LOG\_ID\_AMC\_EXIT\_BYPASS

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 47203 - LOG\_ID\_ENTER\_BYPASS

**Message ID:** 47203

**Message Description:** LOG\_ID\_ENTER\_BYPASS

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 47204 - LOG\_ID\_EXIT\_BYPASS

**Message ID:** 47204

**Message Description:** LOG\_ID\_EXIT\_BYPASS

**Type:** Event

**Category:** SYSTEM

**Severity:** Emergency



Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message Text	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48000 - LOG\_ID\_WAD\_SSL\_RCV\_HS

**Message ID:** 48000

**Message Description:** LOG\_ID\_WAD\_SSL\_RCV\_HS

**Type:** Event

**Category:** WAD

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48001 - LOG\_ID\_WAD\_SSL\_RCV\_WRG\_HS

**Message ID:** 48001

**Message Description:** LOG\_ID\_WAD\_SSL\_RCV\_WRG\_HS

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48002 - LOG\_ID\_WAD\_SSL\_SENT\_HS

**Message ID:** 48002

**Message Description:** LOG\_ID\_WAD\_SSL\_SENT\_HS

**Type:** Event

**Category:** WAD

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48003 - LOG\_ID\_WAD\_SSL\_WRG\_HS\_LEN

**Message ID:** 48003

**Message Description:** LOG\_ID\_WAD\_SSL\_WRG\_HS\_LEN

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48004 - LOG\_ID\_WAD\_SSL\_RCV\_CCS

**Message ID:** 48004

**Message Description:** LOG\_ID\_WAD\_SSL\_RCV\_CCS

**Type:** Event

**Category:** WAD

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48005 - LOG\_ID\_WAD\_SSL\_RSA\_DH\_FAIL

**Message ID:** 48005

**Message Description:** LOG\_ID\_WAD\_SSL\_RSA\_DH\_FAIL

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48006 - LOG\_ID\_WAD\_SSL\_SENT\_CCS

**Message ID:** 48006

**Message Description:** LOG\_ID\_WAD\_SSL\_SENT\_CCS

**Type:** Event

**Category:** WAD

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48007 - LOG\_ID\_WAD\_SSL\_BAD\_HASH

**Message ID:** 48007

**Message Description:** LOG\_ID\_WAD\_SSL\_BAD\_HASH

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11



Log Field Name	Description	Data Type	Length
local	Local IP	ip	39
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
remote	Remote IP Address	ip	39
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48009 - LOG\_ID\_WAD\_SSL\_DECRY\_FAIL

**Message ID:** 48009

**Message Description:** LOG\_ID\_WAD\_SSL\_DECRY\_FAIL

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39

Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
reason	Reason	string	256
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48011 - LOG\_ID\_WAD\_SSL\_LESS\_MINOR

**Message ID:** 48011

**Message Description:** LOG\_ID\_WAD\_SSL\_LESS\_MINOR

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48013 - LOG\_ID\_WAD\_SSL\_NOT\_SUPPORT\_CS

**Message ID:** 48013

**Message Description:** LOG\_ID\_WAD\_SSL\_NOT\_SUPPORT\_CS

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48016 - LOG\_ID\_WAD\_SSL\_HS\_FIN

**Message ID:** 48016

**Message Description:** LOG\_ID\_WAD\_SSL\_HS\_FIN

**Type:** Event

**Category:** WAD

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48017 - LOG\_ID\_WAD\_SSL\_HS\_TOO\_LONG

**Message ID:** 48017

**Message Description:** LOG\_ID\_WAD\_SSL\_HS\_TOO\_LONG

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
handshake	Handshake	string	32
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48019 - LOG\_ID\_WAD\_SSL\_SENT\_ALERT

**Message ID:** 48019

**Message Description:** LOG\_ID\_WAD\_SSL\_SENT\_ALERT

**Type:** Event

**Category:** WAD

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32
alert	Alert	string	256

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48023 - LOG\_ID\_WAD\_SSL\_RCV\_ALERT

**Message ID:** 48023

**Message Description:** LOG\_ID\_WAD\_SSL\_RCV\_ALERT

**Type:** Event

**Category:** WAD

**Severity:** Debug

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
alert	Alert	string	256
date	Date	string	10
desc	Description	string	128
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48027 - LOG\_ID\_WAD\_SSL\_INVALID\_CONT\_TYPE

**Message ID:** 48027

**Message Description:** LOG\_ID\_WAD\_SSL\_INVALID\_CONT\_TYPE

**Type:** Event

**Category:** WAD

**Severity:** Error



Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48029 - LOG\_ID\_WAD\_SSL\_BAD\_CCS\_LEN

**Message ID:** 48029

**Message Description:** LOG\_ID\_WAD\_SSL\_BAD\_CCS\_LEN

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48031 - LOG\_ID\_WAD\_SSL\_BAD\_DH

**Message ID:** 48031

**Message Description:** LOG\_ID\_WAD\_SSL\_BAD\_DH

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48032 - LOG\_ID\_WAD\_SSL\_PUB\_KEY\_TOO\_BIG

**Message ID:** 48032

**Message Description:** LOG\_ID\_WAD\_SSL\_PUB\_KEY\_TOO\_BIG

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48038 - LOG\_ID\_WAD\_SSL\_RCV\_FATAL\_ALERT

**Message ID:** 48038

**Message Description:** LOG\_ID\_WAD\_SSL\_RCV\_FATAL\_ALERT

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
alert	Alert	string	256
date	Date	string	10
desc	Description	string	128
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48039 - LOG\_ID\_WAD\_SSL\_SENT\_FATAL\_ALERT

**Message ID:** 48039

**Message Description:** LOG\_ID\_WAD\_SSL\_SENT\_FATAL\_ALERT

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Action	string	32
alert	Alert	string	256
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48100 - LOG\_ID\_WAD\_AUTH\_FAIL\_CERT

**Message ID:** 48100

**Message Description:** LOG\_ID\_WAD\_AUTH\_FAIL\_CERT

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48101 - LOG\_ID\_WAD\_AUTH\_FAIL\_PSK

**Message ID:** 48101

**Message Description:** LOG\_ID\_WAD\_AUTH\_FAIL\_PSK

**Type:** Event

**Category:** WAD

**Severity:** Error

Log Field Name	Description	Data Type	Length
authgrp	Authorization Group	string	36

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
host	Host	string	256
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48102 - LOG\_ID\_WAD\_AUTH\_FAIL\_OTH

**Message ID:** 48102

**Message Description:** LOG\_ID\_WAD\_AUTH\_FAIL\_OTH

**Type:** Event

**Category:** WAD

**Severity:** Error



Log Field Name	Description	Data Type	Length
authgrp	Authorization Group	string	36
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
peer		string	36
policyid	Policy ID	uint32	10
serial	Serial Number	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48300 - LOG\_ID\_WRG\_SVR\_FGT\_CONF

**Message ID:** 48300

**Message Description:** LOG\_ID\_WRG\_SVR\_FGT\_CONF

**Type:** Event

**Category:** WAD

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 48301 - LOG\_ID\_UNEXP\_APP\_TYPE

**Message ID:** 48301

**Message Description:** LOG\_ID\_UNEXP\_APP\_TYPE

**Type:** Event

**Category:** WAD

**Severity:** Critical

Log Field Name	Description	Data Type	Length
app-type	Application Type	string	64

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
msg	Message	string	
policyid	Policy ID	uint32	10
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 51000 - 51000

**Message ID:** 51000

**Message Description:** 51000

**Type:** Event

**Category:** ROUTER

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	32

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device ID	string	16
level	Log Level	string	11
logdesc	Log Description	string	
logid	Log ID	string	10
mac	Mac Address	string	17
msg	Message	string	
service	Service Name	string	64
srcip		ip	39
src_int	Source Interface	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## IPS

### 16384 - LOGID\_ATTCK\_SIGNATURE\_TCP\_UDP

**Message ID:** 16384

**Message Description:** LOGID\_ATTCK\_SIGNATURE\_TCP\_UDP

**Type:** IPS

**Category:** GENERAL

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Security action performed by IPS	string	16

Log Field Name	Description	Data Type	Length
attack	Attack Name	string	256
attackcontext	the trigger patterns and the packetdata with base64 encoding	string	2040
attackcontextid	attack context id / total	string	10
attackid	Attack ID	uint32	10
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	IPS Event Type	string	32
group	User group name	string	64
incidentserialno	Incident serial number	uint32	10
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message for the attack	string	518
policyid	Policy ID	uint32	64
profile	Profile Name	string	64
proto	Protocol number	uint8	3
ref	URL of the FortiGuard IPS database entry for the attack.	string	
service	Service name	string	36
sessionid	Session ID	uint32	10
severity	Severity of the attack	string	8
srcintf	Source Interface	string	64

Log Field Name	Description	Data Type	Length
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 16385 - LOGID\_ATTCK\_SIGNATURE\_ICMP

**Message ID:** 16385

**Message Description:** LOGID\_ATTCK\_SIGNATURE\_ICMP

**Type:** IPS

**Category:** GENERAL

**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Security action performed by IPS	string	16
attack	Attack Name	string	256
attackcontext	the trigger patterns and the packetdata with base64 encoding	string	2040
attackcontextid	attack context id / total	string	10
attackid	Attack ID	uint32	10
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39

Log Field Name	Description	Data Type	Length
eventtype	IPS Event Type	string	32
group	User group name	string	64
icmpcode	Destination Port of the ICMP message	string	6
icmpid	Source port of the ICMP message	string	8
icmptype	The type of ICMP message	string	6
incidentserialno	Incident serial number	uint32	10
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message for the attack	string	518
policyid	Policy ID	uint32	64
profile	Profile Name	string	64
proto	Protocol number	uint8	3
ref	URL of the FortiGuard IPS database entry for the attack.	string	
service	Service name	string	36
sessionid	Session ID	uint32	10
severity	Severity of the attack	string	8
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 16386 - LOGID\_ATTCK\_SIGNATURE\_OTHERS

**Message ID:** 16386

**Message Description:** LOGID\_ATTCK\_SIGNATURE\_OTHERS**Type:** IPS**Category:** GENERAL**Severity:** Alert

Log Field Name	Description	Data Type	Length
action	Security action performed by IPS	string	16
attack	Attack Name	string	256
attackcontext	the trigger patterns and the packetdata with base64 encoding	string	2040
attackcontextid	attack context id / total	string	10
attackid	Attack ID	uint32	10
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	64
dstip	Destination IP	ip	39
eventtype	IPS Event Type	string	32
group	User group name	string	64
incidentserialno	Incident serial number	uint32	10
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message for the attack	string	518
policyid	Policy ID	uint32	64
profile	Profile Name	string	64
proto	Protocol number	uint8	3
ref	URL of the FortiGuard IPS database entry for the attack.	string	



Log Field Name	Description	Data Type	Length
service	Service name	string	36
sessionid	Session ID	uint32	10
severity	Severity of the attack	string	8
srcintf	Source Interface	string	64
srcip	Source IP	ip	39
subtype	Log Subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## Netscan

### 4096 - LOG\_ID\_NETSCAN\_VULN\_SCAN

**Message ID:** 4096

**Message Description:** LOG\_ID\_NETSCAN\_VULN\_SCAN

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
engine	Engine	string	32
eventtype	Event Type	string	32
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
plugin	Plugin	string	32
status	Status	string	8
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 4097 - LOG\_ID\_NETSCAN\_DISCOVERY\_SCAN

**Message ID:** 4097

**Message Description:** LOG\_ID\_NETSCAN\_DISCOVERY\_SCAN

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
engine	Engine	string	32
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
plugin	Plugin	string	32
status	Status	string	8
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 4098 - LOG\_ID\_NETSCAN\_VULN\_DETECT

**Message ID:** 4098

**Message Description:** LOG\_ID\_NETSCAN\_VULN\_DETECT

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
proto	Protocol	string	3
severity	Severity	string	8
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vuln	Vulnerability	string	128
vulncat	Vulnerability Category	string	32

Log Field Name	Description	Data Type	Length
vulnid	Vulnerability ID	uint32	10
vulnref	Vulnerability Reference	string	
vulnscore	Vulnerability Score	string	128

## 4099 - LOG\_ID\_NETSCAN\_OS\_DETECT

**Message ID:** 4099

**Message Description:** LOG\_ID\_NETSCAN\_OS\_DETECT

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
dstip	Destination IP	ip	39
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
os	Operating System	string	
osfamily	OS Family	string	64
osgen	OS Generation	string	64
osvendor	OS Vendor	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 4100 - LOG\_ID\_NETSCAN\_SERVICE\_DETECT

**Message ID:** 4100

**Message Description:** LOG\_ID\_NETSCAN\_SERVICE\_DETECT

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
proto	Protocol	string	3
service	Service	string	64
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 4101 - LOG\_ID\_NETSCAN\_VULN\_MESSAGE

**Message ID:** 4101

**Message Description:** LOG\_ID\_NETSCAN\_VULN\_MESSAGE

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 4102 - LOG\_ID\_NETSCAN\_DISCOVERY\_MESSAGE

**Message ID:** 4102

**Message Description:** LOG\_ID\_NETSCAN\_DISCOVERY\_MESSAGE

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
msg	Message	string	
subtype	Log Subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 4103 - LOG\_ID\_NETSCAN\_VULN\_COUNT

**Message ID:** 4103

**Message Description:** LOG\_ID\_NETSCAN\_VULN\_COUNT

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
dstip	Destination IP	ip	39
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
vulncnt	Vulnerability Count	uint32	10

## 4104 - LOG\_ID\_NETSCAN\_HOST\_DETECT

**Message ID:** 4104

**Message Description:** LOG\_ID\_NETSCAN\_HOST\_DETECT

**Type:** Netscan

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
assetid	Asset ID	uint32	10
assetname	Asset Name	string	64
date	Date	string	10
dstip	Destination IP	ip	39
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
method	Method	string	4
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## 4105 - LOG\_ID\_NETSCAN\_PORT\_DETECT

**Message ID:** 4105**Message Description:** LOG\_ID\_NETSCAN\_PORT\_DETECT**Type:** Netscan**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	17
date	Date	string	10
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5



Log Field Name	Description	Data Type	Length
eventtype	Event Type	string	32
level	Log Level	string	11
logid	Log ID	string	10
proto	Protocol	string	3
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32

## Traffic

### 2 - LOG\_ID\_TRAFFIC\_ALLOW

**Message ID:** 2

**Message Description:** LOG\_ID\_TRAFFIC\_ALLOW

**Type:** Traffic

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10

Log Field Name	Description	Data Type	Length
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20

Log Field Name	Description	Data Type	Length
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16

Log Field Name	Description	Data Type	Length
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

### 3 - LOG\_ID\_TRAFFIC\_DENY

**Message ID:** 3

**Message Description:** LOG\_ID\_TRAFFIC\_DENY

**Type:** Traffic

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10

Log Field Name	Description	Data Type	Length
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10

Log Field Name	Description	Data Type	Length
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32

Log Field Name	Description	Data Type	Length
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

#### 4 - LOG\_ID\_TRAFFIC\_OTHER\_START

**Message ID:** 4

**Message Description:** LOG\_ID\_TRAFFIC\_OTHER\_START

**Type:** Traffic

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39

Log Field Name	Description	Data Type	Length
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36



Log Field Name	Description	Data Type	Length
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 5 - LOG\_ID\_TRAFFIC\_OTHER\_ICMP\_ALLOW

**Message ID:** 5

**Message Description:** LOG\_ID\_TRAFFIC\_OTHER\_ICMP\_ALLOW

**Type:** Traffic**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
rcvdpkt	Received Packets	uint32	10
sentbyte	Sent Bytes	uint64	20
sentpkt	Sent Packets	uint32	10
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcssid	Source SSID	string	33

Log Field Name	Description	Data Type	Length
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 6 - LOG\_ID\_TRAFFIC\_OTHER\_ICMP\_DENY

**Message ID:** 6

**Message Description:** LOG\_ID\_TRAFFIC\_OTHER\_ICMP\_DENY

**Type:** Traffic

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64

Log Field Name	Description	Data Type	Length
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16

Log Field Name	Description	Data Type	Length
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 7 - LOG\_ID\_TRAFFIC\_OTHER\_INVALID

**Message ID:** 7

**Message Description:** LOG\_ID\_TRAFFIC\_OTHER\_INVALID

**Type:** Traffic

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64

Log Field Name	Description	Data Type	Length
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10



Log Field Name	Description	Data Type	Length
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 8 - LOG\_ID\_TRAFFIC\_WANOPT

**Message ID:** 8

**Message Description:** LOG\_ID\_TRAFFIC\_WANOPT**Type:** Traffic**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
craction	Action performed by Client Reputation	uint32	10
crscore	Client Reputation score	uint32	10
dstcountry	Country name for the destination IP	string	64
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
lanin	LAN incoming traffic in bytes	uint64	20
lanout	LAN outgoing traffic in bytes	uint64	20
msg	Log message	string	64
osname	Name of the device's OS	string	66

Log Field Name	Description	Data Type	Length
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
srccountry	Country name for Source IP	string	64
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
utmaction	Security action performed by UTM	string	32
wanin	WAN incoming traffic in bytes	uint32	10
wanoptapptype	WAN Optimization Application type	string	9
wanout	WAN outgoing traffic in bytes	uint32	10

## 9 - LOG\_ID\_TRAFFIC\_WEBCACHE

**Message ID:** 9

**Message Description:** LOG\_ID\_TRAFFIC\_WEBCACHE

**Type:** Traffic**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
craction	Action performed by Client Reputation	uint32	10
crscore	Client Reputation score	uint32	10
date	Date	string	10
devid	Device serial number	string	16
dstcountry	Country name for the destination IP	string	64
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
lanin	LAN incoming traffic in bytes	uint64	20
lanout	LAN outgoing traffic in bytes	uint64	20
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
srccountry	Country name for Source IP	string	64
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256

Log Field Name	Description	Data Type	Length
utmaction	Security action performed by UTM	string	32
vd	Virtual domain name	string	32
wanin	WAN incoming traffic in bytes	uint32	10
wanoptapptype	WAN Optimization Application type	string	9
wanout	WAN outgoing traffic in bytes	uint32	10

## 10 - LOG\_ID\_TRAFFIC\_EXPLICIT\_PROXY

**Message ID:** 10

**Message Description:** LOG\_ID\_TRAFFIC\_EXPLICIT\_PROXY

**Type:** Traffic

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
craction	Action performed by Client Reputation	uint32	10
crscore	Client Reputation score	uint32	10
date	Date	string	10
devid	Device serial number	string	16
dstcountry	Country name for the destination IP	string	64
dstintf	Destination Interface	string	32

Log Field Name	Description	Data Type	Length
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
lanin	LAN incoming traffic in bytes	uint64	20
lanout	LAN outgoing traffic in bytes	uint64	20
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
srccountry	Country name for Source IP	string	64
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39

Log Field Name	Description	Data Type	Length
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
utmaction	Security action performed by UTM	string	32
vd	Virtual domain name	string	32
wanin	WAN incoming traffic in bytes	uint32	10
wanoptapptype	WAN Optimization Application type	string	9
wanout	WAN outgoing traffic in bytes	uint32	10

## 11 - LOG\_ID\_TRAFFIC\_FAIL\_CONN

**Message ID:** 11

**Message Description:** LOG\_ID\_TRAFFIC\_FAIL\_CONN

**Type:** Traffic

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
date	Date	string	10
devid	Device serial number	string	16



Log Field Name	Description	Data Type	Length
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
sessionid	Session ID	uint32	10
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12 - LOG\_ID\_TRAFFIC\_MULTICAST

**Message ID:** 12

**Message Description:** LOG\_ID\_TRAFFIC\_MULTICAST**Type:** Traffic**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
rcvdpkt	Received Packets	uint32	10
sentbyte	Sent Bytes	uint64	20
sentpkt	Sent Packets	uint32	10
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17

Log Field Name	Description	Data Type	Length
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

### 13 - LOG\_ID\_TRAFFIC\_END\_FORWARD

**Message ID:** 13

**Message Description:** LOG\_ID\_TRAFFIC\_END\_FORWARD

**Type:** Traffic

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
countapp	Number of App Ctrl logs associated with the session	uint32	10
countav	Number of AV logs associated with the session	uint32	10
countdlp	Number of the DLP logs associated with the session	uint32	10
countemail	Number of the email logs associated with the session	uint32	10
countips	Number of the IPS logs associated with the session	uint32	10
countweb	Number of the Web Filter logs associated with the session	uint32	10
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33

Log Field Name	Description	Data Type	Length
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
rcvdpkt	Received Packets	uint32	10
sentbyte	Sent Bytes	uint64	20
sentpkt	Sent Packets	uint32	10
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36

Log Field Name	Description	Data Type	Length
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 14 - LOG\_ID\_TRAFFIC\_END\_LOCAL

**Message ID:** 14

**Message Description:** LOG\_ID\_TRAFFIC\_END\_LOCAL

**Type:** Traffic

**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10



Log Field Name	Description	Data Type	Length
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
rcvdpkt	Received Packets	uint32	10
sentbyte	Sent Bytes	uint64	20
sentpkt	Sent Packets	uint32	10
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5

Log Field Name	Description	Data Type	Length
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 15 - LOG\_ID\_TRAFFIC\_START\_FORWARD

**Message ID:** 15

**Message Description:** LOG\_ID\_TRAFFIC\_START\_FORWARD

**Type:** Traffic

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17

Log Field Name	Description	Data Type	Length
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 16 - LOG\_ID\_TRAFFIC\_START\_LOCAL

**Message ID:** 16

**Message Description:** LOG\_ID\_TRAFFIC\_START\_LOCAL

**Type:** Traffic

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96

Log Field Name	Description	Data Type	Length
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10

Log Field Name	Description	Data Type	Length
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
sentbyte	Sent Bytes	uint64	20
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## 17 - LOG\_ID\_TRAFFIC\_SNIFFER

**Message ID:** 17

**Message Description:** LOG\_ID\_TRAFFIC\_SNIFFER

**Type:** Traffic

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	status of the session. Uses following definition: - Deny = blocked by firewall policy. - Start = session start log (special option to enable logging at start of a session). This means firewall allowed. - All Others = allowed by Firewall Policy and the status indicates how it was closed.	string	16
app	Application name	string	96
appact	The security action from app control	string	16
appcat	Application category	string	64
appid	Application ID	uint32	10
applist	Application Control profile (name)	string	64



Log Field Name	Description	Data Type	Length
apprisk	Application Risk Level	string	16
collectedemail	Email address from Email Collection Captive Portal	string	66
countapp	Number of App Ctrl logs associated with the session	uint32	10
countav	Number of AV logs associated with the session	uint32	10
countdlp	Number of the DLP logs associated with the session	uint32	10
countemail	Number of the email logs associated with the session	uint32	10
countips	Number of the IPS logs associated with the session	uint32	10
countweb	Number of the Web Filter logs associated with the session	uint32	10
date	Date	string	10
devid	Device serial number	string	16
devtype	Device type	string	32
dstintf	Destination Interface	string	32
dstip	Destination IP Address	ip	39
dstname	The destination name.	string	66
dstport	Destination Port	uint16	5
dstssid	Destination SSID	string	33
dstuuid	UUID of the Destination IP address	string	37
duration	Duration of the session	uint32	10
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
mastersrcmac	The master MAC address for a host that has multiple network interfaces	string	17
msg	Log message	string	64

Log Field Name	Description	Data Type	Length
osname	Name of the device's OS	string	66
osversion	OS version of the device	string	66
policyid	Firewall Policy ID	uint32	10
poluuid	UUID of the Firewall Policy	string	37
proto	protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
rcvdpkt	Received Packets	uint32	10
sentbyte	Sent Bytes	uint64	20
sentpkt	Sent Packets	uint32	10
service	Name of service	string	36
sessionid	Session ID	uint32	10
shaperdroprcvdbyte	Received bytes dropped by shaper	uint32	10
shaperdropsentbyte	Sent bytes dropped by shaper	uint32	10
shaperperipdropbyte	Dropped bytes per IP by shaper	uint32	10
shaperperipname	Traffic shaper name (per IP)	string	36
shaperrcvdname	Traffic shaper name for received traffic	string	36
shapersentname	Traffic shaper name for sent traffic	string	36
srcintf	Source interface name	string	32
srcip	Source IP address	ip	39
srcmac	MAC address associated with the Source IP	string	17
srcname	Source name	string	66
srcport	Source port number	uint16	5
srcssid	Source SSID	string	33
srcuuid	UUID of the Source IP Address	string	37

Log Field Name	Description	Data Type	Length
subtype	Subtype of the traffic	string	20
time	Time	string	8
trandisp	NAT translation type	string	16
tranip	NAT destination IP	ip	39
tranport	NAT Destination Port	uint16	5
transip	NAT Source IP	ip	39
transport	NAT Source Port	uint16	5
type	Log type	string	16
unauthuser	Unauthenticated user name	string	66
unauthusersource	The method used to detect unauthenticated user name	string	66
user	User name	string	256
vd	Virtual domain name	string	32
vpn	The name of the VPN tunnel	string	32
vpntype	The type of the VPN tunnel	string	14

## VoIP

### 44032 - LOGID\_EVENT\_VOIP\_SIP

**Message ID:** 44032

**Message Description:** LOGID\_EVENT\_VOIP\_SIP

**Type:** VoIP

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	15

Log Field Name	Description	Data Type	Length
call_id	Call ID	string	64
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
dstip	Destination IP	ip	39
dst_int	Destination Interface	string	16
dst_port	Destination Port	uint16	5
duration	Duration	uint32	10
epoch		uint32	10
event_id	Event ID	uint32	10
from	From	string	128
kind		string	10
level	Log Level	string	11
logid	Log ID	string	10
policy_id	Policy ID	uint32	10
profile	Profile Name	string	64
proto	Protocol	uint8	3
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
src_int	Source Interface	string	16
src_port	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
to	To	string	512
type	Log Type	string	16
vd	Virtual Domain Name	string	32
voip_proto	VOIP Protocol	string	4

## 44033 - LOGID\_EVENT\_VOIP\_SIP\_BLOCK

**Message ID:** 44033

**Message Description:** LOGID\_EVENT\_VOIP\_SIP\_BLOCK

**Type:** VoIP

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Action	string	15
call_id	Call ID	string	64
count	Count	uint32	10
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
dstip	Destination IP	ip	39
dst_int	Destination Interface	string	16
dst_port	Destination Port	uint16	5
duration	Duration	uint32	10
epoch		uint32	10
event_id	Event ID	uint32	10
from	From	string	128

Log Field Name	Description	Data Type	Length
kind		string	10
level	Log Level	string	11
logid	Log ID	string	10
message_type	Message Type	string	16
policy_id	Policy ID	uint32	10
profile	Profile Name	string	64
proto	Protocol	uint8	3
reason	Reason	string	128
request_name	Request Name	string	64
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
src_int	Source Interface	string	16
src_port	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
to	To	string	512
type	Log Type	string	16
vd	Virtual Domain Name	string	32
voip_proto	VOIP Protocol	string	4

## 44034 - LOGID\_EVENT\_VOIP\_SIP\_FUZZING

**Message ID:** 44034

**Message Description:** LOGID\_EVENT\_VOIP\_SIP\_FUZZING

**Type:** VoIP

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	15
call_id	Call ID	string	64
column		uint32	10
date	Date	string	10
devid	Device ID	string	16
dir	Direction	string	8
dstip	Destination IP	ip	39
dst_int	Destination Interface	string	16
dst_port	Destination Port	uint16	5
duration	Duration	uint32	10
epoch		uint32	10
event_id	Event ID	uint32	10
kind		string	10
level	Log Level	string	11
line		string	64
logid	Log ID	string	10
malform_data	Malformed Data	uint32	10
malform_desc	Malformed data description	string	47
message_type	Message Type	string	16
policy_id	Policy ID	uint32	10
profile	Profile Name	string	64
proto	Protocol	uint8	3
request_name	Request Name	string	64

Log Field Name	Description	Data Type	Length
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
src_int	Source Interface	string	16
src_port	Source Port	uint16	5
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
voip_proto	VOIP Protocol	string	4

## 44035 - LOGID\_EVENT\_VOIP\_SCCP\_REGISTER

**Message ID:** 44035

**Message Description:** LOGID\_EVENT\_VOIP\_SCCP\_REGISTER

**Type:** VoIP

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	15
date	Date	string	10
devid	Device ID	string	16
epoch		uint32	10
event_id	Event ID	uint32	10
kind		string	10
level	Log Level	string	11
logid	Log ID	string	10



Log Field Name	Description	Data Type	Length
phone	Phone	string	64
policy_id	Policy ID	uint32	10
profile	Profile Name	string	64
proto	Protocol	uint8	3
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
src_int	Source Interface	string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
voip_proto	VOIP Protocol	string	4

## 44036 - LOGID\_EVENT\_VOIP\_SCCP\_UNREGISTER

**Message ID:** 44036

**Message Description:** LOGID\_EVENT\_VOIP\_SCCP\_UNREGISTER

**Type:** VoIP

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	15
date	Date	string	10
devid	Device ID	string	16
epoch		uint32	10

Log Field Name	Description	Data Type	Length
event_id	Event ID	uint32	10
kind		string	10
level	Log Level	string	11
logid	Log ID	string	10
phone	Phone	string	64
policy_id	Policy ID	uint32	10
profile	Profile Name	string	64
proto	Protocol	uint8	3
reason	Reason	string	128
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
src_int	Source Interface	string	16
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
voip_proto	VOIP Protocol	string	4

## 44037 - LOGID\_EVENT\_VOIP\_SCCP\_CALL\_BLOCK

**Message ID:** 44037

**Message Description:** LOGID\_EVENT\_VOIP\_SCCP\_CALL\_BLOCK

**Type:** VoIP

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	15
date	Date	string	10
devid	Device ID	string	16
epoch		uint32	10
event_id	Event ID	uint32	10
kind		string	10
level	Log Level	string	11
logid	Log ID	string	10
phone	Phone	string	64
policy_id	Policy ID	uint32	10
profile	Profile Name	string	64
proto	Protocol	uint8	3
reason	Reason	string	128
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
src_int	Source Interface	string	16
src_port	Source Port	uint16	5
status	Status	string	23
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
voip_proto	VOIP Protocol	string	4

## 44038 - LOGID\_EVENT\_VOIP\_SCCP\_CALL\_INFO

**Message ID:** 44038

**Message Description:** LOGID\_EVENT\_VOIP\_SCCP\_CALL\_INFO

**Type:** VoIP

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Action	string	15
date	Date	string	10
devid	Device ID	string	16
dstip	Destination IP	ip	39
dst_int	Destination Interface	string	16
dst_port	Destination Port	uint16	5
duration	Duration	uint32	10
epoch		uint32	10
event_id	Event ID	uint32	10
kind		string	10
level	Log Level	string	11
logid	Log ID	string	10
phone	Phone	string	64
policy_id	Policy ID	uint32	10
profile	Profile Name	string	64
proto	Protocol	uint8	3
session_id	Session ID	uint32	10
srcip	Source IP	ip	39
src_int	Source Interface	string	16
src_port	Source Port	uint16	5
status	Status	string	23

Log Field Name	Description	Data Type	Length
subtype	Log Subtype	string	20
time	Time	string	8
type	Log Type	string	16
vd	Virtual Domain Name	string	32
voip_proto	VOIP Protocol	string	4

## Web

### 12288 - LOG\_ID\_WEB\_CONTENT\_BANWORD

**Message ID:** 12288

**Message Description:** LOG\_ID\_WEB\_CONTENT\_BANWORD

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
banword	Banned word	string	128
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512
type	Log type	string	16
url	The URL address	string	512

Log Field Name	Description	Data Type	Length
user	User name	string	256
vd	Virtual domain name	string	32

## 12289 - LOG\_ID\_WEB\_CONTENT\_MMS\_BANWORD

**Message ID:** 12289

**Message Description:** LOG\_ID\_WEB\_CONTENT\_MMS\_BANWORD

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
banword	Banned word	string	128
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12290 - LOG\_ID\_WEB\_CONTENT\_EXEMPTWORD

**Message ID:** 12290

**Message Description:** LOG\_ID\_WEB\_CONTENT\_EXEMPTWORD

**Type:** Web



**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
banword	Banned word	string	128
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20

Log Field Name	Description	Data Type	Length
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12291 - LOG\_ID\_WEB\_CONTENT\_MMS\_EXEMPTWORD

**Message ID:** 12291

**Message Description:** LOG\_ID\_WEB\_CONTENT\_MMS\_EXEMPTWORD

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
banword	Banned word	string	128

Log Field Name	Description	Data Type	Length
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32

Log Field Name	Description	Data Type	Length
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12292 - LOG\_ID\_WEB\_CONTENT\_KEYWORD

**Message ID:** 12292

**Message Description:** LOG\_ID\_WEB\_CONTENT\_KEYWORD

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39

Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
keyword	Keyword used for search	string	512
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512

Log Field Name	Description	Data Type	Length
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12293 - LOG\_ID\_WEB\_CONTENT\_SEARCH

**Message ID:** 12293

**Message Description:** LOG\_ID\_WEB\_CONTENT\_SEARCH

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256

Log Field Name	Description	Data Type	Length
initiator	The initiator user for override	string	64
keyword	Keyword used for search	string	512
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12305 - LOG\_ID\_WEB\_CONTENT\_BANWORD\_NOTIF

**Message ID:** 12305

**Message Description:** LOG\_ID\_WEB\_CONTENT\_BANWORD\_NOTIF

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
banword	Banned word	string	128
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3



Log Field Name	Description	Data Type	Length
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12544 - LOG\_ID\_URL\_FILTER\_BLOCK

**Message ID:** 12544

**Message Description:** LOG\_ID\_URL\_FILTER\_BLOCK

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10

Log Field Name	Description	Data Type	Length
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
urlfilteridx	URL filter ID	uint32	10
urlfilterlist	URL filter list	string	64
user	User name	string	256
vd	Virtual domain name	string	32

## 12545 - LOG\_ID\_URL\_FILTER\_EXEMPT

**Message ID:** 12545

**Message Description:** LOG\_ID\_URL\_FILTER\_EXEMPT

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64

Log Field Name	Description	Data Type	Length
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
urlfilteridx	URL filter ID	uint32	10
urlfilterlist	URL filter list	string	64
user	User name	string	256
vd	Virtual domain name	string	32

## 12546 - LOG\_ID\_URL\_FILTER\_ALLOW

**Message ID:** 12546

**Message Description:** LOG\_ID\_URL\_FILTER\_ALLOW**Type:** Web**Category:** GENERAL**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36

Log Field Name	Description	Data Type	Length
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
urlfilteridx	URL filter ID	uint32	10
urlfilterlist	URL filter list	string	64
user	User name	string	256
vd	Virtual domain name	string	32

## 12547 - LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTP\_BLK

**Message ID:** 12547

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTP\_BLK

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12548 - LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTPS\_BLK

**Message ID:** 12548

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTPS\_BLK

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32



Log Field Name	Description	Data Type	Length
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12549 - LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTP\_PASS

**Message ID:** 12549

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTP\_PASS

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12550 - LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTPS\_PASS

**Message ID:** 12550

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_HTTPS\_PASS

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20

Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12551 - LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_SNI\_BLK

**Message ID:** 12551

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_SNI\_BLK

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512

Log Field Name	Description	Data Type	Length
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12552 - LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_SNI\_PASS

**Message ID:** 12552

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_HOSTNAME\_SNI\_PASS

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10

Log Field Name	Description	Data Type	Length
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16

Log Field Name	Description	Data Type	Length
user	User name	string	256
vd	Virtual domain name	string	32

## 12553 - LOG\_ID\_URL\_FILTER\_INVALID\_CERT

**Message ID:** 12553

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_CERT

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8

Log Field Name	Description	Data Type	Length
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12554 - LOG\_ID\_URL\_FILTER\_INVALID\_SESSION

**Message ID:** 12554

**Message Description:** LOG\_ID\_URL\_FILTER\_INVALID\_SESSION

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39



Log Field Name	Description	Data Type	Length
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12555 - LOG\_ID\_URL\_FILTER\_SRV\_CERT\_ERR\_BLK

**Message ID:** 12555

**Message Description:** LOG\_ID\_URL\_FILTER\_SRV\_CERT\_ERR\_BLK

**Type:** Web

**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5

Log Field Name	Description	Data Type	Length
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12556 - LOG\_ID\_URL\_FILTER\_SRV\_CERT\_ERR\_PASS

**Message ID:** 12556

**Message Description:** LOG\_ID\_URL\_FILTER\_SRV\_CERT\_ERR\_PASS

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512

Log Field Name	Description	Data Type	Length
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 12557 - LOG\_ID\_URL\_FILTER\_FAMS\_NOT\_ACTIVE

**Message ID:** 12557

**Message Description:** LOG\_ID\_URL\_FILTER\_FAMS\_NOT\_ACTIVE

**Type:** Web

**Category:** GENERAL

**Severity:** Critical

Log Field Name	Description	Data Type	Length
date	Date	string	10
eventtype	Web Filter event type	string	32

Log Field Name	Description	Data Type	Length
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
vd	Virtual domain name	string	32

## 12558 - LOG\_ID\_URL\_FILTER\_RATING\_ERR

**Message ID:** 12558

**Message Description:** LOG\_ID\_URL\_FILTER\_RATING\_ERR

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
error	URL rating error message	string	256
eventtype	Web Filter event type	string	32
hostname	The host name of a URL	string	256
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Log message	string	512
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
urltype	URL filter type	string	8
user	User name	string	256
vd	Virtual domain name	string	32

## 12559 - LOG\_ID\_URL\_FILTER\_PASS

**Message ID:** 12559

**Message Description:** LOG\_ID\_URL\_FILTER\_PASS

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
urlfilteridx	URL filter ID	uint32	10

Log Field Name	Description	Data Type	Length
urlfilterlist	URL filter list	string	64
user	User name	string	256
vd	Virtual domain name	string	32

## 12800 - LOG\_ID\_WEB\_FTGD\_ERR

**Message ID:** 12800

**Message Description:** LOG\_ID\_WEB\_FTGD\_ERR

**Type:** Web

**Category:** GENERAL

**Severity:** Error

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
error	URL rating error message	string	256
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11



Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12801 - LOG\_ID\_WEB\_FTGD\_WARNING

**Message ID:** 12801

**Message Description:** LOG\_ID\_WEB\_FTGD\_WARNING

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
error	URL rating error message	string	256
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10

Log Field Name	Description	Data Type	Length
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 12802 - LOG\_ID\_WEB\_FTGD\_QUOTA

**Message ID:** 12802

**Message Description:** LOG\_ID\_WEB\_FTGD\_QUOTA

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
catdesc	Web category description	string	64
date	Date	string	10
eventtype	Web Filter event type	string	32
level	Log Level	string	11
logid	Log ID	string	10
profile	Web Filter profile name	string	64
quotaexceeded	Quota has been exceeded	string	3
quotamax	Maximum quota allowed - in seconds if time-based - in bytes if traffic-based	uint64	20

Log Field Name	Description	Data Type	Length
quotatype	Quota type	string	16
quotaused	Quota used - in seconds if time-based - in bytes if traffic-based).	uint64	20
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 13056 - LOG\_ID\_WEB\_FTGD\_CAT\_BLK

**Message ID:** 13056

**Message Description:** LOG\_ID\_WEB\_FTGD\_CAT\_BLK

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
method	Rating override method by URL domain name or IP address.	string	6
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256

Log Field Name	Description	Data Type	Length
vd	Virtual domain name	string	32

## 13057 - LOG\_ID\_WEB\_FTGD\_CAT\_WARN

**Message ID:** 13057

**Message Description:** LOG\_ID\_WEB\_FTGD\_CAT\_WARN

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10

Log Field Name	Description	Data Type	Length
method	Rating override method by URL domain name or IP address.	string	6
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13312 - LOG\_ID\_WEB\_FTGD\_CAT\_ALLOW

**Message ID:** 13312

**Message Description:** LOG\_ID\_WEB\_FTGD\_CAT\_ALLOW

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
method	Rating override method by URL domain name or IP address.	string	6
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20



Log Field Name	Description	Data Type	Length
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

### 13313 - LOG\_ID\_WEB\_FTGD\_RULE\_ALLOW

**Message ID:** 13313

**Message Description:** LOG\_ID\_WEB\_FTGD\_RULE\_ALLOW

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10

Log Field Name	Description	Data Type	Length
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
method	Rating override method by URL domain name or IP address.	string	6
mode	Rating override mode	string	32
msg	Log message	string	512
ovrddid	URL rating override ID	uint32	10
ovrdtbl	Rating override table	string	128
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
ruledata	Rule data	string	512
ruletype	Rule type	string	9
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36

Log Field Name	Description	Data Type	Length
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

### 13314 - LOG\_ID\_WEB\_FTGD\_OFF\_SITE\_ALLOW

**Message ID:** 13314

**Message Description:** LOG\_ID\_WEB\_FTGD\_OFF\_SITE\_ALLOW

**Type:** Web

**Category:** GENERAL

**Severity:** Information

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8

Log Field Name	Description	Data Type	Length
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
method	Rating override method by URL domain name or IP address.	string	6
mode	Rating override mode	string	32
msg	Log message	string	512
ovrdid	URL rating override ID	uint32	10
ovrdbl	Rating override table	string	128
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
ruledata	Rule data	string	512
ruletype	Rule type	string	9
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10

Log Field Name	Description	Data Type	Length
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

### 13315 - LOG\_ID\_WEB\_FTGD\_QUOTA\_COUNTING

**Message ID:** 13315

**Message Description:** LOG\_ID\_WEB\_FTGD\_QUOTA\_COUNTING

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32

Log Field Name	Description	Data Type	Length
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
method	Rating override method by URL domain name or IP address.	string	6
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
quotamax	Maximum quota allowed - in seconds if time-based - in bytes if traffic-based	uint64	20
quotatype	Quota type	string	16
quotaused	Quota used - in seconds if time-based - in bytes if traffic-based).	uint64	20
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39

Log Field Name	Description	Data Type	Length
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13316 - LOG\_ID\_WEB\_FTGD\_QUOTA\_EXPIRED

**Message ID:** 13316

**Message Description:** LOG\_ID\_WEB\_FTGD\_QUOTA\_EXPIRED

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
method	Rating override method by URL domain name or IP address.	string	6
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
quotamax	Maximum quota allowed - in seconds if time-based - in bytes if traffic-based	uint64	20
quotatype	Quota type	string	16
quotaused	Quota used - in seconds if time-based - in bytes if traffic-based).	uint64	20
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20



Log Field Name	Description	Data Type	Length
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

### 13317 - LOG\_ID\_WEB\_URL

**Message ID:** 13317

**Message Description:** LOG\_ID\_WEB\_URL

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
cat	Web category ID	uint8	3
catdesc	Web category description	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64

Log Field Name	Description	Data Type	Length
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
method	Rating override method by URL domain name or IP address.	string	6
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

**13568 - LOG\_ID\_WEB\_SCRIPTFILTER\_ACTIVEX****Message ID:** 13568**Message Description:** LOG\_ID\_WEB\_SCRIPTFILTER\_ACTIVEX**Type:** Web**Category:** GENERAL**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20

Log Field Name	Description	Data Type	Length
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13573 - LOG\_ID\_WEB\_SCRIPTFILTER\_COOKIE

**Message ID:** 13573

**Message Description:** LOG\_ID\_WEB\_SCRIPTFILTER\_COOKIE

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10

Log Field Name	Description	Data Type	Length
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8

Log Field Name	Description	Data Type	Length
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13584 - LOG\_ID\_WEB\_SCRIPTFILTER\_APPLET

**Message ID:** 13584

**Message Description:** LOG\_ID\_WEB\_SCRIPTFILTER\_APPLET

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11

Log Field Name	Description	Data Type	Length
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13600 - LOG\_ID\_WEB\_SCRIPTFILTER\_OTHER

**Message ID:** 13600

**Message Description:** LOG\_ID\_WEB\_SCRIPTFILTER\_OTHER

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
filtertype	The script filter type	string	10
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10



Log Field Name	Description	Data Type	Length
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13601 - LOG\_ID\_WEB\_WF\_COOKIE

**Message ID:** 13601

**Message Description:** LOG\_ID\_WEB\_WF\_COOKIE

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5

Log Field Name	Description	Data Type	Length
eventtype	Web Filter event type	string	32
filtertype	The script filter type	string	10
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13602 - LOG\_ID\_WEB\_WF\_REFERER

**Message ID:** 13602

**Message Description:** LOG\_ID\_WEB\_WF\_REFERER

**Type:** Web

**Category:** GENERAL

**Severity:** Notice

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
filtertype	The script filter type	string	10
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## 13603 - LOG\_ID\_WEB\_WF\_COMMAND\_BLOCK

**Message ID:** 13603

**Message Description:** LOG\_ID\_WEB\_WF\_COMMAND\_BLOCK

**Type:** Web

**Category:** GENERAL

**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10

Log Field Name	Description	Data Type	Length
date	Date	string	10
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
group	User group name	string	64
hostname	The host name of a URL	string	256
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
reqtype	Request type	string	8
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
type	Log type	string	16
user	User name	string	256
vd	Virtual domain name	string	32

## 13616 - LOG\_ID\_CONTENT\_TYPE\_BLOCK

**Message ID:** 13616

**Message Description:** LOG\_ID\_CONTENT\_TYPE\_BLOCK**Type:** Web**Category:** GENERAL**Severity:** Warning

Log Field Name	Description	Data Type	Length
action	Security action performed by WF	string	11
agent	User agent - eg. agent="Mozilla/5.0"	string	64
contenttype	Content Type from HTTP header	string	64
crlevel	Client Reputation Level	string	10
crscore	Client Reputation Score	uint32	10
date	Date	string	10
direction	Direction of the web traffic	string	8
dstintf	Destination Interface	string	32
dstip	Destination IP	ip	39
dstport	Destination Port	uint16	5
eventtype	Web Filter event type	string	32
from	MMS-only - From/To headers from the email	string	128
group	User group name	string	64
hostname	The host name of a URL	string	256
initiator	The initiator user for override	string	64
level	Log Level	string	11
logid	Log ID	string	10
msg	Log message	string	512
policyid	Policy ID	uint32	10
profile	Web Filter profile name	string	64
proto	Protocol number	uint8	3

Log Field Name	Description	Data Type	Length
rcvdbyte	Received Bytes	uint64	20
reqtype	Request type	string	8
sentbyte	Sent Bytes	uint64	20
service	Service name	string	36
sessionid	Session ID	uint32	10
srcintf	Source Interface	string	32
srcip	Source IP	ip	39
srcport	Source Port	uint16	5
subtype	Log subtype	string	20
time	Time	string	8
to	MMS-only - From/To headers from the email	string	512
type	Log type	string	16
url	The URL address	string	512
user	User name	string	256
vd	Virtual domain name	string	32

## Appendix A - Log Diff for 5.2.12 and 5.2.13

This section covers changes applicable to the 5.2.13 version only. It is recommended that you keep both the 5.2.12 and 5.2.13 Log Reference available for comparison of log field delta between the versions.



For all reference purposes, in the tables provided below (see tables), the term **Removed** indicates that a log field was removed in version 5.2.13, but exists in version 5.2.12. Similarly, the term **Added** indicates that a log field was added in 5.2.13.

---

There is no log field difference between 5.2.12 and 5.2.13.





Copyright© 2017 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. In no event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.